WAPA IRP

Cooperative Filing

for the cities of:

Beresford, South Dakota Brookings, South Dakota Flandreau, South Dakota Fort Pierre, South Dakota Hillsboro, North Dakota Pierre, South Dakota Vermillion, South Dakota Watertown, South Dakota Winner, South Dakota Valley City, North Dakota

September 1, 2014

Table of Contents

| I. | \mathbf{M} | RES Resource Planning | 1 |
|-----|--------------|---|----|
| | A. | Overview | 1 |
| | В. | Resource Plan Goals | 1 |
| | C. | Load Forecasting | 3 |
| | | i. Develop Long-Term Forecast | 3 |
| | | ii. Develop Short-Term Forecast | 3 |
| | | iii. Blend Short-Term and Long-Term Forecasts | 4 |
| | | v. Calculate MRES Generation Requirements | 5 |
| | D. | Generation Resources | 6 |
| | E. | MRES Resource Planning Development | 6 |
| | | i. Modeling Method | |
| | | ii. Needs for Additional Capacity and Energy | 7 |
| | | iii. Resource Options Considered | 7 |
| | | iv. Future DSM Activities | 8 |
| | | v. Renewable Energy Resources | 9 |
| | | vi. Emission Costing | 9 |
| | F. | Resource Planning Results | 9 |
| | G. | . Implementation | 10 |
| | | i. DSM Task Force | 10 |
| | | ii. Bright Energy Solutions | 10 |
| | H | BES Programs Designed to Meet Goals | 11 |
| | | i. BES Savings Results | |
| | I. | Cost-Effectiveness of BES Programs | 13 |
| | | i. Economic Analysis of Energy Efficiency | 13 |
| | | ii. Member Program Selection | |
| | | iii. Calculation of Savings | 21 |
| | | iv. Environmental Benefits | 22 |
| | J. | Coordinated Demand Response Program | 22 |
| | | ii. CDR Participation | |
| | | iii. CDR Results | 23 |
| II. | Ве | eresford, SD Resource Planning | 24 |
| | | City Information | |
| | | Exhibit 1 | 25 |
| | | Exhibit 2 | 26 |
| | | Exhibit 3 | 27 |
| | | Exhibit 4 | 28 |
| | | Exhibit 5 | 29 |
| | | Exhibit 6 | 30 |
| | | Exhibit 7 | |
| | | Exhibit 8 | |
| | В. | Supply-side Efforts | |
| | | Historic DSM Efforts | |

| | Exhibit 9 - Summary of DSM Activities 2009-2013 | 34 |
|------|---|----|
| | D. Evaluation of Alternatives | 34 |
| | E. Options Chosen – Development of Action Plan | 35 |
| | i. Future Actions | 35 |
| | ii. Milestone | 35 |
| | F. Environmental Effects | |
| | G. Public Participation | |
| | Appendix 1 – Detailed DSM Measures Installed | |
| | Appendix 2 – Beresford Resolution | |
| III. | Brookings, SD Resource Planning | |
| | A. City Information | |
| | Exhibit 1 | |
| | Exhibit 2 | |
| | Exhibit 3 | 43 |
| | Exhibit 4 | 44 |
| | Exhibit 5 | |
| | Exhibit 6 | 46 |
| | Exhibit 7 | |
| | Exhibit 8 | |
| | B. Supply-side Efforts | |
| | C. Historic DSM Efforts | |
| | Exhibit 9 - Summary of DSM Activities 2009-2013 | 50 |
| | D. Evaluation of Alternatives | |
| | E. Options Chosen – Development of Action Plan | 51 |
| | i. Future Actions | |
| | ii. Milestones | 51 |
| | F. Environmental Effects | 52 |
| | Appendix 1 – Detailed DSM Measures Installed | 54 |
| | Appendix 2 – Brookings Resolution | |
| IV. | Flandreau, SD Resource Planning | 64 |
| | A. City Information | |
| | Exhibit 1 | 65 |
| | Exhibit 2 | 66 |
| | Exhibit 3 | 67 |
| | Exhibit 4 | 68 |
| | Exhibit 5 | 69 |
| | Exhibit 6 | 70 |
| | Exhibit 7 | 71 |
| | Exhibit 8 | 72 |
| | B. Supply-side Efforts | 73 |
| | C. Historic DSM Efforts | 73 |
| | Exhibit 9 - Summary of DSM Activities 2009-2013 | 74 |
| | D. Evaluation of Alternatives | 75 |
| | E. Options Chosen – Development of Action Plan | 75 |
| | i. Future Actions | |
| | ii. Milestones | 75 |

| | F. | Environmental Effects | 76 |
|--------|------|---|-----|
| | G. | Public Participation | 76 |
| | | Appendix 1 – Detailed DSM Measures Installed | |
| | | Appendix 2 – Flandreau Resolution | |
| Fort : | Pier | re, SD Resource Planning | |
| | | City Information | |
| | | Exhibit 1 | |
| | | Exhibit 2 | |
| | | Exhibit 3 | |
| | | Exhibit 4 | |
| | | Exhibit 5 | |
| | | Exhibit 6 | |
| | | Exhibit 7 | |
| | | Exhibit 8 | |
| | I. | Supply-side Efforts | |
| | J. | Historic DSM Efforts | |
| | J. | Exhibit 9 - Summary of DSM Activities 2009-2013 | |
| | K | Evaluation of Alternatives | |
| | | Options Chosen – Development of Action Plan | |
| | L. | ii. Milestones | |
| | М | Environmental Effects | |
| | 141 | Appendix 1 – Detailed DSM Measures Installed | |
| | | Appendix 2 – Fort Pierre Resolution | |
| V. | Ц | Ilsboro, ND Resource Planning | |
| ٧. | | City Information | |
| | Д. | Exhibit 1 | |
| | | Exhibit 2 | |
| | | Exhibit 3 | |
| | | Exhibit 4 | |
| | | Exhibit 5 | |
| | | Exhibit 6 | |
| | | Exhibit 7 | |
| | | Exhibit 8 | |
| | R | Supply-side Efforts | |
| | | Historic DSM Efforts | |
| | C. | Exhibit 9 - Summary of DSM Activities 2009-2013 | |
| | D | Evaluation of Alternatives | |
| | | Options Chosen – Development of Action Plan | |
| | Ľ. | i. Future Actions | |
| | | ii. Milestones | |
| | E | Environmental Effects | |
| | | | |
| | G. | Public Participation | |
| | | * * | |
| VI. | D: | Appendix 2 – Hillsboro Resolution | |
| VI. | | erre, SD Resource Planning | |
| | A. | City Information | 115 |

| | Exhibit 1 | 116 |
|--------------|---|-----|
| | Exhibit 2 | 117 |
| | Exhibit 3 | 118 |
| | Exhibit 4 | 119 |
| | Exhibit 5 | 120 |
| | Exhibit 6 | 121 |
| | Exhibit 7 | 122 |
| | Exhibit 8 | |
| | B. Supply-side Efforts | |
| | C. Historic DSM Efforts | |
| | Exhibit 9 - Summary of DSM Activities 2009-2013 | |
| | D. Evaluation of Alternatives | |
| | E. Options Chosen – Development of Action Plan | |
| | i. Future Actions | |
| | ii. Milestones | |
| | F. Environmental Effects | |
| | G. Public Participation | |
| | Appendix 1 – Detailed DSM Measures Installed | |
| | Appendix 2 – Pierre Resolution | |
| VII. | Vermillion, SD Resource Planning | |
| V 11. | A. City Information | |
| | Exhibit 1 | |
| | Exhibit 2 | |
| | Exhibit 3 | |
| | Exhibit 4 | |
| | Exhibit 5 | |
| | Exhibit 6 | |
| | Exhibit 7 | |
| | Exhibit 8. | |
| | B. Supply-side Efforts | |
| | C. Historic DSM Efforts | |
| | Exhibit 9 - Summary of DSM Activities 2009-2013 | |
| | D. Evaluation of Alternatives | |
| | E. Options Chosen – Development of Action Plan | |
| | i. Future Actions | |
| | ii. Milestones | |
| | Appendix 1 – Detailed DSM Measures Installed | |
| | Appendix 2 – Vermillion Resolution | |
| VIII. | • • | |
| V 111. | Watertown, SD Resource Planning | |
| | A. City Information Exhibit 1 | |
| | | |
| | Exhibit 3 | |
| | Exhibit 4 | |
| | Exhibit 5 | |
| | Exhibit 6Exhibit 7 | |
| | Lamon / | 108 |

| | Exhibit 8 | 169 |
|-----------|---|-----|
| | B. Supply-side Efforts | 170 |
| | C. Historic DSM Efforts | 170 |
| | Exhibit 9 - Summary of DSM Activities 2009-2013 | 171 |
| | D. Evaluation of Alternatives | |
| | E. Options Chosen – Development of Action Plan | 172 |
| | i. Future Actions | |
| | ii. Milestones | 173 |
| | F. Environmental Effects | |
| | G. Public Participation | |
| IX. | Winner, SD Resource Planning | |
| | A. City Information | |
| | Exhibit 1 | |
| | Exhibit 2 | 189 |
| | Exhibit 3 | 190 |
| | Exhibit 4 | 191 |
| | Exhibit 5 | 192 |
| | Exhibit 6 | 193 |
| | Exhibit 7 | 194 |
| | Exhibit 8 | 195 |
| | B. Supply-side Efforts | 196 |
| | C. Historic DSM Efforts | 196 |
| | Exhibit 9 - Summary of DSM Activities 2009-2013 | 197 |
| | D. Evaluation of Alternatives | 198 |
| | E. Options Chosen – Development of Action Plan | 198 |
| | i. Future Actions | 198 |
| | ii. Milestones | 198 |
| | F. Environmental Effects | 199 |
| | Appendix 1 – Detailed DSM Measures Installed | |
| | Appendix 2 – Winner Resolution | |
| X. | Valley City, ND Resource Planning | |
| | A. City Information | |
| | Exhibit 1 | |
| | Exhibit 2 | |
| | Exhibit 3 | |
| | Exhibit 4 | |
| | Exhibit 5 | |
| | Exhibit 6 | |
| | Exhibit 7 | |
| | Exhibit 8 | |
| | B. Supply-side Efforts | |
| | C. Historic DSM Efforts | |
| | Exhibit 9 - Summary of DSM Activities 2009-2013 | |
| | D. Evaluation of Alternatives | |
| | E. Options Chosen – Development of Action Plan | |
| | i. Future Actions | 216 |

| | ii. Milestones | 216 |
|----|--|-----|
| F. | Environmental Effects | 217 |
| G. | Public Participation | 217 |
| | Appendix 1 – Detailed DSM Measures Installed | |
| | Appendix 2 – Valley City Resolution | 222 |

I. MRES Resource Planning

A. Overview

Missouri River Energy Services (MRES) is a member-based joint-action agency, headquartered in Sioux Falls, South Dakota, with 60 member municipalities in the states of Iowa, Minnesota, North Dakota, and South Dakota. Of its 60 members, 57 are S-1 customers, each of whom receives hydroelectric preference power from the Western Area Power Administration (WAPA). These members purchase power from MRES to meet their needs over and above their WAPA allocations. In February of 2006, all 57 of the MRES S-1 members took action to extend the S-1 agreements from 2030 to 2046.

All of the MRES S-1 members receive hydroelectric preference allocations from WAPA and have purchase power agreements with WAPA to deliver power and energy from those allocations. The member cities purchase all supplemental power from MRES. Because of this contractual arrangement, all the supply-side resource planning is conducted by MRES on behalf of its members.

Conversely, the member cities own and operate their own distribution systems and perform all interfacing with the retail customer. Thus the member cities have the lead responsibility for demand-side and customer efficiency programs.

This document describes the overall process of coordinating the supply-side and demand-side planning into a cohesive, least-cost integrated resource plan.

B. Resource Plan Goals

MRES endeavored to meet the requirements of the applicable state statutes and WAPA standards for integrated resource plans. In the analysis of the scenarios for the capacity expansion modeling, MRES balanced the needs of the members with that of the environment. MRES is committed to maintaining the reliability of power supply, while providing predictability and reasonableness of rates for residential, commercial, and industrial customers. At the same time, MRES is also committed to expansion of its renewable resources and taking an active role in conservation measures. In the analysis of various scenarios, environmental concerns such as emissions were evaluated and also balanced with such considerations as the need for firm base load power and stabilization of energy costs. In the end, the analysis of the various scenarios in the context of these goals resulted in a choice of resource mix that is environmentally responsible, cost-effective, and balanced.

More specifically, the resource planning goals of MRES are to:

Study Goal 1: Maintain the Adequacy and Reliability of Power Supply.

To meet this goal, load projections were developed for MRES power supply members, including the additional amounts required for MAPP and MISO planning reserves. All existing resources were assumed to remain in operation through at least 2025, with exception of the replacement of the 10 MW of capacity at Moorhead, Minnesota.

According to these criteria, using only existing resources, MRES will not experience a capacity deficit until after 2020. Loads increase in 2016 when MRES assumes all supplemental power requirements for the load of the City of Marshall, Minnesota, as a result of the expiration of Marshall's partial power supply contract with HCPD.

The focus of this study goal was to determine the lowest-cost, reliable plan which optimizes the amount of resources, while meeting capacity requirements. It necessitates the evaluation of a variety of likely options, including baseload, natural gas combined cycle (NGCC), integrated gasification combined cycle (IGCC), combustion turbine (CT) units, wind turbines, and compressed air energy storage (CAES) for the MRES resource mix.

Study Goal 2: Keep Members' Wholesale Rates Competitive.

The primary objective of this goal is to minimize the overall long-term power supply costs to MRES member communities. Capacity expansion modeling was utilized to determine the least-cost resource mix (both demand-side and supply-side) under a number of different scenarios. The analysis examined these resource combinations over the 2011 through 2025 timeframe. Because little, if any, capacity is required in many of the scenarios analyzed, a primary focus is on minimizing the overall operations cost.

Study Goal 3: Minimize Adverse Socioeconomic and Environmental Effects.

The referenced cases all applied Minnesota Public Utilities Commission-approved environmental externality prices and considered expected costs for mercury and SO_2 allowances when computing the least-cost plan. Various CO_2 emission cost values were explored. Those externalities and emission cost values were calculated using all MRES firm load, not just the Minnesota portion of the MRES loads. Several of the cases and scenarios specifically considered renewable resources, using wind for renewable energy for the purpose of meeting this study goal.

Another specific criterion of this goal was the inclusion of resources to meet the renewable resource objectives established by the MRES board. MRES is committed to achieving the Minnesota RES, supplying 17 percent of the energy served by MRES in Minnesota with renewable energy by the year 2016, increasing to 20 percent by 2020, and 25 percent by 2025. MRES presently meets the renewable energy goals for its Minnesota load and has resources in place to meet it for the next several years. MRES also has adequate resources to supply at least 10 percent of its load in the other states with renewable resources.

A major component of minimizing environmental impacts is to fully implement conservation and DSM. As described earlier, MRES commissioned PA Consulting to perform a DSM potential study, the results of which were incorporated into this resource plan. MRES is undertaking efforts to implement cost-effective DSM measures throughout its membership. In addition, MRES is assisting its Minnesota

members with meeting the full CIP requirement, which includes DSM amounts in addition to what was found feasible by PA Consulting.

Study Goal 4: Enhance the Ability of MRES to Respond to Changes and to Limit Risks.

In meeting this goal, the resource plan discusses and analyzes several of the potential risks MRES could face. These risks, along with several other significant risks related to resource planning, were addressed with several sensitivity analyses.

C. Load Forecasting

The MRES load forecasts are based upon a short-term forecast blended into a long-term econometric forecast. Each forecast predicts the aggregate total usage for each member city for each month of the forecast horizon. By subtracting the allocated amounts of WAPA demand and energy, the monthly MRES demand and energy sales to each member is obtained.

The following steps were followed to develop a load forecast for each member municipality.

i. Develop Long-Term Forecast

This includes updating the historical files for monthly energy usage and all of the independent variables, forecasting values for independent (explanatory) variables, generating long-term energy models for each member, including any spot load adjustments; and selecting a final long-term energy model for each member.

Annual data for variables believed to be useful in predicting total energy were input into a software package called MetrixND® and regression models were constructed for each city. The city total energy was the dependent variable for each model. Possible independent variables included county census data for the county in which the city is located, weather data from the nearest weather station, national economic statistics, and alternate fuel prices for the region. A number of possible models were tested for each city, and certain criteria were scrutinized in order to find a model that was statistically sound and provided a reasonable expected growth rate. Models were selected primarily based on adjusted R-square, Mean Absolute Percentage Error (MAPE), T-statistics, and Durbin-Watson statistics. The long-term forecast was based on a regression analysis of annual historical data from 1970 through 2012 and created annual energy forecasts through 2040.

ii. Develop Short-Term Forecast

Independent of the long-term modeling process, the short-term forecasts were generated using a multiple regression analysis. For the last five years of the analysis, monthly city total energy was the dependent variable for each model.

The primary independent variables included monthly cooling, heating, and total degree days for the weather station representing the city. The logarithmic transformations of the degree days could also be selected as independent variables. At least one weather variable was used in each model. Additionally, no more than two weather variables could be included per model.

Both the one-month and twelve-month lagged energy variables were included in some models, if necessary, to achieve acceptable statistical results. The logarithmic transformations of one-month and twelve-month lags were made available as independent variables. Only one lag variable or transformation thereof could be included per model.

A linear trend variable and the logarithmic transformation of the linear trend were included in some models, if necessary, to achieve acceptable statistical results. Any long-term growth (or negative growth) realized by the cities should be accounted for by including a trend component. A maximum of one trend or transformation of a trend variable was allowed per model.

Monthly binary variables were used to account for the monthly variation in energy sales. Binary variables take the value of one or zero depending upon a condition occurring or not occurring. There were 11 binary variables, with the first binary variable, d1, being equal to 1 for January, and the other ten binary variables being equal to 0 in January. The second binary variable, d2 is equal to 1 for February, and the other ten binary variables being equal to 0 for February, and so on. It is mandatory in regression modeling that one month does not have a binary variable, in order that some base level is set, and subsequent months are either an addition or a subtraction to that base level. Subsequently, the constant is the 12th binary variable. In this case, December was the month not represented by a binary variable. All 11 monthly binary variables were forced into each regression model.

iii. Blend Short-Term and Long-Term Forecasts

The short-term forecasts were used for each member through the remainder of the current year and one additional year. After that year, each member's annual growth rates from the long-term forecasts were used to extend the forecasted energy into a long-term "blended" base forecast that extends to the year 2040.

iv. Calculate MRES vs. WAPA Loads

Once the forecasted values were obtained, the forecasts for each member were processed by a calculation that splits the energy and demand between WAPA and MRES. The amount of energy and demand that a member receives from WAPA is called the Contract Rate of Delivery (CROD), and is based on a formula specified in the WAPA firm power contracts of each member.

WAPA offers more than one method of defining its allocation of power to their customers. Most of the MRES member cities have selected the "Fixed CROD" method. One S-1 member is using the older "Seasonal X/Y" method. All of the

Minnesota members that purchase power from MRES are using the Fixed CROD method.

Under the Fixed CROD method, each city is assigned a monthly allocation of demand and a monthly allocation of energy from WAPA. Any amount of demand or energy exceeding that monthly allocation is provided by MRES. The allocations are the same from year to year for each city, although they vary each month within the year. Also, the allocations were reduced by approximately 4% in January 2001 to allow WAPA to create new allocations for certain new customers and Native American loads, and were reduced again by 0.25% in January 2006 to create new allocations for additional WAPA customers. One percent reductions in WAPA allocations are also expected in January 2021 and January 2031 and are included in the calculations done for this filing.

Once the WAPA allocations are subtracted from the city loads, the remainder is the amount that MRES supplies to each city.

The load factors of the WAPA allocations do not change from year to year and are different from the load factors of the cities. Because MRES serves the portion of each city's load not supplied by WAPA, the MRES sales also have a different load factor than each city's total load.

v. Calculate MRES Generation Requirements

MRES must also plan to supply reserve capacity for the control areas in which it operates. Currently, MRES is operating in two areas; Mid-Continent Area Power Pool (MAPP), and Midwest Independent System Operators (MISO). MISO has a well-defined method of calculating these requirements, while MAPP has a fairly loose guideline with the details being left to the individual utilities. Additionally, it is anticipated that WAPA will be joining the Southwest Power Pool (SPP) and leaving the MAPP area in the near future. It is assumed that the SPP reserve calculation will closely resemble the MISO reserve calculation. For these reasons, we are using the MISO reserve calculation on our current MAPP load.

MISO rules specify that adequate capacity be designated to meet forecasted loads plus losses and a Planning Reserve Margin (PRM). The load forecast previously described in this document is reduced by a diversity factor since our loads are not expected to peak at the same time as the MISO peak. These values are then scaled up for losses, and a 7.3% PRM is applied. The resulting values represent the total load requirement that MRES is responsible for serving.

In measuring the capacity that accrues towards the requirement, the utility first defines each unit's Installed Capability (ICAP) based on annual tests. MISO then discounts the ICAP value to account for historical or typical forced outage rates to obtain the Unforced Capability (UCAP) rating. Only the UCAP amount may accrue towards meeting the capacity requirement.

A utility designates how much of each unit it wishes to designate in each month, by converting some or all of each unit's UCAP rating to Planning Resource

Credits (PRC). Each PRC is equivalent to 1 MW of UCAP for one month. A utility may avoid designating some units as PRC because of the associated "Must Offer" requirement. Any amount of a unit converted to PRC must be offered each hour in the MISO day-ahead energy market, unless outages or derates are properly documented with MISO.

In this resource plan, MRES is designating as PRC all of its thermal resources that are in the MISO market area, except for some of the older municipal capacity units. Since that amount is inadequate to meet the total capacity required, MRES is also designating a portion of its entitlement to production from LRS Unit 1 located outside of MISO as PRC. A resource external to MISO, such as LRS Unit 1, may be designated as PRC so long as firm transmission to load in MISO is in place, as is the case for LRS Unit 1.

D. Generation Resources

MRES, either directly or through its contracts with Western Minnesota, has the following generation capacity:

- Laramie River Station (LRS): 271.8 MW
- LRS Peaking Capacity: 8 MW
- Exira Station: 138.9 MW
- Point Beach Nuclear Plant: 32.8 MW under contract with Wisconsin Public Power Inc. through 2030. 16 MW under contract in 2031 and 2032.
- Watertown Peaking Plant (WPP): 45.8 MW summer, 56.7 MW winter
- Municipal Capacity: 143.7 MW
- Red Rock Hydro Project: Expected to be operational 2017 at 41.9 MW
- Each S-1 member city receives a monthly allocation of WAPA demand and energy, totaling approximately 349 MW (summer seasons) and 307 MW (winter seasons).

In addition to the accredited capacity, MRES has limited unaccredited capacity, as identified in the Resource Plan. MRES continues to receive the output from wind projects located in Worthington, Moorhead, Marshall, and Odin, Minnesota and Rugby, North Dakota totaling over 81 MW.

E. MRES Resource Planning Development

This section includes a summary of the capacity expansion study process. Included is a description of the resource options considered in the resource planning combinations, a summary of the risks to be studied in the scenario analysis, and a summary of the generation and transmission resource planning results.

i. Modeling Method

MRES utilized Strategist[®] capacity expansion software in the development of the resource plan. This methodology allows base load and peaking resources to compete with renewable energy resources, conservation, and energy efficiency in

developing the resource plan that minimizes costs. Once the optimal resource mix was identified and the Base Case was developed, several scenarios were analyzed to determine the financial risk associated with unexpected events.

ii. Needs for Additional Capacity and Energy

The planning process indicates that no additional thermal capacity is needed until 2028. However, this assumes approximately 69.5 MW of DSM and 60 MW of unaccredited renewable resources are being added by then.

iii. Resource Options Considered

Many different resource options were considered for the capacity expansion modeling, but only a subset of the options were chosen for detailed study after considering their relative costs and availability. When selecting potential resources for detailed study, consideration was given to several factors:

- Geographic Diversity It is desirable for MRES resources to be located across a broad geographic area. This minimizes the chance for a single transmission outage to significantly impact the ability to serve MRES loads.
- Reliability MRES prefers to add resources that are of a proven technology. This minimizes the severity of unexpected forced outages.
- Dispatchability With the exception of future wind resources, it is assumed that all future generation should be dispatchable. This is essential for MRES to be able to meet its demand on peak days.
- Other risk factors Other factors affecting the operation of any future resources were considered, such as the price and availability of fuel.

After this screening process, detailed purchase or build options were developed for these standard types of resources:

- 1. <u>Base load #1</u>: A pulverized coal unit
- 2. <u>Base load #2</u>: An Integrated Gasification Combined Cycle (IGCC)
- 3. Peaking: Natural Gas-fired Simple-Cycle Combustion Turbine (CT) units.
- 4. Intermediate: Natural Gas-fired Combined Cycle (NGCC) units.
- 5. Renewable #1: 1000 kW Wind Turbines with a 40% assumed plant factor and 15% accreditation installed in 100 MW farm sizes.
- 6. Renewable #2: 1000 kW Wind Turbines with a 40% assumed plant factor and 0% accreditation installed in 10 MW farm sizes.
- 7. <u>DSM (Demand Side Management)</u>: 69.5 of DSM by 2029 was forced into all of the capacity expansion models.

iv. Future DSM Activities

As part of its ongoing efforts, in 2008 MRES commissioned PA Consulting Group to perform a DSM Potential Study. The final report for the study was completed in February 2009. This study determined (1) the Technical Potential (Identify measures that are technically feasible); (2) the Economic Potential (Identify measures that are cost-effective); and (3) the Market Potential (Identify level of uptake that can be expected based on a reasonable level of intervention in the market to overcome adoption barriers).

The Technical Potential estimates the amount of DSM that is technically feasible, ignoring any adoption barriers or economic factors. It considers the energy savings, demand savings, number of eligible units or buildings, technology saturation, technology penetration, and measure lifetime.

The Economic Potential reduces those estimates to account for any measures that would be infeasible due to economic or long payback considerations. Besides the factors used for the Technical Potential, it considers incremental cost, the retail values of energy, and the participant's benefit-cost ratio for each measure.

Finally, the Market Potential further reduces the estimates to account for certain adoption barriers. It also considers a market barrier level (based on a diffusion curve for adoption of new technologies), free ridership levels, and a degradation of savings rate.

Once the DSM programs were screened through the above process, MRES staff used the results of the PA consulting analysis to group the DSM programs into eleven DSM Portfolios. This step reduced the volume to a manageable number to be evaluated in this analysis. Similar programs were grouped together, with the resulting portfolios and the potential MW savings by 2029 listed below:

| • | Commercial HVAC | 4.7 MW |
|---|---------------------------|---------|
| • | Commercial Lighting | 20.2 MW |
| • | Commercial Motors | .2 MW |
| • | Commercial Refrigeration | 3.8 MW |
| • | Commercial Water Heaters | .1 MW |
| • | Commercial Cooking | 1.1 MW |
| • | Residential HVAC | 5.9 MW |
| • | Residential Lighting | 10.5 MW |
| • | Residential Water Heaters | .1 MW |
| • | Residential Appliances | 1.9 MW |
| • | Direct Load Control | 21 MW |
| | TOTAL | 69.5 MW |

These portfolios were forced into the capacity expansion analysis. As a result, the model built less generating capacity, purchased less energy on the market, and

generated less energy. The model also estimated the costs of administering the DSM programs, and providing incentives to customers.

v. Renewable Energy Resources

MRES has existing renewable energy resources and is planning renewable resource additions as an integral part of the resource planning process. The expansion of renewable resources in the MRES portfolio is important to meeting its mission to provide environmentally responsible energy and to make a good faith effort in meeting Minnesota's Renewable Energy Standard (RES), North and South Dakota's Renewable Energy Objectives (REO), and Iowa's Alternative Energy Purchase (AEP). MRES continues to receive the output from wind projects located in Worthington, Moorhead, Marshall, and Odin, Minnesota, and Rugby, North Dakota totaling over 81 MW. In addition to this existing wind generation, MRES plans to commission 41.9 MW at the Red Rock Hydro Project by 2017, and construct or contract an additional 60 MW of wind generation by 2026 to comply with the state requirements mentioned above. These future wind and hydro installations were forced into the model as a minimum, with the model being able to voluntarily add more if found to be economical.

vi. Emission Costing

MRES used the emission externality costs for PM_{10} , CO, NOx, and lead as approved by the Minnesota Public Utilities Commission (PUC) for each case for all new resources. Because all current and future fossil-fuel resources of MRES are located outside of Minnesota, the costs were based on the Minnesota environmental externality values as published by the Minnesota PUC for resources within 200 miles of the state, inflation adjusted. The published Minnesota CO_2 externality price was zero for such resources, but a CO_2 cost of \$10 beginning 2017 was assumed.

The cost of SO₂ emission allowances were included in each Strategist case based on estimated market price for allowances. This cost was inflated and applied to the tons of SO₂ emissions produced by any new resources included in each case.

The potential cost of mercury control was also assessed. It was assumed that emission limits or allowance pricing would apply in the future for mercury emissions. This cost was applied to the pounds of mercury emissions produced by any new resources included in each case.

F. Resource Planning Results

After accounting for all of the details listed above, Strategist capacity expansion software modeling indicated that the preferred expansion plan for MRES is 41.9 MW of Hydro (Red Rock Hydro) in 2017, 60 MW of wind by 2026, and 69.5 MW of DSM by 2029. Multiple alternative scenarios were also evaluated to consider various effects, such as low or high load forecasts, or low or high natural gas prices.

G. Implementation

As a wholesale power supplier, it is the responsibility of MRES to provide all supplemental power supply to MRES S-1 member utilities. Prior to 2006, energy efficiency programs were the responsibility of each individual MRES member since MRES did not have a direct relationship with its members' retail customers and since energy efficiency programs are implemented at the retail level. In an effort to bridge the traditional gap between MRES as a wholesale supplier, and its members as retail DSM providers, the MRES Board of Directors began efforts in early 2006 to develop a program that would strongly encourage additional DSM, would assist and support member implementation of DSM, and would integrate MRES and member efforts. An overview of the DSM progress of MRES and its members is described below.

i. DSM Task Force

In 2006, the MRES Board of Directors created a DSM Task Force to chart a course toward developing and implementing DSM programs to be provided to all the member communities. The Task Force was comprised of 14 representatives from member communities, including 2 members of the MRES Board of Directors. The purpose of the Task Force was to evaluate and recommend energy efficiency and demand management strategies that would allow MRES to achieve the DSM goals identified. The Task Force also determined the respective roles of MRES and its members, and developed implementation and marketing strategies for the rollout of DSM programs. As the result of the 12 Task Force meetings, MRES developed a portfolio of energy efficiency programs called Bright Energy Solutions[®] and developed a Coordinated Demand Response program called Get the Load DownSM. Both of those programs continue to be enhanced and expanded by MRES over time.

ii. Bright Energy Solutions

One of the recommendations of the DSM Task Force was for MRES to create a brand that encompasses all of the DSM program offerings to the member communities. MRES created Bright Energy Solutions (BES) to assist the members in implementing DSM activities, to provide consistency in programs throughout the membership, and to make programs easily identifiable to customers and regional trade allies.

MRES conducted further study work to design individual measures and programs to be offered through Bright Energy Solutions. Bright Energy Solutions is currently offered to commercial, industrial and residential customers in 58 participating MRES member communities. The Bright Energy Solutions program offers a portfolio of energy efficiency cash incentive programs that will help the member's customers reduce their electric energy costs and operate more efficiently. At the same time, the savings provide MRES with a very cost effective power supply resource.

H. BES Programs Designed to Meet Goals

Under the Bright Energy Solutions banner, MRES member utilities began to offer a limited number of energy efficiency incentives in January 2008, through our member utilities, to commercial and industrial customers. Several residential programs were added in 2009. Since then, the BES offerings have been expanded for all customer classes. The 2014 BES incentive offerings are as follows:

Residential BES Programs:

- Appliance Turn-in Program
- ENERGY STAR® Products (7 ENERGY STAR appliances/products)
- Residential Heating and Cooling (11 HVAC measures)
- Residential Lighting

Commercial and Industrial BES Programs:

- Commercial Refrigeration
- Compressed Air System Efficiency
- Custom Incentives for Businesses
- Food Service for Businesses
- Heating and Cooling for Businesses
- Lighting New Construction
- Lighting Retrofits
- New Construction Design Review
- Pumps and VFDs for Businesses
- Specialty Measures for Businesses
- Targeted Audits

The targeted audience for the BES programs is primarily business customers since commercial and industrial electrical consumption makes up approximately 70 percent of the MRES members' retail sales. However, it is the goal of the BES program to ensure that all customers have an opportunity to save energy and money.

i. BES Savings Results

The following tables show the BES savings results from inception through 2013:

| Year | Incentives Paid | kWh Savings | kW Savings |
|------|-----------------|-------------|------------|
| 2008 | \$ 485,040.60 | 6,237,775 | 1,595 |
| 2009 | \$ 1,242,842.41 | 16,737,462 | 3,762 |
| 2010 | \$ 1,809,139.99 | 26,494,210 | 5,252 |
| 2011 | \$ 1,888,249.10 | 29,824,594 | 6,077 |
| 2012 | \$ 1,617,411.87 | 24,325,963 | 5,190 |
| 2013 | \$ 1,918,485.57 | 28,176,376 | 6,053 |

Totals \$ 8,961,169.54 131,796,380 27,928

In addition to helping MRES meet its Resource Plan goals, the expansion of the BES program has served to help the MRES Minnesota and Iowa members meet their state energy savings goals as well. Both Minnesota and Iowa strongly encourage energy efficiency through the adoption of state goals for each electric utility. The 2014 goal for MRES Minnesota members is to save 1.5 percent of average retail sales. The 2014 goal for MRES Iowa members is to save 1.0 percent of average retail sales. Although the states of North Dakota and South Dakota do not have formal energy saving goals, the MRES members in those states are very actively promoting the BES programs to ensure that their customers have an equal opportunity to save energy and money.

ii. Future Strategies for Savings

The Bright Energy Solutions program is now in its seventh year of implementation. MRES is finding that as the most cost-effective and most universally applicable efficiency projects (i.e. lighting) are being completed, it becomes increasingly harder to get energy savings. MRES is continually looking for new marketing strategies, new implementation methods, and new technologies to encourage more participation and move projects to fruition. In 2012 and 2013, MRES used targeted grocery store audits and lighting audits to personally connect with customers and to make the implementation of energy efficiency projects as easy as possible.

In 2014, two pilot projects are underway to engage customers to achieve deeper savings. Those pilot projects are:

- Retro-Commissioning (RCx) of Control Systems
- ENERGY STAR Energy Team Program

The RCx Program is a cost-effective way to correct problems and optimize a facility's direct digital control (DDC) or process control system. Many large customers have HVAC, lighting, and process controls that were installed, and likely working well when the system was new. Over time, as equipment is changed out, when new equipment is added, and/or when there are staff changes, the control system is not always updated to accommodate the changes. The recommendations that come out of an RCx study are often no-cost or low-cost operational and maintenance solutions that can result in significant demand and energy and cost savings. Typical savings results on RCx projects done by others are in the 10% to 30% range.

The ENERGY STAR Energy Teams Program strives for superior energy management by providing a set of tools and resources to help customers improve their energy and financial performance and to recognize their organization for its accomplishments. An energy team made up of representatives from management, finance, plant operations, and maintenance will be formed at select customer facilities. Trained MRES staff will provide a leadership role and guidance at monthly or bi-monthly customer meetings. The energy team will assess and benchmark past performance, set goals, create an action plan, and identify

resources to implement the action plan. After implementation, the team will verify and evaluate the results and progress, recognize accomplishments, and start the process over again for a 360 degree review. ENERGY STAR reports that savings of 5 percent to 10 percent are common among participants.

I. Cost-Effectiveness of BES Programs

As part of the development of the Bright Energy Solutions program, a number of steps were taken to analyze the costs, benefits, and applicability of the programs, both from the MRES perspective and the member utility perspective. That evaluation is described below.

i. Economic Analysis of Energy Efficiency

As MRES started developing DSM programs and making decisions about which efficiency measures to rebate and where to set rebate levels, it became apparent that more in-depth economic analysis was needed. MRES worked with consultant Morgan Marketing Partners for guidance in the development of the DSM programs and rebates. The incentive levels set for the measures covered by the program were assessed through a cost-effectiveness analysis using DSMore software, a model that utilizes the Total Resource Cost (TRC), Utility Cost Test (UCT), Ratepayer Impact Measure (RIM), Societal, and Participant test. The cost-effectiveness tests take into account for the energy and demand savings, associated avoided costs, net benefits to MRES members, incremental or installed costs, and the program costs.

The test that is the most applicable, and most important to MRES in determining cost-effectiveness is the UCT. This test compares the costs of DSM to the benefits of the program from the utility perspective. The costs of DSM include the incentives that are paid to the customer, the administrative costs, and the marketing or promotional costs. For MRES, the benefit of DSM is a reduction in future costs to MRES. By achieving savings through DSM, MRES has the opportunity to avoid purchases on the open market virtually every day. MRES chose to offer the energy efficiency measures that were found to be cost-effective using the UCT test. The results of all other tests were reviewed and considered as well. If a measure passed the UCT test, but did not pass one or more of the other Standard Practice Manual tests, those measures were given particular scrutiny to determine whether the measure should be offered by MRES. Factors that were considered included the cost to the participant, the benefits to the participant, the value of environmental benefits, and possible rate impacts to non-participants.

The following is a list of the TRC and UCT test results for different categories of DSM programs. Note that values over 1.0 indicate a passing test:

| | UCI | TRC |
|--------------------------------------|------|-------|
| | | |
| Commercial HVAC | 3.68 | 1.90 |
| Commercial Lighting | 4.00 | 2.16 |
| Commercial New Construction lighting | 5.71 | 2.21 |
| Commercial Portfolio | 5.22 | 2.50 |
| Custom | 7.32 | 3.48 |
| Direct Install | 1.03 | 0.89 |
| Drives | 8.00 | 3.53 |
| Energy Star Products | 1.15 | 0.40 |
| Food Services | 2.48 | 0.58 |
| Other | 7.08 | 0.22 |
| Res Appliance Turn-In | 5.18 | 14.50 |
| Residential HVAC | 2.16 | 1.06 |
| Residential Lighting | 6.08 | 4.54 |
| Residential Portfolio | 2.82 | 1.43 |
| Specialty | 7.68 | 9.71 |

LICT TOC

ii. Member Program Selection

MRES offers the menu of Bright Energy Solutions programs to all S-1 members. Members may choose to offer any or all of the programs based on the demographics and needs of their customer base and their own preferences. MRES provides all of the incentives offered through the programs as a reimbursement to the member utility. MRES also provides marketing materials that each member can customize for their own use, as well as technical assistance and field inspection assistance when the incentive is in excess of \$10,000 per retail customer for a given project. MRES provides a tracking system to track the savings goals of each member, the incentive amounts paid, and kW and kWh savings from all rebate applications. The information is available to members in real-time through a web portal. MRES members must answer customer questions, review applications, conduct field inspections for rebate applications under \$10,000, and issue checks for rebates. Below is the current menu of program offerings, along with the incentives paid by MRES:

BRIGHT ENERGY SOLUTIONS® INCENTIVE SCHEDULE A - Effective 2014-0101

| Measures/Incentives/Savings | Incentive/ Measure | |
|--|--------------------|-------|
| Lighting Retrofits | | |
| T-8s with Electronic Ballasts | | |
| T-8 4ft 4 lamp (retrofit install only) | \$ | 10.00 |
| T-8 4ft 3 lamp (retrofit install only) | \$ | 9.00 |
| T-8 4ft 2 lamp (retrofit install only) | \$ | 5.00 |
| T-8 4ft 1 lamp (retrofit install only) | \$ | 4.00 |
| T-8 2ft 4 lamp (retrofit install only) | \$ | 8.00 |
| T-8 2ft 3 lamp (retrofit install only) | \$ | 7.00 |

| T-8 2ft 2 lamp (retrofit install only) | \$ | 6.00 |
|--|----------------|--------|
| T-8 2ft 1 lamp (retrofit install only) | \$ | 5.00 |
| T-8 8ft 1 lamp (retrofit install only) | \$ | 7.00 |
| T-8 8ft 2 lamp (retrofit install only) | \$ | 9.00 |
| T-8 HO 8 ft 1 Lamp (retrofit install only) | \$ | 12.00 |
| T-8 HO 8 ft 2 Lamp (retrofit install only) | \$ \$ | 16.00 |
| T-8 4ft 2 lamp with reflector/delamping replacing T12 4ft 4 lamp | \$ | 25.00 |
| T-8 4ft 2 lamp with reflector/delamping replacing T12 4ft 4 lamp | \$ | 18.00 |
| T-8 4ft 2 lamp with reflector/delamping replacing T12 4ft 3 lamp | \$ | 18.00 |
| T-8 4ft 3 lamp with reflector/delamping replacing T12 4ft 4 lamp | \$ | 18.00 |
| T-8 4ft 1 lamp with reflector/delamping replacing T12 4ft 4 lamp | \$ | 10.00 |
| T-8 4ft 2 lamp replacing T12HO 8ft 1-lamp | <u>Ψ</u> \$ | 20.00 |
| T-8 4ft 4-lamp replacing T12HO 8ft 2-lamp | \$ | 30.00 |
| 1-6 4it 4-iamp replacing 1 12i 10 oft 2-iamp | Ψ | 30.00 |
| High Performance (Super) T8 Lamps and Ballasts | | |
| T8 High Performance, 4 ft 1 lamp-F32T8HP 32W, 1 ELEC HP RLO | \$ | 6.00 |
| T8 High Performance, 4 ft 2 lamp-F32T8HP 32W, 1-ELEC HP RLO | \$ | 7.00 |
| T8 High Performance, 4 ft 3 lamp-F32T8HP 32W, 1-ELEC HP RLO | \$ \$ | 12.00 |
| T8 High Performance, 4 ft 4 lamp-F32T8HP 32W, 1-ELEC HP RLO | \$ \$ | 14.00 |
| TO THIGHT CHOIMINGO, 4 IC 4 ICIND TOZTOTH OZVV, 1 ELECTH INEC | Ψ | 14.00 |
| Reduced Wattage T8 Systems (CEE qualified only) | | |
| Low Watt T8 4ft 1 lamp of 28W or less | \$ | 7.00 |
| Low Watt T8 4ft 2 lamp of 28W or less | \$ | 9.00 |
| Low Watt T8 4ft 3 lamp of 28W or less | \$ | 13.50 |
| Low Watt T8 4ft 4 lamp of 28W or less | \$ | 18.00 |
| Low Watt T8 4 ft 1 lamp with reflector/delamping replacing T12 4 ft 2 lamp | \$ | 13.00 |
| Low Watt T8 4 ft 2 lamp with reflector/delamping replacing T12 4 ft 3 lamp | \$ | 20.00 |
| Low Watt T8 4 ft 2 lamp with reflector/delamping replacing T12 4 ft 4 lamp | \$ | 27.00 |
| Low Watt T8 4 ft 3 lamp with reflector/delamping replacing T12 4 ft 4 lamp | \$ | 21.00 |
| Low Watt T8 4 ft 2 lamp with reflector/delamping replacing T12 8 ft 2 lamp | \$ | 20.00 |
| The state of the s | <u> </u> | |
| Low Wattage Replacement Lamps | | |
| Low Watt T8 lamps - per lamp | \$ | 1.00 |
| Low Watt Relamp 54W 8ft T-8 - per lamp | \$ | 1.00 |
| Low Watt T5HO 4ft lamps - per lamp | \$ | 1.25 |
| | | |
| High-Bay T8 Fluorescent Fixtures | | |
| High Bay Fluorescent 3L F32T8 | \$ | 45.00 |
| High Bay Fluorescent 4L F32T8 Replace 250W HID | \$ | 70.00 |
| High Bay Fluorescent 6L F32T8 Replace 400 W | \$ | 85.00 |
| High Bay Fluorescent 6L F32T8 Replace 750 W | \$ | 120.00 |
| High Bay Fluorescent 8L F32T8 - Replaces 400W | \$ | 70.00 |
| High Bay Fluorescent 8L F32T8 - Replaces 750W | \$ | 100.00 |
| High Bay Fluorescent 10L F32T8 - replace 1000W HID | \$ | 150.00 |
| High Bay Fluorescent 12L F32T8 - replace 1000W HID | \$ | 140.00 |
| High Bay Fluorescent 16L F32T8 - Double 8L fixture replace 1000W HID | \$ | 130.00 |
| | | |
| T5 with Electronic Ballast | | |
| 1 Lamp T-5 with Elec Ballast replacing T-12 | \$ | 7.00 |
| 2 Lamp T-5 with Elec Ballast replacing T-12 | \$ | 9.00 |
| | | |

| High-Bay T5 Fluorescent Fixtures | | |
|--|-----|---------------|
| High Bay 2L T5HO Replace 150-175 W HID | \$ | 60.00 |
| High Bay 2L T5HO Replace 250W HID | \$ | 75.00 |
| High Bay 3L T5HO Replace 250 W | \$ | 70.00 |
| High Bay 4L T5HO Replace 400 W | \$ | 90.00 |
| High Bay 6L T5HO Replace 400 W | \$ | 70.00 |
| High Bay 6L T5HO Replace 750 W | \$ | 125.00 |
| High Bay 8L T5HO Replace 750 W | \$ | 110.00 |
| High Bay 8L T5HO Replace 1000 W | \$ | 200.00 |
| High Bay 10L T5HO Replace 1000W | \$ | 175.00 |
| High Bay 12L T5HO or 6L double fixture replace 1000W HID | \$ | 150.00 |
| | · · | |
| Compact Fluorescent Fixtures: | | |
| CFL Fixture- All Wattages | \$ | 18.00 |
| Screw-In CFL 9W-42W | \$ | 1.50 |
| CFL Reflector Floodlights | \$ | 4.00 |
| | | |
| Metal Halide Fixtures | | |
| 250W Pulse Start Metal Halide replacing 400W | \$ | - |
| 320W Pulse Start Metal Halide | \$ | - |
| 750W Pulse Start Metal Halide | \$ | - |
| Ceramic Metal Halide 2W Electronic Ballast replacing 100W | \$ | - |
| Ceramic Metal Halide 39W Electronic Ballast replacing 150W | \$ | - |
| Ceramic Metal Halide 150W Electronic Ballast replacing 500W | \$ | - |
| · | | |
| LED Signs/Signals/Technologies | | |
| LED Exit Signs Electronic Fixtures (Retrofit Only) | \$ | 12.00 |
| LED Auto Traffic Signals | \$ | 25.00 |
| LED Pedestrian Signals | \$ | 22.00 |
| LED Reach-in refrigerated case lighting - per door | \$ | 25.00 |
| LED Recessed Downlights (indoor only) | \$ | 25.00 |
| LED screw-in replacement lamps ≥ 11 watts - per lamp | \$ | 15.00 |
| LED screw-in replacement lamps < 11 watts - per lamp | \$ | 6.00 |
| LED horizontal case lighting - per foot | \$ | 5.00 |
| J J I | · | |
| Controls and Other Efficient Lighting Technologies | | |
| Occupancy Sensors under 500 W | \$ | 20.00 |
| Occupancy Sensors over 500 W | \$ | 40.00 |
| High bay occupancy sensors for T8 or T5 high bays | \$ | 10.00 |
| Central Lighting Control - per watt controlled | · | \$.0.04/watt |
| Switching Controls for Multilevel Lighting - per watt controlled | | \$ 0.04/watt |
| Daylight Sensor controls - per watt controlled | | \$ 0.13/watt |
| | | + |
| Lighting in New Construction | | |
| High-Bay T8 Fluorescent Fixtures | | |
| High Bay Fluorescent 3L F32T8 | \$ | 20.00 |
| High Bay Fluorescent 4L F32T8 | \$ | 25.00 |
| High Bay Fluorescent 6L F32T8 | \$ | 50.00 |
| High Bay Fluorescent 8L F32T8 | \$ | 70.00 |
| High Bay Fluorescent 10L F32T8 | \$ | 100.00 |
| High Bay Fluorescent 12L F32T8 | \$ | 115.00 |

| 25.00 25.00 50.00 70.00 90.00 110.00 3.00 4.00 5.00 6.00 |
|---|
| 25.00 50.00 70.00 90.00 110.00 10.00 3.00 4.00 5.00 6.00 |
| 25.00 50.00 70.00 90.00 110.00 10.00 3.00 4.00 5.00 6.00 |
| 3.00 3.00 3.00 4.00 6.00 |
| 70.00 90.00 110.00 10.00 3.00 4.00 5.00 6.00 |
| 90.00 110.00 10.00 3.00 4.00 5.00 6.00 |
| 10.00 10.00 3.00 4.00 5.00 6.00 |
| 3.00 4.00 5.00 6.00 |
| 3.00 4.00 5.00 6.00 |
| 3.00 4.00 5.00 6.00 |
| 4.00 5.00 6.00 |
| 4.00 5.00 6.00 |
| 4.00 5.00 6.00 |
| 5.00 6.00 |
| 6.00 |
| |
| 3 00 |
| 3 00 |
| 3 00 |
| |
| 4.00 |
| 7.00 |
| 9.00 |
| |
| 25.00 |
| 25.00 |
| 5.00 |
| 5.00 |
| 15.00 |
| 6.00 |
| |
| |
| |
| 45/ton |
| |
| |
| 50/ton |
| 50/ton |
| 90/ton |
| 50/ton |
| 50/ton |
| 50/ton |
| 50/ton |
| 100.00 |
| |
| 50/ton |
| 50/ton |
| 90/ton |
| 50/ton |
| |

| AC 135 to 239 KBTU 11.25 to 20 tons | \$ 50/ton |
|--|--------------------|
| AC 240 to 759 kBTU 20 to 63.3 tons | \$ 50/ton |
| AC more than 760 kBTU 63.3 tons | \$ 50/ton |
| | φ σσ, του. |
| Split System Air Source Heat Pumps | |
| HVAC HP 65,000 1 Ph | \$ 50/ton |
| HVAC HP 65,000 of 18.0 SEER or greater | \$ 90/ton |
| HVAC_HP 65,000 3 Ph | \$ 50/ton |
| HVAC HP 65,000 - 135,000 | \$ 50/ton |
| HVAC_HP 135,000 - 240,000 | \$ 50/ton |
| HVAC_HP 240,000 | \$ 50/ton |
| Mini-Split Ductless Air Source Heat Pump any size | \$ 200.00 |
| Third Spin Business Am Secures Front Fully Size | Ψ 200.00 |
| Air Source Heat Pumps - single packaged systems | |
| HVAC HP 65,000 1 Ph | \$ 50/ton |
| HVAC HP 65,000 of 18.0 SEER or greater | \$ 90/ton |
| HVAC HP 65,000 3 Ph | \$ 50/ton |
| HVAC HP 65,000 - 135,000 | \$ 50/ton |
| HVAC_HP 135,000 - 240,000 | \$ 50/ton |
| HVAC_HP 240,000 Single Packaged | \$ 35/ton |
| | ψ σσ/τσ |
| Ground Source Heat Pumps | |
| Ground Source HP Closed Loop - various types & sizes | \$ 200/ton |
| Add a desuperheater | \$ 250.00 |
| The state of the s | , ===== |
| Energy Star Window and Wall Air Conditioners | |
| ES Window or wall AC under 14,000 Btu hr | \$ 35.00 |
| ES Window or wall AC over 14,000 Btu hr | \$ 70.00 |
| | |
| Heat Pump Water Heaters | |
| HP Water Heater Energy Star qualified - residential style | \$ 300.00 |
| | |
| Chillers | |
| High Eff Air-Cooled Chiller - all sizes, VFD or no VFD | \$ 40/ton |
| Centrifugal Water Cooled Chillers <150 ton, VFD or no VFD | \$ 30/ton |
| Centrifugal Water Cooled Chillers 150-300 ton, VFD or no VFD | \$ 30/ton |
| Centrifugal Water Cooled Chillers >300 ton, VFD or no VFD | \$ 30/ton |
| Scroll or Screw Water Cooled Chillers <150 ton, VFD or no VFD | \$ 30/ton |
| Scroll or Screw Water Cooled Chillers 150-300 ton, VFD or no VFD | \$ 30/ton |
| Scroll or Screw Water Cooled Chillers >300 ton, VFD or no VFD | \$ 30/ton |
| | |
| Chilled Water Resets | |
| Chilled Water Reset Air Cooled 0-100 tons | \$ 6/ton |
| Chilled Water Reset Air Cooled 100-200 tons | \$ 5/ton |
| Chilled Water Reset Air Cooled 200-300 tons | \$ 3.50/ton |
| Chilled Water Reset Air Cooled 300-400 tons | \$ 2.50/ton |
| Chilled Water Reset Air Cooled 400-500 tons | \$ 2/ton |
| Chilled Water Reset Water Cooled 0-1000 tons | \$ 1/ton |
| Chilled Water Reset Water Cooled 1000-2000 tons | \$ 0.50/ton |
| Chilled Water Reset Water Cooled 2000-3000 tons | \$ 0.35/ton |
| | |

| Other Energy Efficient Cooling Technologies | |
|--|------------------------------------|
| ECM in residential style furnace/air handler/fan coil | \$ 150.00 |
| Demand controlled ventilation (carbon dioxide sensors) | \$ 35/1000 sq.ft. |
| Guest room energy management - PTACs | \$ 35/room |
| Guest room energy management - PTHPs | \$ 30/room |
| Setback/Programmable Thermostat | \$ 50.00 |
| Window Film | \$.40/sq.ft. |
| Energy recovery ventilators (ERVs) | \$ 0.60/cfm |
| Rooftop Unit (RTU) Optimizers | \$ 185/ton |
| Pumps/Variable Frequency Drives | |
| Pumps | |
| Pumps HP 1.5 | \$ 60.00 |
| Pumps HP 2 | \$ 70.00 |
| Pumps HP 3 | \$ 100.00 |
| Pumps HP 5 | \$ 100.00 |
| Pumps HP 7,5 | \$ 200.00 |
| Pumps HP 10 | \$ 260.00 |
| Pumps HP 15 | \$ 300.00 |
| Pumps HP 20 | \$ 400.00 |
| Variable Frequency Drives (VFDs) | |
| VFDs on HVAC fans & pumps, process pumps all sizes | \$ 40/hp |
| VFDs on new air compressors | \$ 35/hp |
| Compressed Air Efficiency | |
| Compressed Air Leak Detection Survey | 50% of cost of audit up to \$5,000 |
| VFDs on new air compressors | \$ 35/hp |
| Engineered Nozzles for compressed air | \$ 20.00 |
| No-air loss drains - each | \$160.00 |
| Cycling refrigerated dryers - per100 cfm | \$75.00 |
| Dew point demand controls - per 100 cfm | \$150.00 |
| Mist eliminators - per HP | \$4.00 |
| Specialty/Miss Equipment | |
| Specialty/Misc. Equipment Commercial Clothes Washers - electric water heater | ¢ 50.00 |
| | \$ 50.00 \$ 25.00 |
| Residential ES Dishwasher in commercial building | |
| ENERGY STAR Ceiling Fan with Light Kit | \$ 45.00 \$ 25.00 |
| Plug Load Occupancy Sensors Document Stations Computer Network Power Management - per PC | \$ 15.00 |
| Computer Network Fower Management - per FC | \$ 15.00 |
| Food Service & Commercial Refrigeration Equipment | |
| ES Commercial Solid Door Refrigerators less than 15 sqft. | \$ 50.00 |
| ES Commercial Solid Door Refrigerators 15-30 sqft. | \$ 100.00 |
| ES Commercial Solid Door Refrigerators 30-50 sqft. | \$ 150.00 |
| ES Commercial Solid Door Refrigerators greater than 50 sqft. | \$ 250.00 |
| ES Commercial Glass Door Refrigerators less than 15 sqft. | \$ 50.00 |
| ES Commercial Glass Door Refrigerators 15-30 sqft. | \$ 100.00 |
| ES Commercial Glass Door Refrigerators 30-50 sqft. | \$ 150.00 |
| ES Commercial Glass Door Refrigerators greater than 50 sqft. | \$ 250.00 |

| ES Commercial Solid Door Freezers less than 15 sqft. | \$ 50.00 |
|--|------------------------------|
| ES Commercial Solid Door Freezers 15-30 sqft. | \$ 100.00 |
| ES Commercial Solid Door Freezers 30-50 sqft. | \$ 150.00 |
| ES Commercial Solid Door Freezers greater than 50 sqft. | \$ 250.00 |
| ES Commercial Glass Door Freezers less than 15 sqft. | \$ 50.00 |
| ES Commercial Glass Door Freezers 15-30 sqft. | \$ 100.00 |
| ES Commercial Glass Door Freezers 30-50 sqft. | \$ 150.00 |
| ES Commercial Glass Door Freezers greater than 50 sqft. | \$ 250.00 |
| ES Ice Machines less than 500 lbs per day | \$ 200.00 |
| ES Ice Machines 500-1000 lbs per day | \$ 300.00 |
| ES Ice Machines greater than 1000 lbs per day | \$ 600.00 |
| Commercial Dishwasher - under counter type | \$ 90 - 250 |
| Commercial Dishwasher - door type | \$ 175 - 500 |
| Commercial Dishwasher - single tank conveyer | \$ 250 - 600 |
| Commercial Dishwasher - multi-tank conveyer | \$ 400-1000 |
| ES 3 Pan Steam Cooker | \$ 300.00 |
| ES 4 Pan Steam Cooker | \$ 400.00 |
| ES 5 Pan Steam Cooker | \$ 500.00 |
| ES 6 Pan Steam Cooker | \$ 600.00 |
| ES Hot Holding Cabinets - Full Size Cabinets | \$ 400.00 |
| ES Holding Cabinets - Three Quarter Size | \$ 300.00 |
| ES Holding Cabinets - Half Size Cabinets | \$ 200.00 |
| ES Commercial Fryers | \$ 500.00 |
| ES Commercial Griddles | \$ 600.00 |
| ES Convection Ovens | \$ 200.00 |
| ES Combination Ovens | \$ 1,000.00 |
| LED reach-in refrigerated case lighting | \$ 25.00 |
| ECM evaporator fan motors in coolers and freezers | \$ 60.00 |
| Kitchen hood temperature & optical control | \$ 150.00 |
| Bonus for make-up air horsepower controlled | \$ 60.00 |
| Kitchen hood temperature control only | \$ 60.00 |
| Bonus for make-up air horsepower controlled | \$ 25.00 |
| Low heat freezer doors - per door | \$ 25.00 |
| ECM evaporator fan motors for walk-in freezers and coolers - per motor | \$ 60.00 |
| ECM fan motors for compressors and condensors - per motor | \$ 20.00 |
| ECM fan motors for reach-in cases - per motor | \$ 20.00 |
| Reach-in cooler/freezer cases with doors replacing multi-deck cases | \$ 30.00/LF |
| No-mullion reach-in cooler cases - per door | \$ 15.00 |
| Occupancy sensor controlling LED case lighting - per door | \$ 5.00 |
| Vending Equipment Controller | \$ 50.00 |
| Anti Sweat Heater Controls - Coolers & Freezers - per door | \$ 30.00 |
| · | |
| Custom/Custom Bonus/Intensive Audit/New Construction | |
| Custom Base Incentive | \$ 300/kW |
| Custom Bonus Level 1 | \$0.01/kWh |
| Custom Engineering Audit | 50% of audit up to \$5,000 |
| Targeted Audit Program | 50% -100% of cost of audit |
| - | Incentives based on Custom |
| C & I New Construction Program | Program |
| Request for Proposals (RFP) | Incentives vary based on RFP |
| | |

| Residential Programs | |
|---|------------|
| Residential HVAC | |
| Ground Source HP Closed Loop Residential | \$ 200/ton |
| Add a desuperheater | \$ 250.00 |
| ECM motor in air handler/fan coil | \$ 150.00 |
| ECM motor in natural gas furnace | \$ 150.00 |
| Air Source Heat Pump | \$ 250.00 |
| Air Source Heat Pump of 18.0 SEER or greater | \$ 350.00 |
| Mini-Split Ductless Air Source Heat Pump | \$ 200.00 |
| Central Air Conditioner | \$ 100.00 |
| Central Air Conditioner of 18.0 SEER or greater | \$ 225.00 |
| Mini-Split Ductless Air Conditioner | \$ 100.00 |
| Heat Pump Water Heater | \$ 300.00 |
| Programmable thermostat | \$ 25.00 |
| Appliance Turn-in Program | |
| Appliance Turn-in Refrigerator | \$ 35.00 |
| Appliance Turn-in Freezer | \$ 35.00 |
| Appliance Turn-in Room AC | \$ 25.00 |
| Energy Star Products | |
| LED Holiday | \$ 3.50 |
| Residential CFL - all wattages | \$ 1.50 |
| Residential CFL Reflector Floodlights | \$ 1.50 |
| ES Room AC | \$ 35.00 |
| ES Dehumidifier | \$ 10.00 |
| ES Dishwasher | \$ 25.00 |
| ES Clothes Washers | \$ 50.00 |
| ES Refrigerator plus recycling old unit | \$ 50.00 |
| ES Ceiling fan with light kit | \$ 25.00 |

iii. Calculation of Savings

The savings calculations for all prescriptive rebates under Bright Energy Solutions are based on the algorithms provided by the Minnesota Division of Energy Resources (MN DER) in its Technical Resource Manual (TRM). If the BES program provides prescriptive rebates for measures that are not included in the MN TRM, those savings are calculated by consultant Franklin Energy of Port Washington, Wisconsin. Franklin Energy uses engineering calculations and the deemed savings from other state TRMs to determine savings. For custom rebates, the kW and kWh savings are determined using engineering calculations. Customers and contractors submit their projects to MRES for review, including estimated kW and kWh savings. MRES staff, and/or its consultant, reviews these projects and savings estimates and determines the level of incentive to be awarded. For projects where savings of 1 million kWhs or more are anticipated, pre and post-metering is required. This review of the savings analysis helps assure that MRES funds are being cost effectively used to promote efficiency.

iv. Environmental Benefits

In addition to helping customers reduce and manage their energy costs, the Bright Energy Solutions programs provide other societal benefits. These benefits include reduced emissions of CO2, carbon monoxide, SOx, NOx, and mercury. The estimated value of the environmental benefits was considered as part of the Societal Test when determining cost-effectiveness of the programs.

J. Coordinated Demand Response Program

On a parallel track with Bright Energy Solutions, MRES also began to develop a Coordinated Demand Response (CDR) program designed to encourage members to install or update load control equipment that would allow MRES and its members to shift customer load during times of peak demand to non-peak periods. Load control/demand response can be achieved through direct load control, interruptible service, building pre-heating/pre-cooling or storage, industrial process load control, or response to market prices. MRES will pay a verification payment based on the number of control points connected to the load management system and an annual verification of such points. The payment amounts are \$5.00 per year for each controlled central air conditioner and \$1.75 per year for each controlled electric water heater the member controls during the member's summer peak demand period and provides verification of such control.

i. Shared Benefits of CDR

MRES first focused on direct load control of air conditioners and electric water heaters since many MRES members were familiar with that technology and many already had equipment in place that could be used or updated. In 2011, MRES began to offer an incentive for every air conditioner and electric water heater that was controlled during the summer months of June, July, August and September. Testing and reporting requirements were put in place to ensure that the load control system was working properly and that load reduction was actually achieved. The incentive applies to members with existing load control systems as well as new systems that are operated under the CDR program.

Several barriers to the implementation of new direct load control by individual MRES member utilities were uncovered by the DSM Task Force. The primary barrier was that members did not have sufficient staff to install equipment, develop control strategies, monitor, operate, and test a direct load control system. To address this issue, MRES developed a CDR program that could be monitored and operated by MRES staff and/or individual member staff. The CDR program provides the following benefits:

- Lower demand charges for MRES members
- Cost-effective alternative to future peaking capacity for MRES
- Shared software/hardware costs
- Shared expertise/labor in operating the system
- Group pricing on load control devices and software fees

Less staff time for MRES members

ii. CDR Participation

The development of the CDR program has been fairly slow due to the high capital investment associated with the installation of a load control system and with the time that it takes to install a system. Also, members wanted to coordinate any investment made in load control equipment with their plans to install advanced metering infrastructure (AMI), since both systems could use some of the same technology and communications systems. In 2014, eight (8) members of MRES are participating in the CDR program and are at various stages of implementation. One of those members is installing CDR and AMI equipment simultaneously. AMI equipment may allow members to achieve demand response using dynamic price signals in the future.

iii. CDR Results

The following are the 2011 through 2013 direct load control results reported either by members with existing load control systems or through CDR participation:

| | AC Points Controlled | AC Load Reduction kW | WH Points Controlled | WH Points Reduction kW |
|--------|-------------------------|----------------------------|-------------------------|------------------------------|
| 2011 | 8,732 | 8,732 | 8,318 | 2,911 |
| 2012 | 11,784 | 11,784 | 9,083 | 3,179 |
| 2013 | 11,952 | 11,952 | 8,815 | 3,085 |
| Totals | 32,468 | 32,468 | 26,216 | 9,176 |

II. Beresford, SD Resource Planning

A. City Information

Beresford, located in Union and Lincoln Counties, is a community of more than 2,000 individuals located in southeastern South Dakota. The City has one elementary school, one junior high, and one high school. In 2010, the residential sector included 861 occupied housing units. The median age of the population is 38.5 years. About 19.1% of the population is 65 years of age or older and about 25.4% percent are under 18 years old.

In 2012, the municipal utility had 895 residential customers, 268 commercial customers, and 16 industrial customers. The residential sector's yearly usage averaged 10,645 kWh per customer in 2012. Commercial customers averaged 20,198 kWh. Industrial customers averaged 941,938 kWh. The rates for each type of customer are shown on the rate sheet in Exhibit 1.

The rates for each type of customer are shown in Exhibit 1. Exhibit 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4, which show the winter and summer peak demand and energy for the seasons 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Beresford on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively. The total peak load, including distribution and transformation losses, was 6502 kW in the winter and 6212 kW in the summer.

Exhibits 7 and 8 each show the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load increasing from midnight to 8 am then leveling off until 1 pm, and then loads begin to decline until 4 pm. Then loads pick up again near 6 pm with a steady decline the rest of the day. The summer peak graph indicates the load increasing from 6 am until peaking at 5 pm. Then a steady decline load occurs until 6 am the next day.

Exhibit 1

BERESFORD, SOUTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE

| Customer Class | Rate Component | Current Rate |
|-----------------------|------------------------------------|------------------------------|
| Residential | Customer Charge \$/kWh | \$12.98 \$.096 |
| Small Commercial | Customer Charge \$/kWh | \$19.53 \$.087 |
| Large Commercial | Customer Charge \$/kWh \$/kW | \$31.74 \$.045 \$13.58 |


Exhibit 2

MRES Seasonal Load Report Beresford, SD Town Gate Load BASE Forecast 1/31/14 2:14 PM
Town Gate Load
Monthly Splits
Historic Through 12/2013
Energy (kWh)

| BASE For | ecast | | | | | | Historic | Through 12 | 2/2013 |
|-------------|---------|--------|-------------|--------------|-----------|--------------|-------------|-------------|--------------|
| Demand (kW) | | | | | Energy (k | Wh) | | | |
| Summer | Total \ | WAPA I | <u>MRES</u> | <u>Other</u> | Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> |
| 2001 | 5,892 | 2,905 | 3,157 | 0 | 2001 | 13,011,264 | 6,512,000 | 6,499,264 | 0 |
| 2002 | 5,691 | 2,905 | 2,808 | 0 | 2002 | 13,731,408 | 6,512,000 | 7,219,408 | 0 |
| 2003 | 5,628 | 2,905 | 2,893 | 0 | 2003 | 13,255,200 | 6,512,000 | 6,743,200 | |
| 2004 | 5,784 | 2,905 | 2,901 | 0 | 2004 | 13,930,480 | 6,512,000 | 7,418,480 | 0 |
| 2005 | 5,888 | 2,905 | 3,153 | 0 | 2005 | 14,793,410 | 6,512,000 | 8,281,410 | 0 |
| 2006 | 6,128 | 2,900 | 3,250 | 0 | 2006 | 15,351,112 | 6,500,000 | 8,851,112 | 0 |
| 2007 | 6,212 | 2,900 | 3,413 | 0 | 2007 | 15,648,478 | 6,500,000 | 9,148,478 | 0 |
| 2008 | 5,520 | 2,900 | 2,653 | 0 | 2008 | 14,247,745 | 6,500,000 | 7,747,745 | 0 |
| 2009 | 5,426 | 2,900 | 2,695 | 0 | 2009 | 12,994,581 | 6,500,000 | 6,494,581 | 0 |
| 2010 | 5,770 | 2,900 | 3,039 | 0 | 2010 | 13,498,680 | 6,500,000 | 6,998,680 | 0 |
| 2011 | 6,940 | 2,900 | 4,209 | 0 | 2011 | 15,399,888 | 6,500,000 | 8,899,888 | 0 |
| 2012 | 6,957 | 2,900 | 4,079 | 0 | 2012 | 15,936,607 | 6,500,000 | 9,436,607 | 0 |
| 2013 | 6,502 | 2,900 | 3,771 | 0 | 2013 | 15,209,643 | 6,500,000 | 8,709,643 | 0 |
| 2014 | 6,045 | 2,900 | 3,314 | 0 | 2014 | 14,670,757 | 6,500,000 | 8,170,757 | 0 |
| 2015 | 6,071 | 2,900 | 3,340 | 0 | 2015 | 14,734,920 | 6,500,000 | 8,234,920 | 0 |
| 2016 | 6,146 | 2,900 | 3,415 | 0 | 2016 | 14,916,883 | 6,500,000 | 8,416,883 | 0 |
| 2017 | 6,229 | 2,900 | 3,498 | 0 | 2017 | 15,118,003 | 6,500,000 | 8,618,003 | 0 |
| 2018 | 6,317 | 2,900 | 3,586 | 0 | 2018 | 15,330,766 | 6,500,000 | 8,830,766 | 0 |
| | | Den | nand (kW) | <u> </u> | | | Energy (k | Wh) | |
| Winter | Total \ | WAPA I | MRES | <u>Other</u> | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> |
| 2002 | 4,490 | 2,057 | 2,703 | 0 | 2002 | 13,013,712 | 5,782,000 | 7,231,712 | 0 |
| 2003 | 5,017 | 2,057 | 2,966 | 0 | 2003 | 13,787,856 | 5,782,000 | 8,005,856 | 0 |
| 2004 | 5,005 | 2,057 | 2,954 | 0 | 2004 | 14,047,344 | 5,818,000 | 8,229,344 | 0 |
| 2005 | 5,001 | 2,057 | 3,012 | 0 | 2005 | 14,714,235 | 5,782,000 | 8,932,235 | 0 |
| 2006 | 5,035 | 2,053 | 3,046 | 0 | 2006 | 14,657,019 | 5,774,000 | 8,883,019 | 0 |
| 2007 | 5,486 | 2,053 | 3,439 | 0 | 2007 | 15,794,834 | 5,770,000 | 10,024,834 | 0 |
| 2008 | 5,040 | 2,053 | 3,263 | 0 | 2008 | 15,529,323 | 5,806,000 | 9,723,323 | 0 |
| 2009 | 5,272 | 2,053 | 3,495 | 0 | 2009 | 14,777,339 | 5,770,000 | 9,007,339 | 0 |
| 2010 | 5,320 | 2,053 | 3,335 | 0 | 2010 | 14,490,007 | 5,770,000 | 8,720,007 | 0 |
| 2011 | 5,100 | 2,053 | 3,053 | 0 | 2011 | 14,361,028 | 5,770,000 | 8,591,028 | 0 |
| 2012 | 5,962 | 2,053 | 3,977 | 0 | 2012 | 15,855,202 | 5,806,000 | 10,049,202 | 0 |
| 2013 | 5,380 | 2,053 | 3,431 | 0 | 2013 | 15,032,613 | 5,770,000 | 9,262,613 | 0 |
| 2014 | 6,122 | 2,053 | 4,137 | 0 | 2014 | 15,712,570 | 5,770,000 | 9,942,570 | 0 |
| 2015 | 5,347 | 2,053 | 3,362 | 0 | 2015 | 15,198,987 | 5,770,000 | 9,428,987 | 0 |
| 2016 | 5,370 | 2,053 | 3,385 | 0 | 2016 | 15,344,602 | 5,806,214 | 9,538,388 | 0 |
| 2017 | 5,437 | 2,053 | 3,452 | 0 | 2017 | 15,545,483 | 5,770,000 | 9,775,483 | 0 |
| 2018 | 5,510 | 2,053 | 3,525 | 0 | 2018 | 15,761,094 | 5,770,000 | 9,991,094 | 0 |
| | | | | | | | | | |

Exhibit 3

Beresford, SD
Winter Demand - Town Gate



Beresford, SD Winter Energy - Town Gate





Exhibit 4

Beresford, SD Summer Demand - Town Gate



Beresford, SD Summer Energy - Town Gate




Exhibit 5

Beresford, SD Winter 2012-2013 Half-Hour Load Shape - Town Gate




Exhibit 6

Beresford, SD Summer 2013 Half-Hour Load Shape - Town Gate




Exhibit 7

Beresford, SD Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate







Exhibit 8

Beresford, SD Peak Half-Hour Load Shape, Summer 2013, Town Gate



B. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Beresford is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Beresford to individually study supply-side resources as part of this IRP.

C. Historic DSM Efforts

Beresford has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1 at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Year | * | Program | BES or City | ₩ | Quan | In | centive | kW | kWh | |
|---------------|-----|---------------------------|-------------|-----|------|----|---------|-------|-----------|--|
| 2009 | | ■ Custom Lighting | BES | | 1 | \$ | 514 | 1.7 | 3,290 | |
| | | ■ Lighting | BES | | 223 | \$ | 16,119 | 28.3 | 123,128 | |
| | | ■ Lighting - New Const | BES | | 34 | \$ | 2,040 | 5.0 | 21,862 | |
| 2009 Tota | al | | | | 258 | \$ | 18,673 | 35.0 | 148,280 | |
| 2010 | | □ CI HVAC | BES | | 1 | \$ | 2,000 | 6.8 | 10,561 | |
| | | ■ Food Service | BES | | 1 | \$ | 300 | 0.3 | 2,695 | |
| | | ■ Lighting | City | | 445 | \$ | - | 40.6 | 170,394 | |
| | | ■ Lighting - Retrofit | BES | | 293 | \$ | 5,890 | 13.0 | 38,460 | |
| 2010 Total | | | | | 740 | \$ | 8,190 | 60.6 | 222,110 | |
| 2011 | | ■ Custom Electric Program | BES | | 2 | \$ | 865 | 5.1 | 149,793 | |
| | | ■ Lighting | City | | 185 | \$ | - | 24.1 | 5,121 | |
| | | ■ Lighting - New Const | BES | | 96 | \$ | 2,400 | 7.2 | 44,277 | |
| | | ■ Lighting - Retrofit | BES | | 788 | \$ | 41,900 | 110.5 | 372,053 | |
| | | ■ VFDs and Pumps | BES | BES | | \$ | 100 | 0.1 | 509 | |
| | | ■ Res Lighting | BES | | 432 | \$ | 648 | 1.7 | 16,773 | |
| 2011 Tota | ıl | | | | 1504 | \$ | 45,913 | 148.7 | 588,526 | |
| 2012 | | ■ Lighting - New Const | BES | | 46 | \$ | 2,300 | 21.5 | 75,054 | |
| | | ■ Lighting - Retrofit | BES | | 188 | \$ | 2,760 | 10.0 | 35,489 | |
| 2012 Tota | al | | | | 234 | \$ | 5,060 | 31.5 | 110,543 | |
| □ 2013 | | ■ Lighting - New Const | BES | | 14 | \$ | 700 | 2.7 | 7,438 | |
| | | ■ Lighting - Retrofit | BES | | 12 | \$ | 180 | 0.6 | 1,914 | |
| 2013 Tota | al | | | | 26 | \$ | 880 | 3.3 | 9,352 | |
| Grand Tot | tal | | | | 2762 | \$ | 78,716 | 279.3 | 1,078,811 | |

• Load Management Program

Description: Load management control boxes are on all electric water heaters, central air conditioners, and electric space heaters.

Energy Savings: Approximately 4.5 MW on peak.

Cost: Approximately \$1,500 annually.

D. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of

incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Beresford was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

E. Options Chosen – Development of Action Plan

i. Future Actions

It is assumed that Beresford will continue to participate in the Bright Energy Solutions program. Beresford would have virtually no out-of-pocket costs, as MRES will be paying the incentives for all of these programs. It is planned that Beresford will participate in the all of the Bright Energy Solutions programs to the extent possible, with the exception of residential appliance measures, where Beresford Utility personnel has identified that participation levels might be reduced due to the lack of market potential. This assumption was made only to obtain more realistic expectations for the five-year plan, and is certainly not considered to be a cap on participation in the event that the program attracts more participants than anticipated.

Representatives from Beresford plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, Beresford is successfully operating their own Load Management program, and it is unknown if they will participate in the MRES Coordinated Demand Response (CDR) program in the future. That decision will be evaluated in years to come.

ii. Milestones

As part of the annual WAPA IRP updates, Beresford will evaluate the progress on these programs. The success will be measured against this 5-year plan, with adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Quality control, measurement of savings, verification tracking, and program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field

inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

F. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will, by definition, decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

G. Public Participation

A preliminary draft of this report was produced on April 23, 2014. A notice of public hearing on IRP was published in the local newspaper on July 15, 2014. The public hearing on the IRP was held at the August 4, 2014 City Council meeting. A summary of any comments and responses made during the meeting are included in the Appendix. The City Council approved the resolution on August 4, 2014. A copy of the approved resolution is included in Appendix 2 at the end of this section.

| IRP Approval Process | |
|-------------------------------|-----------|
| Preliminary Draft Date | 4/23/2014 |
| Date Published in Paper | 7/15/2014 |
| Public Hearing Date | 8/4/2014 |
| Date Approved by City Council | 8/4/2014 |

Appendix 1 – Detailed DSM Measures Installed

Utility Beresford

| | | | BES | | | | | |
|--------|------------------------|---|------|------|---------|----------|-------|---------|
| | | | or | | | | | |
| Year | Program | Measure | City | Quan | | ncentive | kW | kWh |
| 2009 | Custom Lighting | T8 HB 6L | BES | 1 | \$ | 514 | 1.7 | 3,290 |
| | | | | | \$ | 514 | 1.7 | 3,290 |
| | Lighting | T8 4' 3L | BES | 14 | \$ | 154 | 0.4 | 1,666 |
| | | T8 4' 4L | BES | 5 | \$ | 65 | 0.2 | 630 |
| | | | | 20 | \$ | 1,280 | 0.7 | 2,520 |
| | | T8 HB 6L | BES | 12 | \$ | 1,020 | 3.5 | 15,432 |
| | | | | 30 | \$ | 5,100 | 8.8 | 38,580 |
| | | | | 100 | \$ | 8,500 | 14.7 | 64,300 |
| | | | | | \$ | 16,119 | 28.3 | 123,128 |
| | Lighting - New Const | T8 HB 6L | BES | 12 | \$ | 720 | 1.8 | 7,716 |
| | | | | 22 | \$ | 1,320 | 3.2 | 14,146 |
| | | | | | \$ | 2,040 | 5.0 | 21,862 |
| 2009 T | | | | | \$ | 18,673 | 35.0 | 148,280 |
| 2010 | CI HVAC | Air Cooled Chiller | BES | 1 | \$ | 2,000 | 6.8 | 10,561 |
| | | | | | \$ | 2,000 | 6.8 | 10,561 |
| | Food Service | ES Ice Machines | BES | 1 | \$ | 300 | 0.3 | 2,695 |
| | | | | | \$ | 300 | 0.3 | 2,695 |
| | Lighting | Street Lights | City | 445 | \$ | - | 40.6 | 170,394 |
| | | | | | \$ | - | 40.6 | 170,394 |
| | Lighting - Retrofit | Ltng Retrofit _ LED & Induction Tech | BES | 1 | \$ | 12 | 0.0 | 166 |
| | | | | 3 | \$ | 320 | 0.0 | 1,008 |
| | | Ltng Retrofit _Flrscnt T8 & T5 w/Elec | | | | | | |
| | | Bal | BES | 206 | \$ | 1,652 | 3.6 | 10,042 |
| | | Ltng Retrofit _ T8 Hi Bay Fixtures w-Elec Bal | BES | 36 | \$ | 3,060 | 7.9 | 23,243 |
| | | Ltng Retrofit _ Rducd Wtg T8 CEE Qual | BES | 47 | \$ | 846 | 1.5 | 4,001 |
| | | ting Netront _ Nuclear Wig To CEE Quar | DLJ | 47 | ب \$ | 5,890 | 13.0 | 38,460 |
| 2010 T | 'otal | | | | \$ | 8,190 | 60.6 | 222,110 |
| 2010 1 | Custom Electric | | | | ڔ | 8,130 | 00.0 | 222,110 |
| 2011 | Program | Custom 400 hp Nema Premium Motor | BES | 1 | \$ | 742 | 2.0 | 144,220 |
| | | Replace large inc. with CFL. | BES | 1 | \$ | 122 | 3.1 | 5,573 |
| | | | | | \$ | 865 | 5.1 | 149,793 |
| | Lighting | Street Lights | City | 185 | \$ | - | 24.1 | 5,121 |
| | | | | | \$ | - | 24.1 | 5,121 |
| | Lighting - New Const | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 96 | \$ | 2,400 | 7.2 | 44,277 |
| | | | | | \$ | 2,400 | 7.2 | 44,277 |
| | Lighting - Retrofit | Ltng Retro _ Othr Eff Ltg Tech/Ctld | BES | 320 | \$ | 3,200 | 9.8 | 69,386 |
| | | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 7 | \$ | 595 | 1.5 | 13,314 |
| | | _ <i>,</i> | | 52 | \$ | 4,420 | 11.5 | 71,027 |
| | | | | 394 | \$ | 33,490 | 87.4 | 217,341 |
| | | Ltng Retro _Firscnt T8 & T5 w/Elec Bal | BES | 15 | \$ | 195 | 0.3 | 985 |
| | | - - | | | \$ | 41,900 | 110.5 | 372,053 |
| | VFDs and Pumps | Repl on Fail 3 Phase _ 1800 RPM | BES | 1 | \$ | 100 | 0.1 | 509 |
| | • | · - | | | • | | | |

| | | | | | \$ 100 | 0.1 | 509 |
|--------|----------------------|-----------------------------------|-----|-----|--------------|-------|-----------|
| | Res Lighting | CFL Fixtures and Lamps | BES | 432 | \$ 648 | 1.7 | 16,773 |
| | | | | | \$ 648 | 1.7 | 16,773 |
| 2011 T | otal | | | | \$ 45,913 | 148.7 | 588,526 |
| 2012 | Lighting - New Const | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 46 | \$ 2,300 | 21.5 | 75,054 |
| | | | | | \$ 2,300 | 21.5 | 75,054 |
| | Lighting - Retrofit | Ltng Retro _ LED & Induction Tech | BES | 188 | \$ 2,760 | 10.0 | 35,489 |
| | | | | | \$ 2,760 | 10.0 | 35,489 |
| 2012 T | otal | | | | \$ 5,060 | 31.5 | 110,543 |
| 2013 | Lighting - New Const | T8 4ft Hi Bay Fixture | BES | 14 | \$ 700 | 2.7 | 7,438 |
| | | | | | \$ 700 | 2.7 | 7,438 |
| | Lighting - Retrofit | LED & Induction Tech | BES | 12 | \$ 180 | 0.6 | 1,914 |
| | | | | | \$ 180 | 0.6 | 1,914 |
| 2013 T | otal | | | | \$ 880 | 3.3 | 9,352 |
| Grand | Total | | | | \$ 78,716 | 279.3 | 1,078,811 |

Appendix 2 - Beresford Resolution

RESOLUTION NO. 2014-05

- WHEREAS, the City of Beresford purchases a significant portion of its power supply from the Western Area Power Administration (Western); and
- WHEREAS, Western has recently published its Energy Planning and Management Program Rules specifying the requirements for preparing and filing of an Integrated Resource Plan (IRP); and
- WHEREAS, the municipal utility staff has prepared an IRP Summary Report describing the IRP process used and the information and assumptions used to develop the IRP; and
- WHEREAS, our customers were informed of our IRP and resulting Action Plans through various means including a public meeting where public questions and comments were encouraged; and
- WHEREAS, any public comments received have been addresses in order to strengthen the city's Integrated Resource Plan; and
- WHEREAS, the IRP Summary Report included 5-year and 2-year action plans outlining actions to be taken by the Municipal utility during the next several years
- NOW THEREFORE BE IT RESOLVED BY the City of Beresford City Council as follows:

That the "Integrated Resource Plan Summary Report for the City of Beresford dated September 1, 2014 shall be approved for filing with Western under the Energy Planning and Management Program."

nes Fedderson, Mayor

Passed and approved this 4th day of August, 2014.

(SEAL)

ATTEST:

Kathy Moller, Finance Officer

III. Brookings, SD Resource Planning

A. City Information

Brookings, located in Brookings County, is a community of more than 22,000 individuals located in eastern South Dakota. Municipal services include electricity, water, sewer, and telephone services. The city is the home of South Dakota State University. Daktronics is also headquartered in Brookings.

The three largest employers in Brookings are South Dakota State University (2,121 employees), Daktronics (1,655 employees), and 3M (796 employees). In 2010, the residential sector included 8,715 occupied housing units. The median age of the population is 23.5 years. About 8.4% of the population is 65 years of age or older, and about 16.1% are under 18 years old.

In 2012, the municipal utility had 8,471 residential customers, 1,312 commercial customers, and 148 industrial customers. The residential sector's yearly usage averaged 10,444 kWh per customer in 2012. Commercial customers averaged 29,979 kWh, and industrial customers averaged 1,063,757 kWh.

The rates for each type of customer are shown in Exhibit 1. Exhibit 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4, which show the winter and summer peak demand and energy for the seasons 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Brookings on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively. The total peak load, including distribution and transformation losses, was 53,089 kW in the winter and 59,884 kW in the summer.

Exhibits 7 and 8 each show the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load increasing from midnight to 8 am, then leveling off till 1 pm then loads begin to decline until 4 pm. Then loads pick up again near 6 pm with a steady decline the rest of the day. The summer peak graph indicates the load increasing from 6 am until peaking at 5 pm. Then a steady decline load occurs until 6 am the next day.

BROOKINGS, SOUTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE


| Customer Class | Rate Component | Current Rate |
|-----------------------|---|--|
| Residential | Customer Charge \$/kWh Jun-Aug \$/kWh Sep-May | \$13.25 \$.087 \$.074 |
| Small Commercial | Customer Charge \$/kWh Jun-Aug \$/kWh Sep-May | \$23.00 \$.093 \$.081 |
| Large Commercial | Customer Charge \$/kWh \$/kW Jun-Aug \$/kW Sep-May | \$100.00 \$.035 \$17.45 \$11.75 |
| Industrial | Customer Charge \$/kWh \$/kW Jun-Aug \$/kW Sep-May | \$130.00 \$.034 \$17.05 \$11.35 |

MRES Seasonal Load Report Brookings, SD Town Gate Load BASE Forecast 1/31/14 2:13 PM Town Gate Load Monthly Splits Historic Through 12/2013

| BASE For | ecast | | | | | | | Histor | ic inrough 12 | 2/2013 | |
|----------|---------|-------------|-------------|--------------|---|--------|--------------|-------------|---------------|--------------|--|
| | | De | emand (kW) | | | | | Energy (k | Wh) | | |
| Summer | Total V | <u>NAPA</u> | <u>MRES</u> | <u>Other</u> | | Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | |
| 2001 | 47,840 | 18,972 | 28,868 | | 0 | 2001 | 115,892,235 | 53,107,000 | 62,785,235 | 0 | |
| 2002 | 45,411 | 18,972 | 26,613 | | 0 | 2002 | 117,433,059 | 53,107,000 | 64,326,059 | 0 | |
| 2003 | 45,500 | 18,972 | 26,528 | | 0 | 2003 | 114,530,975 | 53,107,000 | 61,423,975 | 0 | |
| 2004 | 46,520 | 18,972 | 27,548 | | 0 | 2004 | 117,172,513 | 53,107,000 | 64,065,513 | 0 | |
| 2005 | 49,624 | 18,972 | 30,652 | | 0 | 2005 | 128,271,742 | 53,107,000 | 75,164,742 | 0 | |
| 2006 | 53,842 | 18,941 | 34,901 | | 0 | 2006 | 133,078,312 | 53,020,000 | 80,058,312 | 0 | |
| 2007 | 53,491 | 18,941 | 34,550 | | 0 | 2007 | 138,959,941 | 53,020,000 | 85,939,941 | 0 | |
| 2008 | 52,168 | 18,941 | 33,227 | | 0 | 2008 | 140,885,981 | 53,020,000 | 87,865,981 | 0 | |
| 2009 | 50,308 | 18,941 | 32,046 | | 0 | 2009 | 135,947,835 | 53,020,000 | 82,927,835 | 0 | |
| 2010 | 55,077 | 18,941 | 36,136 | | 0 | 2010 | 143,433,976 | 53,020,000 | 90,413,976 | 0 | |
| 2011 | 58,977 | 18,941 | 40,036 | | 0 | 2011 | 144,936,702 | 53,020,000 | 91,916,702 | 0 | |
| 2012 | 57,406 | 18,941 | 38,465 | | 0 | 2012 | 148,157,922 | 53,020,000 | 95,137,922 | 0 | |
| 2013 | 59,884 | 18,941 | 40,943 | | 0 | 2013 | 148,629,861 | 53,020,000 | 95,609,861 | 0 | |
| 2014 | 58,533 | 18,941 | 39,592 | | 0 | 2014 | 154,975,329 | 53,020,000 | 101,955,329 | 0 | |
| 2015 | 59,932 | 18,941 | 40,991 | | 0 | 2015 | 160,939,422 | 53,020,000 | 107,919,422 | 0 | |
| 2016 | 61,458 | 18,941 | 42,517 | | 0 | 2016 | 165,038,236 | 53,020,000 | 112,018,236 | 0 | |
| 2017 | 62,882 | 18,941 | 43,941 | | 0 | 2017 | 168,862,932 | 53,020,000 | 115,842,932 | 0 | |
| 2018 | 64,190 | 18,941 | 45,249 | | 0 | 2018 | 172,375,197 | 53,020,000 | 119,355,197 | 0 | |
| | | De | emand (kW) | | | | Energy (kWh) | | | | |
| Winter | Total V | <u>NAPA</u> | <u>MRES</u> | <u>Other</u> | | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | |
| 2002 | 38,592 | 16,869 | 22,443 | | 0 | 2002 | 116,490,623 | 50,708,000 | 65,782,623 | 0 | |
| 2003 | 41,361 | - | | | 0 | 2003 | 120,178,701 | | | 0 | |
| 2004 | 43,109 | 16,869 | 26,960 | | 0 | 2004 | 125,238,525 | 51,043,000 | 74,195,525 | 0 | |
| 2005 | 46,033 | - | | | 0 | 2005 | 130,163,421 | 50,708,000 | | 0 | |
| 2006 | 45,700 | | · · | | 0 | 2006 | 134,335,498 | | 83,702,498 | | |
| 2007 | 48,328 | | · · | | 0 | 2007 | 142,261,011 | 50,599,000 | 91,662,011 | 0 | |
| 2008 | 52,612 | , | • | | 0 | 2008 | | | 103,008,948 | | |
| 2009 | 53,938 | | | | 0 | 2009 | | | 103,342,076 | | |
| 2010 | 52,431 | • | • | | 0 | 2010 | | | 100,405,978 | | |
| 2011 | 52,190 | - | | | 0 | 2011 | | | 106,539,976 | | |
| 2012 | 50,400 | 16,833 | 34,286 | | 0 | 2012 | 146,428,900 | | | 0 | |
| 2013 | 53,098 | | | | 0 | 2013 | 157,903,971 | | | 0 | |
| 2014 | 54,019 | 16,833 | 38,824 | | 0 | 2014 | | | 112,012,899 | 0 | |
| 2015 | 56,777 | | | | 0 | 2015 | 169,123,199 | 50,599,000 | 118,524,199 | | |
| 2016 | 58,223 | • | • | | 0 | 2016 | | | 122,409,038 | | |
| 2017 | 59,572 | - | | | 0 | 2017 | | | 126,891,753 | | |
| 2018 | 60,811 | 16,833 | 44,697 | | 0 | 2018 | 181,322,209 | 50,599,000 | 130,723,209 | 0 | |
| | | | | | | | | | | | |

Exhibit 3

Brookings, SD Winter Demand - Town Gate



Brookings, SD Winter Energy - Town Gate





Exhibit 4

Brookings, SD Summer Demand - Town Gate



Brookings, SD Summer Energy - Town Gate




Exhibit 5

Brookings, SD Winter 2012-2013 Half-Hour Load Shape - Town Gate




Exhibit 6

Brookings, SD Summer 2013 Half-Hour Load Shape - Town Gate






Exhibit 7

Brookings, SD Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate



Brookings, SD Peak Half-Hour Load Shape, Summer 2013, Town Gate



B. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Brookings is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Brookings to individually study supply-side resources as part of this IRP.

C. Historic DSM Efforts

Brookings has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Year | ▼ Program | ▼ BES or City | ▼ Quan | Ir | centive | kW | kWh |
|---------------|----------------------------------|---------------|--------|----|---------|---------|-----------|
| □ 2009 | □ Cooling | BES | 2 | \$ | 3,657 | 14.2 | 13,878 |
| | ■ Custom Lighting | BES | 1 | \$ | 6,063 | 20.2 | 227,273 |
| | ■ Energy Star Appliance | BES | 5 | \$ | 2,347 | 0.7 | 8,307 |
| | ■ Lighting | BES | 1009 | \$ | 60,624 | 117.0 | 501,072 |
| | ■ Lighting - New Const | BES | 51 | \$ | 4,080 | 7.5 | 32,793 |
| | ■ Motors | BES | 2 | \$ | 3,900 | 0.9 | 4,493 |
| | ■ Res HVAC | BES | 16 | \$ | 9,145 | 8.4 | 36,404 |
| | ■ VFDs and Pumps | BES | 4 | \$ | 1,200 | 24.7 | 90,958 |
| 2009 Tota | I | | 1090 | \$ | 91,016 | 193.6 | 915,178 |
| □ 2010 | ☐ CI HVAC | BES | 4 | \$ | 7,545 | 20.6 | 42,267 |
| | ■ Custom Electric Program | BES | 6 | \$ | 12,729 | 39.9 | 78,503 |
| | ■ Energy Star Appliance | BES | 206 | \$ | 8,293 | 2.5 | 34,109 |
| | ■ Food Service | BES | 2 | \$ | 600 | 1.0 | 5,661 |
| | ■ Lighting - New Const | BES | 145 | \$ | 9,520 | 49.8 | 167,943 |
| | ■ Lighting - Retrofit | BES | 1990 | \$ | 69,146 | 204.3 | 764,567 |
| | ■ Res HVAC | BES | 74 | \$ | 18,765 | 32.0 | 159,722 |
| | ■ VFDs and Pumps | BES | 20 | \$ | 7,120 | 32.5 | 118,716 |
| 2010 Tota | I | | 2447 | \$ | 133,717 | 382.7 | 1,371,488 |
| □ 2011 | □ Custom Electric Program | BES | 2 | \$ | 15,349 | 42.2 | 268,864 |
| | ■ Energy Star Appliance | BES | 172 | \$ | 7,180 | 4.1 | 43,429 |
| | ■ Lighting - New Const | BES | 96 | \$ | 7,680 | 59.4 | 117,731 |
| | ☐ Lighting - Retrofit ☐ | BES | 1199 | \$ | 20,558 | 56.6 | 254,418 |
| | ■ Res HVAC | BES | 25 | \$ | 7,889 | 19.0 | 87,003 |
| | ■ VFDs and Pumps | BES | 4 | \$ | 5,550 | 30.5 | 166,678 |
| | ■ Res Lighting | BES | 8048 | \$ | 12,072 | 32.2 | 312,479 |
| 2011 Tota | I | | 9546 | \$ | 76,277 | 244.0 | 1,250,602 |
| 2012 | ☐ CI HVAC | BES | 55 | \$ | 21,539 | 87.4 | 142,266 |
| | □ Comm Refrigeration Audit | t BES | 2 | \$ | - | 0.2 | 1,899 |
| | ■ Custom Electric Program | BES | 8 | \$ | 8,348 | 27.7 | 158,854 |
| | ■ Energy Star Appliance | BES | 207 | \$ | 7,161 | 3.6 | 41,575 |
| | ■ Food Service | BES | 6 | \$ | 1,850 | 8.4 | 61,550 |
| | ■ Lighting - New Const | BES | 560 | \$ | 4,465 | 12.6 | 60,850 |
| | ■ Lighting - Retrofit | BES | 951 | \$ | 23,799 | 74.9 | 268,040 |
| | ■ Res HVAC | BES | 43 | \$ | 7,150 | 11.9 | 66,765 |
| | ■ VFDs and Pumps | BES | 6 | \$ | 3,040 | 17.2 | 71,267 |
| 2012 Tota | I | | 1838 | \$ | 77,351 | 243.9 | 873,066 |
| ■ 2013 | □ CI HVAC | BES | 9 | \$ | 10,844 | 20.4 | 40,193 |
| | ■ Compressed Air System | BES | 2 | \$ | 2,925 | 8.8 | 38,698 |
| | © Custom Electric Program | BES | 4 | \$ | 13,274 | 47.9 | 155,273 |
| | ■ Energy Star Appliance | BES | 152 | \$ | 6,200 | 4.6 | 29,990 |
| | ■ Food Service | BES | 2 | \$ | 300 | 0.3 | 2,518 |
| | □ Lighting - New Const | BES | 116 | \$ | 5,800 | 17.4 | 107,002 |
| | □ Lighting - Retrofit | BES | 2018 | \$ | 45,178 | 127.8 | 665,151 |
| | Res HVAC | BES | 114 | \$ | 9,175 | 41.0 | 53,379 |
| | | BES | 4 | \$ | 1,320 | 6.5 | 22,353 |
| | Res Lighting | BES | 6000 | \$ | 7,800 | 29.4 | 262,800 |
| | □ Comm Refrigeration | BES | 21 | \$ | 2,025 | 4.3 | 46,457 |
| 2013 Tota | I | | 8442 | \$ | 104,841 | 308.4 | 1,423,814 |
| Grand Tot | al | | 23363 | \$ | 483,202 | 1,372.7 | 5,834,148 |

D. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Brookings was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

E. Options Chosen – Development of Action Plan

DSMore software was run on each individual measure, and then grouped into programs that MRES is either currently offering (Phase I) or are planning to offer within the next five years (Phase II) as a part of Bright Energy Solutions.

i. Future Actions

It is assumed that Brookings will continue to participate in the Bright Energy Solutions program. Brookings would have virtually no out-of-pocket costs, as MRES will be paying the incentives for all of these programs. It is planned that Brookings will participate in the all of the Bright Energy Solutions programs to the extent possible.

Representatives from Brookings plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, it is unknown if Brookings will participate in the MRES Coordinated Demand Response (CDR) program in the future. That decision will be evaluated in years to come.

ii. Milestones

As part of the annual WAPA IRP updates, Brookings will evaluate the progress on these programs. The success will be measured against this 5-year plan, with adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Ouality control, measurement of savings, verification tracking, and

program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

F. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will by definition decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

G. Public Participation

A preliminary draft of this report was produced on April 29, 2014. The draft was reviewed by Brookings Municipal Utilities. A revised draft was completed on August 8, 2014. A notice of public hearing on IRP was published in the local newspaper on August 21, 2014 and August 28, 2014. The public hearing on the IRP was held at the September 8, 2014 Municipal Utilities Board meeting. A summary of any comments and responses made during the meeting are included in the Appendix. The Municipal Utilities Board approved the resolution on September 8, 2014. A copy of the approved resolution is included in Appendix 2 at the end of this section.

| IRP Approval Process | | | | | | |
|--------------------------------|-----------|--|--|--|--|--|
| Preliminary Draft Date | 4/29/2014 | | | | | |
| Preliminary Draft Reviewed By | 8/8/2014 | | | | | |
| Draft Revision Completion Date | 8/8/2014 | | | | | |
| | 8/21/2014 | | | | | |
| | and | | | | | |
| Date Published in Paper | 8/28/2014 | | | | | |
| Public Hearing Date | 9/8/2014 | | | | | |
| Date Approved by City Council | 9/8/2014 | | | | | |

Appendix 1 – Detailed DSM Measures Installed

Utility Brookings

| | | | BES | | | | | |
|------|-------------------------|-----------------------------|------------|----------|----------|---------|-------|---------|
| W | D | | or | 0 | • | | 1.347 | LAND |
| Year | Program | Measure | City | Quan | | centive | kW | kWh |
| 2009 | Cooling | 79.5 ton air cooled chiller | BES | 1 | \$ | 3,657 | 13.5 | 11,178 |
| | | Chilled water resets | BES | 1 | _ | | 0.7 | 2,700 |
| | | • | DE0 | | \$ | 3,657 | 14.2 | 13,878 |
| | Custom Lighting | Occup. Sensors | BES | 1 | \$ | 6,063 | 20.2 | 227,273 |
| | Foreign Chan Appellance | Flacture Investment SWELDER | DEC | 4 | \$ | 6,063 | 20.2 | 227,273 |
| | Energy Star Appliance | Electrolux EWFLW65IRRO | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | LG WM2701HV | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | MVWB700VQ0 | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Whirlpool GU2300XTV80 | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Whirlpool WPW9200SQAJ2 | BES | (5.11-) | \$ | 50 | 0.0 | 165 |
| | | (blank) | BES | (blank) | \$ | 2,122 | 0.6 | 7,503 |
| | I takata a | 0 | DEC | 0 | \$ | 2,347 | 0.7 | 8,307 |
| | Lighting | Occup. Sensors | BES | 8 | \$ | 160 | 0.6 | 2,200 |
| | | T5 4' 2L | BES | 32 | \$ | 288 | 2.5 | 5,696 |
| | | T5 HB 4L T5 HB 6L | BES | 12 | \$ \$ | 720 | 2.8 | 12,264 |
| | | T5 HO 2L | BES BES | 39 | | 3,510 | 5.7 | 25,077 |
| | | | | 12 | \$ \$ | 720 | 1.1 | 4,728 |
| | | T5HO 2L | BES | 8 | | 480 | 0.7 | 3,152 |
| | | T5HO HB 4L | BES | 24 | \$ | 1,440 | 5.6 | 24,528 |
| | | T8 4' 2L | BES | 13 | \$ | 286 | 0.2 | 715 |
| | | | | 40 | \$ | 2,365 | 0.6 | 2,200 |
| | | T8 4' 3L | BES | 75 | | | 2.3 | 8,925 |
| | | T8 4' 4L | BES | 16 | | | 0.5 | 2,016 |
| | | | | 100 | | | 3.3 | 12,600 |
| | | T8 HB 6L | BES | 16 | \$ | 1,036 | 2.4 | 10,288 |
| | | | | 21 | \$ | 3,045 | 6.2 | 27,006 |
| | | | | 24 | \$ | 2,040 | 3.5 | 15,432 |
| | | | | 27 | \$ | 2,615 | 4.0 | 17,361 |
| | | | | 493 | \$ | 41,905 | 72.5 | 316,999 |
| | | CFL Fixtures and Lamps | BES | 9 | \$ | 14 | 0.3 | 1,107 |
| | | | | 19 | | | 2.3 | 8,778 |
| | | | | | | 60,624 | 117.0 | 501,072 |
| | Lighting - New Const | T5 HO 6L | BES | 29 | \$ | 2,320 | 4.3 | 18,647 |
| | | T5HO 6L | BES | 22 | \$ | 1,760 | 3.2 | 14,146 |
| | | 425110 | | _ | \$ | 4,080 | 7.5 | 32,793 |
| | Motors | 125HP motor | BES | 1 | \$ | 500 | 0.6 | 3,305 |
| | | 40HP Motor | BES | 1 | \$ | 3,400 | 0.3 | 1,188 |
| | D 111/40 | 45.6550.40 | | _ | \$ | 3,900 | 0.9 | 4,493 |
| | Res HVAC | 15 SEER HP | BES | 1 | \$ | 400 | 0.1 | 76 |
| | | 15.5 SEER HP | BES | 1 | \$ | 650 | 0.4 | 228 |
| | | 17.4 EER GSHP | BES | 1 | \$ | 1,663 | 0.1 | 3,555 |

| | | 17.8 EER GSHP | BES | 1 | \$ | 2,020 | 0.1 | 3,555 |
|--------|------------------------|--|-----|---------|----------|----------|-------|---------|
| | | 5 ton 17.4 SEER GSHP | BES | 1 | \$ | 1,663 | 2.5 | 13,703 |
| | | AC 16 SEER | BES | 1 | \$ | 100 | 0.2 | 90 |
| | | Desuperheater | BES | 1 | | | 0.7 | 2,442 |
| | | ECM motor-gas | BES | 1 | \$ | 150 | 0.2 | 811 |
| | | ECM-gas furnace | BES | 1 | \$ | 700 | 0.5 | 2,433 |
| | | ECM-HP | BES | 1 | | | 0.3 | 1,936 |
| | | (blank) | BES | (blank) | \$ | 1,800 | 3.4 | 7,575 |
| | | | | | \$ | 9,145 | 8.4 | 36,404 |
| | VFDs and Pumps | 15HP VFDs | BES | 2 | \$ | 1,200 | 6.7 | 24,806 |
| | | 40HP VFD | BES | 2 | | | 18.0 | 66,152 |
| | | | | | \$ | 1,200 | 24.7 | 90,958 |
| 2009 T | otal | | | | \$ | 91,016 | 193.6 | 915,178 |
| 2010 | CI HVAC | Air Cooled Chiller | BES | 1 | \$ | 6,000 | 20.3 | 19,665 |
| | | GS HP_Closed Loop Water to Air | BES | 2 | \$ | 1,545 | 0.4 | 22,602 |
| | | | | | \$ | 7,545 | 20.6 | 42,267 |
| | Custom Electric | | | | | | | |
| | Program | Custom | BES | 2 | \$ | 10,970 | 35.0 | 48,363 |
| | | Geothermal water to water heat pump | DEC | 1 | <u>ر</u> | 1.750 | 4.0 | 20.140 |
| | | for domestic hot water. | BES | 1 | \$ | 1,759 | 4.9 | 30,140 |
| | France Stor Appliance | Figure Character States Maskey | DEC | 2 | \$ | 12,729 | 39.9 | 78,503 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 3 | \$ | 150 | 0.1 | 675 |
| | | | | 5 | \$ | 750 | 0.3 | 3,307 |
| | | | | 7 | \$ | 700 | 0.3 | 2,951 |
| | | | | 9 | \$ | 450 | 0.2 | 2,025 |
| | | | | 10 | \$ | 500 | 0.2 | 2,250 |
| | | | | 14 | \$ | 700 | 0.3 | 2,752 |
| | | | | 18 | \$ | 900 | 0.3 | 3,254 |
| | | | | 19 | \$ | 950 | 0.4 | 4,275 |
| | | | | 31 | \$ | 1,550 | 0.4 | 4,587 |
| | | Energy Star Decorative Lights | BES | 5 | \$ | 18 | 0.0 | 42 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 30 | 0.1 | 264 |
| | | | | 2 | \$ | 20 | 0.0 | 176 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 50 | 0.0 | 154 |
| | | | | 2 | \$ | 150 | 0.0 | 822 |
| | | | | 3 | \$ | 75 | 0.0 | 411 |
| | | | | 4 | \$ | 100 | 0.0 | 548 |
| | | | | 6 | \$ | 300 | 0.0 | 1,464 |
| | | | | 8 | \$ | 200 | 0.0 | 1,096 |
| | | | | 28 | \$ | 700 | 0.0 | 3,056 |
| | | | | | \$ | 8,293 | 2.5 | 34,109 |
| | Food Service | ES Holding Cabinets | BES | 2 | \$ | 600 | 1.0 | 5,661 |
| | | | | | \$ | 600 | 1.0 | 5,661 |
| | Lighting Now Const | Ltng New Const _ T5HO 4ft Hi Bay Fixture | BES | 97 | \$ | 6,640 | 35.8 | 00 127 |
| | Lighting - New Const | | | | | | | 98,137 |
| | | Ltng New Const _ T8 4ft Hi Bay Fixture | BES | 48 | \$ | 2,880 | 13.9 | 69,806 |
| | Makaba - Baka fik | Ltura Datus 6th - LED O Ladustian Tank | DEC | - | \$ | 9,520 | 49.8 | 167,943 |
| | Lighting - Retrofit | Ltng Retrofit _ LED & Induction Tech | BES | 5 | \$ | 60 73 | 0.1 | 832 |
| | | | | 6 | \$ | 72 | 0.1 | 999 |
| | | Lance Destroition Only 1999 - T. J. Av. V. | DEC | 20 | \$ | 240 | 0.4 | 3,329 |
| | | Ltng Retrofit _ Othr Eff Ltg Tech/Unit | BES | 52 | \$ | 1,740 | 4.3 | 12,245 |

| | | Ltng Retrofit _Flrscnt T8 & T5 w/Elec | | 175 | \$ | 4,600 | 15.4 | 68,240 |
|--------|-----------------------|---|-----|------|---------|---------|-------|-----------|
| | | Bal | BES | 4 | \$ | 44 | 0.1 | 458 |
| | | Dai | DLJ | 60 | \$ | 720 | 2.1 | 6,153 |
| | | | | 100 | ۶ \$ | 964 | 2.3 | 5,368 |
| | | | | | | | | |
| | | Ltng Retrofit _ T8 Hi Bay Fixtures w-Elec | | 1046 | \$ | 20,876 | 63.4 | 206,676 |
| | | Bal | BES | 21 | \$ | 1,785 | 4.7 | 11,051 |
| | | Bui | DLJ | 483 | \$ | 36,785 | 109.9 | 444,246 |
| | | Ltng Retrofit _ T5HO Hi Bay Fixtures w- | | 403 | Ţ | 30,703 | 105.5 | 444,240 |
| | | Elec Bal | BES | 18 | \$ | 1,260 | 1.5 | 4,970 |
| | | | | | \$ | 69,146 | 204.3 | 764,567 |
| | Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 900 | 1.4 | 2,400 |
| | | Desuperheater | BES | 1 | \$ | 250 | 0.4 | 1,221 |
| | | 2 coupecate. | | 2 | \$ | 1,500 | 2.9 | 7,326 |
| | | HVAC Air_Source HP | BES | 1 | \$ | 1,000 | 1.6 | 7,924 |
| | | TIVACAM_Source III | DLJ | 2 | \$ | 1,000 | 1.6 | 7,924 |
| | | HVAC Central AC unit | BES | 1 | \$ | 100 | 0.2 | 162 |
| | | TIVAC CERTIALAC UIIIC | BES | | ۶ \$ | | | |
| | | | | 3 | | 900 | 2.5 | 1,778 |
| | | LIVAC Classed Laser Metanta Ain CC LID | DEC | 4 | \$ | 400 | 1.0 | 702 |
| | | HVAC Closed Loop Water to Air GS HP | BES | 2 | \$ | 3,978 | 5.3 | 65,772 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ | 600 | 0.9 | 1,600 |
| | | | | 2 | \$ | 1,200 | 1.8 | 3,200 |
| | | | | 3 | \$ | 1,350 | 2.1 | 3,600 |
| | | | | 5 | \$ | 750 | 1.2 | 2,000 |
| | | HVAC Air-Source Heat Pump | BES | 1 | \$ | 250 | 0.2 | 1,581 |
| | | | | 2 | \$ | 500 | 0.4 | 3,162 |
| | | | | 3 | \$ | 750 | 0.6 | 4,743 |
| | | HVAC Ground_Source HP Closed Loop | BES | 1 | \$ | 743 | 1.2 | 10,558 |
| | | | | 2 | \$ | 2,595 | 6.7 | 34,069 |
| | | | | | \$ | 18,765 | 32.0 | 159,722 |
| | VFDs and Pumps | Variable Freq Drives | BES | 6 | \$ | 4,500 | 20.7 | 79,797 |
| | | | | 8 | \$ | 2,070 | 11.2 | 35,942 |
| | | Replace on Failure 3 Phase _ 1800 RPM | BES | 1 | \$ | 75 | 0.1 | 381 |
| | | | | 3 | \$ | 325 | 0.4 | 1,890 |
| | | Replace on Failure 3 Phase _ 1200 RPM | BES | 2 | \$ | 150 | 0.1 | 706 |
| | | | | | \$ | 7,120 | 32.5 | 118,716 |
| 2010 T | otal | | | | \$ | 133,717 | 382.7 | 1,371,488 |
| | Custom Electric | pneumatic controls on 2 air handlers | | | | | | |
| 2011 | Program | and 5 VAVs | BES | 1 | \$ | 5,698 | 14.5 | 134,752 |
| | | replaced 75HP rotary screw compressor | | | | | | |
| | | w 40HP VFD compressor. | BES | 1 | \$ | 9,651 | 27.7 | 134,112 |
| | | | | | \$ | 15,349 | 42.2 | 268,864 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 100 | 0.0 | 476 |
| | | | | 3 | \$ | 300 | 0.1 | 1,350 |
| | | | | 4 | \$ | 200 | 0.1 | 900 |
| | | | | 5 | \$ | 250 | 0.1 | 1,125 |
| | | | | 6 | \$ | 900 | 0.4 | 4,050 |
| | | | | 7 | \$ | 700 | 0.3 | 3,150 |
| | | | | 8 | \$ | 400 | 0.2 | 1,800 |
| | | | | 10 | \$ | 500 | 0.2 | 2,250 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 10 | 0.0 | 88 |
| | | | | | | | | |

| | | | 2 | \$ | 40 | 0.1 | 352 |
|-----------------------------|--|-----|-----|----|--------|------|---------|
| | | | 3 | \$ | 30 | 0.1 | 264 |
| | Energy Star Dishwasher | BES | 1 | \$ | 50 | 0.0 | 274 |
| | | | 2 | \$ | 150 | 0.0 | 822 |
| | | | 3 | \$ | 75 | 0.0 | 411 |
| | | | 5 | \$ | 250 | 0.0 | 1,370 |
| | | | 6 | \$ | 150 | 0.0 | 822 |
| | | | 7 | \$ | 175 | 0.0 | 959 |
| | | | 8 | \$ | 200 | 0.0 | 1,096 |
| | Energy Star Refrigerators | BES | 1 | \$ | 50 | 0.0 | 405 |
| | | | 2 | \$ | 100 | 0.1 | 810 |
| | | | 3 | \$ | 300 | 0.3 | 2,430 |
| | | | 6 | \$ | 600 | 0.6 | 4,860 |
| | | | 7 | \$ | 700 | 0.6 | 5,670 |
| | | | 9 | \$ | 450 | 0.4 | 3,645 |
| | | | 10 | \$ | 500 | 0.5 | 4,050 |
| | | | | \$ | 7,180 | 4.1 | 43,429 |
| Lighting - New Const | Ltng NC _ T5HO 4ft Hi Bay Fixture | BES | 96 | \$ | 7,680 | 59.4 | 117,731 |
| | | | | \$ | 7,680 | 59.4 | 117,731 |
| Lighting - Retrofit | Ltng Retro _ CFL Fixtures & Lamps | BES | 32 | \$ | 48 | 1.3 | 3,177 |
| | Ltng Retro _ LED & Induction Tech | BES | 1 | \$ | 12 | 0.0 | 166 |
| | | | 6 | \$ | 72 | 0.1 | 999 |
| | Ltng Retro _ Othr Eff Ltg Tech/Ctld | BES | 1 | \$ | 1,710 | 5.2 | 87,008 |
| | Ltng Retro _ Othr Eff Ltg Tech/Unit | BES | 30 | \$ | 1,200 | 2.9 | 8,387 |
| | Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 145 | \$ | 2,394 | 9.4 | 25,531 |
| | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 15 | \$ | 1,275 | 3.3 | 8,274 |
| | | | 53 | \$ | 4,505 | 11.8 | 55,742 |
| | Ltng Retro _Flrscnt T8 & T5 w/Elec Bal | BES | 3 | \$ | 75 | 0.2 | 886 |
| | | | 14 | \$ | 182 | 0.4 | 1,070 |
| | | | 22 | \$ | 242 | 0.7 | 2,516 |
| | | | 31 | \$ | 396 | 1.2 | 3,317 |
| | | | 135 | \$ | 1,485 | 3.9 | 9,351 |
| | | | 470 | \$ | 4,802 | 11.9 | 29,197 |
| | Ltng Retro_Rducd Wtg T8 Fixture | BES | 240 | \$ | 2,160 | 4.1 | 18,797 |
| | | | | \$ | 20,558 | 56.6 | 254,418 |
| Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 150 | 0.2 | 400 |
| | Desuperheater | BES | 1 | \$ | 500 | 1.1 | 2,442 |
| | | | 2 | \$ | 500 | 1.1 | 2,442 |
| | HVAC Central AC unit | BES | 1 | \$ | 400 | 1.2 | 868 |
| | | | 2 | \$ | 200 | 0.7 | 473 |
| | HVAC Closed Loop Water to Air GS HP | BES | 1 | \$ | 2,691 | 6.9 | 37,151 |
| | | | 2 | \$ | 2,273 | 6.0 | 31,711 |
| | HVAC HE Furnace with ECM | BES | 1 | \$ | 300 | 0.5 | 800 |
| | | | 2 | \$ | 600 | 0.9 | 1,600 |
| | HVAC Mini Split_Ductless Air_Source | | | | | | |
| | HP | BES | 1 | \$ | 200 | 0.4 | 6,470 |
| | Programmable Thermostat - Elec Heat | DEC | 4 | ۲ | 25 | 0.0 | 2 272 |
| | w/AC Programmable Thermostat - NON Elec- | BES | 1 | \$ | 25 | 0.0 | 2,272 |
| | Gas w/AC | BES | 1 | \$ | 50 | 0.0 | 374 |
| | • | | | \$ | 7,889 | 19.0 | 87,003 |
| | | | | • | , | | , |

| | VFDs and Pumps | Repl on Fail 3 Phase _ 1800 RPM | BES | 2 | \$ | 150 | 0.1 | 564 |
|--------|---------------------------|---|------------|---------|----------------|-----------------------|------------|-------------------|
| | | Variable Freq Drives | BES | 1 | \$ | 4,000 | 26.0 | 138,554 |
| | | VFD Air Compressor | BES | 1 | \$ | 1,400 | 4.4 | 27,560 |
| | | | | | \$ | 5,550 | 30.5 | 166,678 |
| | Res Lighting | CFL Fixtures and Lamps | BES | 8048 | \$ | 12,072 | 32.2 | 312,479 |
| | | | | | \$ | 12,072 | 32.2 | 312,479 |
| 2011 T | | | _ | | \$ | 76,277 | 244.0 | 1,250,602 |
| 2012 | CI HVAC | Air Cooled Chiller | BES | 1 | \$ | 8,200 | 27.7 | 43,298 |
| | | Demand Controlled Ventilation Guest Room Energy Management (GREM) | BES BES | 1 19 | \$ \$ | 1,559 665 | 5.2 1.8 | 8,550 |
| | | Setback/Programmable Thermostats | BES | 2 | \$ \$ | 100 | 0.0 | 25,688 1,764 |
| | | Setback/Flogrammable memostats | DES | 6 | ۶ \$ | 600 | 0.0 | 10,224 |
| | | Unitary Single Pkgd AC | BES | 1 | \$ | 975 | 5.0 | 4,789 |
| | | ornitary single ringa ric | DLJ | 19 | \$ | 9,440 | 47.8 | 47,953 |
| | | | | | \$ | 21,539 | 87.4 | 142,266 |
| | Comm Refrigeration | | | | • | , | | |
| | Audit | Coil Cleaning kit | BES | 1 | \$ | - | 0.2 | 1,488 |
| | | LED Screw-in Replacement Lamp | BES | 1 | \$ | - | 0.0 | 411 |
| | | | | | \$ | - | 0.2 | 1,899 |
| | Custom Electric | Custom | BES | 1 | ć | 2 900 | 12.9 | 124 920 |
| | Program | | BES | 1 | \$ \$ | 3,899 | 14.8 | 124,830 34,024 |
| | | Custom Lighting | DES | 1 | ۶ \$ | 4,449 8,348 | 27.7 | 158,854 |
| | Energy Star Appliance | Energy Star Ceiling Fans | BES | 1 | ب \$ | 50 | 0.2 | 302 |
| | Energy Star Appliance | Energy Star Centing Paris | DLJ | 7 | \$ | 175 | 0.6 | 1,057 |
| | | Energy Star Clothes Washer | BES | 2 | \$ | 200 | 0.1 | 900 |
| | | znergy otal olothes master | | 3 | \$ | 300 | 0.1 | 1,350 |
| | | | | 4 | \$ | 1,000 | 0.4 | 4,500 |
| | | | | 5 | \$ | 250 | 0.1 | 1,125 |
| | | | | 8 | \$ | 400 | 0.2 | 1,800 |
| | | | | 9 | \$ | 450 | 0.2 | 2,025 |
| | | Energy Star Decorative Lights | BES | 6 | \$ | 21 | 0.0 | 152 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 40 | 0.1 | 352 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 75 | 0.0 | 411 |
| | | | | 2 | \$ | 50 | 0.0 | 274 |
| | | | | 3 | \$ | 300 | 0.0 | 1,644 |
| | | | | 4 | \$ | 100 | 0.0 | 548 |
| | | | | 5 | \$ | 125 | 0.0 | 685 |
| | | | | 8 | \$ | 200 | 0.0 | 1,096 |
| | | | | 67 | \$ | 1,675 | 0.0 | 9,179 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 50 | 0.0 | 405 |
| | | | | 2 | \$ | 300 | 0.3 | 2,430 |
| | | | | 3 | \$ | 300 | 0.3 | 2,430 |
| | | | | 5 | \$ | 750 | 0.7 | 6,075 |
| | | | | 7 | \$ | 350 | 0.3 | 2,835 |
| | | ES Comm Dichwacher Elec WH Floo | | | \$ | 7,161 | 3.6 | 41,575 |
| | Food Service | ES Comm Dishwasher_Elec WH-Elec Boost | BES | 1 | \$ | 1,000 | 3.7 | 32,650 |
| | i Jou Jei vice | ES Comm Solid Door Freezers | BES | 1 | ۶ \$ | 150 | 0.2 | 1,728 |
| | | ES Comm Solid Door Refrigerators | BES | 1 | \$ | 100 | 0.2 | 470 |
| | | Lo Commisona Door Nemgerators | DLJ | 1 | ڔ | 100 | 0.1 | 4/0 |

| | ES Convection Ovens _ Electric Only | BES | 2 | \$ | 400 | 4.2 | 25,050 |
|-----------------------------|---|-----|-----|---------|--------|------|---------|
| | ES Ice Machines | BES | 1 | \$ | 200 | 0.2 | 1,652 |
| | | | | \$ | 1,850 | 8.4 | 61,550 |
| Lighting - New Const | Ltng NC _ Hi Bay Occupancy Sensor | BES | 19 | \$ | 190 | 0.6 | 10,201 |
| | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 19 | \$ | 950 | 2.8 | 17,526 |
| | Ltng NC_Low Watt T8 Fixture | BES | 522 | \$ | 3,325 | 9.2 | 33,123 |
| | | | | \$ | 4,465 | 12.6 | 60,850 |
| Lighting - Retrofit | Ltng Retro _ CFL Fixtures & Lamps | BES | 24 | \$ | 36 | 1.1 | 3,935 |
| | Ltng Retro _ Flrscnt T8 & T5 w/Elec Bal | BES | 4 | \$ | 52 | 0.1 | 488 |
| | | | 12 | \$ | 356 | 1.1 | 3,558 |
| | | | 19 | \$ | 247 | 0.6 | 2,318 |
| | | | 36 | \$ | 265 | 0.7 | 2,402 |
| | | | 39 | \$ | 451 | 1.4 | 4,203 |
| | | | 176 | \$ | 2,288 | 7.1 | 19,180 |
| | Ltng Retro _ Hi Perf T8 Replacing | | | | | | |
| | Specific Fixtures | BES | 54 | \$ | 1,620 | 4.1 | 35,571 |
| | | | 56 | \$ | 1,680 | 3.3 | 9,318 |
| | Ltng Retro _ LED & Induction Tech | BES | 6 | \$ | 72 | 0.1 | 999 |
| | | | 47 | \$ | 705 | 2.6 | 7,075 |
| | | | 63 | \$ | 945 | 3.5 | 9,483 |
| | | | 71 | \$ | 1,065 | 3.9 | 10,687 |
| | Ltng Retro _ Othr Eff Ltg Tech/Ctld | BES | 1 | \$ | 440 | 1.3 | 9,541 |
| | | | 9 | \$ | 90 | 0.3 | 6,729 |
| | Ltng Retro _ Othr Eff Ltg Tech/Unit | BES | 18 | \$ | 640 | 1.9 | 10,750 |
| | | | 31 | \$ | 1,240 | 3.9 | 34,306 |
| | Ltng Retro _ Rducd Wtg Flr T8 and | | | | • | | ••• |
| | T5HO Lamps | BES | 40 | \$ | 20 | 0.1 | 283 |
| | | | 45 | \$ | 23 | 0.2 | 521 |
| | Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 21 | \$ | 378 | 1.2 | 4,564 |
| | | | 47 | \$ | 846 | 3.3 | 9,123 |
| | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 9 | \$ | 765 | 2.0 | 17,118 |
| | | | 111 | \$ | 9,575 | 31.0 | 65,888 |
| | | | | \$ | 23,799 | 74.9 | 268,040 |
| Res HVAC | Air Handler _ Fan Coil with ECM | BES | 3 | \$ | 450 | 0.7 | 1,200 |
| | Desuperheater | BES | 1 | \$ | 500 | 1.1 | 2,442 |
| | HVAC Air_Source HP - 14.5 SEER | BES | 1 | \$ | 500 | 0.4 | 3,162 |
| | HVAC Central AC unit | BES | 1 | \$ | 300 | 1.5 | 871 |
| | | | 2 | \$ | 200 | 1.9 | 1,022 |
| | IIVAC Classel I as a Water to Water CC | | 3 | \$ | 600 | 2.4 | 1,392 |
| | HVAC Closed Loop Water to Water GS HP | BES | 1 | \$ | 2,400 | 0.7 | 45,204 |
| | HVAC HE Furnace with ECM | BES | 1 | ۶ \$ | 750 | 1.2 | 2,000 |
| | TIVACTIET difface with ECIVI | DLJ | 2 | \$ | 1,200 | | |
| | Programmable Thermostat - | | ۷ | ڊ | 1,200 | 1.8 | 3,200 |
| | Geothermal | BES | 1 | \$ | 25 | 0.0 | 882 |
| | | | 4 | \$ | 100 | 0.0 | 3,528 |
| | Programmable Thermostat - Heat Pump Programmable Thermostat - Propane, | BES | 1 | \$ | 25 | 0.0 | 1,114 |
| | Fuel Oil, Boiler w/AC | BES | 1 | \$ | 100 | 0.2 | 748 |
| | • | | | \$ | 7,150 | 11.9 | 66,765 |
| VFDs and Pumps | Hi_Eff Pumps | BES | 2 | \$ | 400 | 0.0 | 3,540 |
| · | Variable Freq Drives | BES | 4 | \$ | 2,640 | 17.2 | 67,727 |
| | , | | | | | | • |

| | | | | | \$ | 3,040 | 17.2 | 71,267 |
|------------|-----------------------------|---|------|-----|-----------------|------------------------|---------------------|------------------------|
| 2012 Total | | | | | \$ | 77,351 | 243.9 | 873,066 |
| 2013 | CI HVAC | Air Cooled Chillers w-Condenser | BES | 1 | \$ | 2,644 | 4.8 | 27,922 |
| | | Setback/Programmable Thermostats Unitary Air Cooled Split Sys AC <65k | BES | 2 | \$ | 100 | 0.0 | 1,644 |
| | | Btuh (1ph) Unitary Air Cooled Split Sys AC 241k - | BES | 3 | \$ | 500 | 0.7 | 828 |
| | | 760k Btuh | BES | 3 | \$ \$ | 7,600 10,844 | 14.9 20.4 | 9,799 40,193 |
| | Compressed Air | | | | • | | | 10,200 |
| | System | Cycling Refrigerated Dryers | BES | 1 | \$ | 300 | 0.8 | 3,448 |
| | | VFD Air Compressor | BES | 1 | \$ | 2,625 | 7.9 | 35,250 |
| | | | | | \$ | 2,925 | 8.8 | 38,698 |
| | Custom Electric Program | Custom Lighting | BES | 1 | \$ | 13,274 | 47.9 | 155,273 |
| | Trogram | Custom Lighting | DLJ | _ | \$ | 13,274 | 47.9 | 155,273 155,273 |
| | Energy Star Appliance | Energy Star Ceiling Fans | BES | 1 | \$ | 25 | 0.1 | 151 |
| | 0, Ph | Energy Star Clothes Washer | BES | 1 | \$ | 50 | 0.0 | 131 |
| | | 5, | | 3 | \$ | 150 | 0.1 | 393 |
| | | | | 4 | \$ | 600 | 0.2 | 1,572 |
| | | | | 5 | \$ | 250 | 0.1 | 655 |
| | | | | 6 | \$ | 600 | 0.2 | 1,572 |
| | | | | 7 | \$ | 350 | 0.1 | 917 |
| | | | | 8 | \$ | 400 | 0.1 | 1,048 |
| | | | | 9 | \$ | 450 | 0.2 | 1,179 |
| | | Energy Star Decorative Lights | BES | 10 | \$ | 35 | 0.0 | 782 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 50 | 0.1 | 120 |
| | | | | 2 | \$ | 50 | 0.1 | 120 |
| | | | | 3 | \$ | 225 | 0.3 | 540 |
| | | | | 4 | \$ | 300 | 0.4 | 720 |
| | | Francy Star Defrigarators | DEC | 5 | \$ \$ | 250 | 0.4 | 600 |
| | | Energy Star Refrigerators | BES | 2 | \$ \$ | 200 450 | 0.2 0.4 | 1,620 3,645 |
| | | | | 4 | ۶ \$ | 400 | 0.4 | 3,240 |
| | | | | 7 | \$ | 700 | 0.6 | 5,670 |
| | | | | 13 | \$ | 650 | 0.6 | 5,265 |
| | | Energy Star Room AC | BES | 1 | \$ | 15 | 0.1 | 50 |
| | | 5, | | | \$ | 6,200 | 4.6 | 29,990 |
| | Food Service | ES Comm Solid Door Freezers | BES | 1 | \$ | 150 | 0.2 | 1,728 |
| | | ES Comm Solid Door Refrigerators | BES | 1 | \$ | 150 | 0.1 | 790 |
| | | | | | \$ | 300 | 0.3 | 2,518 |
| | Lighting - New Const | T8 4ft Hi Bay Fixture | BES | 116 | \$ | 5,800 | 17.4 | 107,002 |
| | | | | | \$ | 5,800 | 17.4 | 107,002 |
| | Lighting - Retrofit | High Bay Flourescent Occ Sensors | BES | 1 | \$ | 2,100 | 6.5 | 106,858 |
| | | | | 2 | \$ | 1,110 | 3.4 | 57,676 |
| | | LED & Induction Tech | BES | 1 | \$ | 12 | 0.0 | 166 |
| | | | | 15 | \$ | 213 | 0.6 | 3,111 |
| | | | | 16 | \$ | 231 | 0.8 | 1,903 |
| | | Other Efficient Teach Control | DEC. | 97 | \$ | 1,455 | 4.5 | 16,347 |
| | | Othr Eff Ltg Tech - per Unit | BES | 10 | \$ | 200 | 0.7 | 1,662 |
| | | | | 29 | \$ | 1,100 | 2.7 | 7,703 |

| | | | 40 | \$ | 1,280 | 4.2 | 21,818 |
|----------------|--|-----|-----|----|--------|-------|---------|
| | Rducd Wtg T8 Lamps ONLY | BES | 4 | \$ | 4 | 0.0 | 52 |
| | | | 28 | \$ | 28 | 0.1 | 363 |
| | Reduced Wtg T8 4ft CEE Qual | BES | 18 | \$ | 324 | 1.3 | 3,494 |
| | | | 176 | \$ | 2,961 | 9.1 | 23,644 |
| | | | 210 | \$ | 3,769 | 15.2 | 75,903 |
| | T8 4ft w/ Bal Repl 8ft T12 HO | BES | 12 | \$ | 360 | 0.9 | 2,187 |
| | | | 16 | \$ | 480 | 1.3 | 4,880 |
| | | | 18 | \$ | 540 | 1.4 | 8,515 |
| | | | 21 | \$ | 630 | 1.6 | 4,012 |
| | | | 31 | \$ | 930 | 2.6 | 9,210 |
| | | | 210 | \$ | 6,300 | 16.2 | 95,655 |
| | T8 4ft w/Elec Bal | BES | 2 | \$ | 12 | 0.0 | 107 |
| | | | 5 | \$ | 44 | 0.1 | 489 |
| | | | 11 | \$ | 143 | 0.4 | 1,334 |
| | | | 13 | \$ | 134 | 0.3 | 1,243 |
| | | | 62 | \$ | 491 | 1.0 | 5,182 |
| | | | 72 | \$ | 719 | 2.2 | 15,958 |
| | | | 137 | \$ | 1,186 | 3.0 | 10,882 |
| | | | 174 | \$ | 1,597 | 4.6 | 12,913 |
| | | | 209 | \$ | 2,181 | 5.6 | 20,589 |
| | CFL Fixtures and Lamps | BES | 9 | \$ | 50 | 0.7 | 2,958 |
| | | | 64 | \$ | 1,152 | 2.3 | 10,155 |
| | | | 128 | \$ | 332 | 4.2 | 18,489 |
| | T5HO Hi Bay Fixtures w/ 4ft Lamps | BES | 27 | \$ | 1,890 | 2.5 | 5,803 |
| | T8 Hi Bay Fixtures w/ 4ft Lamps | BES | 3 | \$ | 255 | 0.7 | 1,655 |
| | | | 18 | \$ | 1,530 | 4.0 | 9,929 |
| | | | 27 | \$ | 2,295 | 6.0 | 14,894 |
| | | | 34 | \$ | 2,380 | 4.6 | 10,921 |
| | | | 56 | \$ | 4,760 | 12.4 | 76,491 |
| | | | | \$ | 45,178 | 127.8 | 665,151 |
| Res HVAC | HVAC Central AC unit | BES | 1 | \$ | 500 | 4.1 | 2,244 |
| | | | 2 | \$ | 200 | 1.4 | 783 |
| | | | 4 | \$ | 400 | 3.0 | 1,662 |
| | | | 41 | \$ | 4,100 | 23.5 | 12,835 |
| | HVAC HE Furnace with ECM | BES | 1 | \$ | 600 | 0.9 | 1,600 |
| | | | 2 | \$ | 300 | 0.5 | 800 |
| | | | 3 | \$ | 450 | 0.7 | 1,200 |
| | | | 4 | \$ | 600 | 0.9 | 1,600 |
| | HVAC HP Water Heater HVAC Mini Split_Ductless Air_Source | BES | 1 | \$ | 300 | 0.3 | 2,830 |
| | HP | BES | 1 | \$ | 200 | 0.4 | 6,470 |
| | | | 2 | \$ | 400 | 0.9 | 12,940 |
| | Programmable Thermostat - Propane, | | | • | | | , |
| | Fuel Oil, Boiler w/AC | BES | 1 | \$ | 50 | 0.2 | 374 |
| | | | 2 | \$ | 50 | 0.2 | 374 |
| | | | 41 | \$ | 1,025 | 4.0 | 7,667 |
| | | | | \$ | 9,175 | 41.0 | 53,379 |
| VFDs and Pumps | Hi_Eff Pumps | BES | 2 | \$ | 520 | 1.3 | 4,720 |
| | Variable Freq Drives | BES | 2 | \$ | 800 | 5.2 | 17,633 |
| | | | | \$ | 1,320 | 6.5 | 22,353 |
| | | | | | | | |

| Res Lighting | CFL Fixtures and Lamps | BES | 6000 | \$ 7,800 | 29.4 | 262,800 |
|--------------------|---|-----|------|---------------|---------|-----------|
| | | | | \$ 7,800 | 29.4 | 262,800 |
| Comm Refrigeration | ECM Fan Motor for Cooler-Freezer LED Vertical Reach-in Refrigerated Case | BES | 20 | \$ 1,200 | 2.7 | 32,300 |
| | Lighting | BES | 1 | \$ 825 | 1.6 | 14,157 |
| | | | | \$ 2,025 | 4.3 | 46,457 |
| 2013 Total | | | | \$ 104,841 | 308.4 | 1,423,814 |
| Grand Total | | | | \$ 483,202 | 1,372.7 | 5,834,148 |

Appendix 2 – Brookings Resolution

RESOLUTION NO. 23 - 14

RESOLUTION APPROVING INTEGRATED RESOURCE PLAN

WHEREAS the Brookings Municipal Utilities purchases a significant portion of its power supply from the Western Area Power Administration (Western); and

WHEREAS, Western has recently published its Energy Planning and Management Program Rules specifying the requirements for preparing and filing of an Integrated Resource Plan (IRP); and

WHEREAS, the municipal utility staff has prepared an IRP Summary Report describing the IRP process used and the information and assumptions used to develop the IRP; and

WHEREAS, our customers were informed of our IRP and resulting Action Plans through various means including a public meeting where public questions and comments were encouraged; and

WHEREAS, any public comments received have been addressed in order to strengthen the city's Integrated Resource Plan; and

WHEREAS, the IRP Summary Report included 5-year and 2-year action plans outlining actions to be taken by the Municipal Utility during the next several years.

NOW, THEREFORE, BE IT RESOLVED BY the Brookings Municipal Utilities Board as follows:

That the "Integrated Resource Plan Summary Report for the City of Brookings dated September 2014 shall be approved for filing with Western under the Energy Planning and Management Program."

Adopted this 8th day of September, 2014.

ATTEST:

Tim Harvey, Secretary

Steven Myers, President

IV. Flandreau, SD Resource Planning

A. City Information

Flandreau, located in Moody County, is a community of more than 2,300 individuals located in eastern South Dakota. The residential sector includes 1,091 housing units. The median age of the population is 38.4 years. About 18.6% of the population is 65 years of age or older and about 25.9% percent are under 18 years old. In 2012, the municipal utility had 1,063 residential customers, 291 commercial customers, and 4 industrial customers. The residential sector's yearly usage averaged 10,181 kWh per customer in 2012. Commercial customers averaged 56,399 kWh, and industrial customers averaged 62,000 kWh.

The rates for each type of customer are shown on in the Exhibit 1. As of January 2014, the residential sector was charged 7.3 cents per kWh, and received a fixed customer charge of \$11.44. Small commercial customers were charged 7.9 cents per kWh, and received a fixed customer charge of \$20.18. Large commercial customers were charged 3.7 cents per kWh and received a fixed service charge of \$50.32. Additionally, large commercial customers also paid a demand charge of \$11.57 per kW.

Exhibits 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4 show the winter and summer peak demand and energy for 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Flandreau on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively. The total peak load, including distribution and transformation losses, was 5,467 kW in the winter and 6,502 kW in the summer. Exhibits 7 and 8 each show the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load remaining flat from midnight to 6 am then increasing till roughly 9 am. Then loads begin to decline until 4 pm with a quick upswing until 6 pm. Loads then fall again until 8 am the next day. The summer peak graph indicates the load increasing from 6 am until peaking at 5 pm. Then a steady decline occurs until 6 am the next day.

FLANDREAU, SOUTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE


| Customer Class | Rate Component | Current Rate |
|-----------------------|------------------------------------|------------------------------|
| Residential | Customer Charge \$/kWh | \$11.44 \$.073 |
| Small Commercial | Customer Charge \$/kWh | \$20.18 \$.079 |
| Large Commercial | Customer Charge \$/kWh \$/kW | \$50.32 \$.037 \$11.57 |


MRES Seasonal Load Report Flandreau, SD Town Gate Load BASE Forecast 1/31/14 2:14 PM Town Gate Load Monthly Splits Historic Through 12/2013

| BASE For | ecast | | | | | | HISTO | ric i nrougn 1 | 2/2013 |
|----------|--------------|-------------|-------------|--------------|--------|--------------|-------------|----------------|--------------|
| | | Demar | ıd (kW) | | | | Energy (k\ | Nh) | |
| Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> |
| 2001 | 5,886 | 2,789 | 3,577 | 0 | 2001 | 13,705,755 | 6,763,000 | 6,942,755 | 0 |
| 2002 | 5,848 | 2,789 | 3,539 | 0 | 2002 | 13,872,787 | 6,763,000 | 7,109,787 | 0 |
| 2003 | 5,692 | 2,789 | 3,373 | 0 | 2003 | 13,598,060 | 6,763,000 | 6,835,060 | 0 |
| 2004 | 5,630 | 2,789 | 3,321 | 0 | 2004 | 13,168,770 | 6,763,000 | 6,405,770 | 0 |
| 2005 | 5,949 | 2,789 | 3,640 | 0 | 2005 | 14,477,422 | 6,763,000 | 7,714,422 | 0 |
| 2006 | 6,532 | 2,784 | 4,227 | 0 | 2006 | 14,636,060 | 6,751,000 | 7,885,060 | 0 |
| 2007 | 6,148 | 2,784 | 3,843 | 0 | 2007 | 14,577,580 | 6,751,000 | 7,826,580 | 0 |
| 2008 | 5,858 | 2,784 | 3,553 | 0 | 2008 | 13,981,424 | 6,751,000 | 7,230,424 | 0 |
| 2009 | 5,430 | 2,784 | 3,180 | 0 | 2009 | 13,568,349 | 6,751,000 | 6,817,349 | 0 |
| 2010 | 6,200 | 2,784 | 3,729 | 0 | 2010 | 14,605,558 | 6,751,000 | 7,854,558 | 0 |
| 2011 | 6,690 | 2,784 | 4,385 | 0 | 2011 | 14,473,307 | 6,751,000 | 7,722,307 | 0 |
| 2012 | 6,541 | 2,784 | 4,236 | 0 | 2012 | 15,050,148 | 6,751,000 | 8,299,148 | 0 |
| 2013 | 6,502 | 2,784 | 3,854 | 0 | 2013 | 14,789,088 | 6,751,000 | 8,038,088 | 0 |
| 2014 | 5,792 | 2,784 | 3,321 | 0 | 2014 | 14,158,107 | 6,751,000 | 7,407,107 | 0 |
| 2015 | 5,869 | 2,784 | 3,395 | 0 | 2015 | 14,344,916 | 6,751,000 | 7,593,916 | 0 |
| 2016 | 5,945 | 2,784 | 3,468 | 0 | 2016 | 14,531,758 | 6,751,000 | 7,780,758 | 0 |
| 2017 | 6,021 | 2,784 | 3,541 | 0 | 2017 | 14,718,634 | 6,751,000 | 7,967,634 | 0 |
| 2018 | 6,098 | 2,784 | 3,615 | 0 | 2018 | 14,905,546 | 6,751,000 | 8,154,546 | 0 |
| | | Demar | nd (kW) | | | | Energy (k\ | Nh) | |
| Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> |
| 2002 | 4,500 | 2,605 | 1,938 | 0 | 2002 | 13,890,327 | 7,858,000 | 6,032,327 | 0 |
| 2003 | 4,946 | 2,605 | 2,341 | 0 | 2003 | 14,569,638 | 7,858,000 | 6,711,638 | 0 |
| 2004 | 5,028 | 2,605 | 2,423 | 0 | 2004 | 14,709,262 | 7,909,000 | 6,800,262 | 0 |
| 2005 | 5,174 | 2,605 | 2,569 | 0 | 2005 | 14,666,596 | 7,858,000 | 6,808,596 | 0 |
| 2006 | 5,223 | 2,599 | 2,661 | 0 | 2006 | 15,049,274 | 7,846,000 | 7,203,274 | 0 |
| 2007 | 5,192 | 2,599 | 2,724 | 0 | 2007 | 15,590,766 | 7,840,000 | 7,750,766 | 0 |
| 2008 | 5,547 | 2,599 | 2,948 | 0 | 2008 | 16,289,895 | 7,891,000 | 8,398,895 | 0 |
| 2009 | 5,762 | 2,599 | 3,206 | 0 | 2009 | 15,973,011 | 7,840,000 | 8,133,011 | 0 |
| 2010 | 5,485 | 2,599 | 2,905 | 0 | 2010 | 15,720,590 | 7,840,000 | 7,880,590 | 0 |
| 2011 | 5,374 | 2,599 | 2,818 | 0 | 2011 | 16,082,769 | 7,840,000 | 8,242,769 | 0 |
| 2012 | 5,129 | 2,599 | 2,530 | 0 | 2012 | 14,906,299 | 7,891,000 | 7,015,299 | 0 |
| 2013 | 5,467 | 2,599 | 2,868 | 0 | 2013 | 15,858,832 | 7,840,000 | 8,018,832 | 0 |
| 2014 | 5,330 | 2,599 | 2,774 | 0 | 2014 | 15,893,603 | 7,840,000 | 8,053,603 | 0 |
| 2015 | 5,364 | 2,599 | 2,765 | 0 | 2015 | 15,917,624 | 7,840,000 | 8,077,624 | 0 |
| 2016 | 5,433 | 2,599 | 2,834 | 0 | 2016 | 16,125,875 | 7,890,750 | 8,235,125 | 0 |
| 2017 | 5,503 | 2,599 | 2,904 | 0 | 2017 | 16,334,163 | 7,840,000 | 8,494,163 | 0 |
| 2018 | 5,573 | 2,599 | 2,974 | 0 | 2018 | 16,542,492 | 7,840,000 | 8,702,492 | 0 |
| | | | | | | | | | |

Exhibit 3

Flandreau, SD Winter Demand - Town Gate










Exhibit 4

Flandreau, SD Summer Demand - Town Gate








Exhibit 5

Flandreau, SD Winter 2012-2013 Half-Hour Load Shape - Town Gate




Exhibit 6
Flandreau, SD Summer 2013 Half-Hour Load Shape - Town Gate




Exhibit 7

Flandreau, SD Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate





Exhibit 8
Flandreau, SD Peak Half-Hour Load Shape, Summer 2013, Town Gate



B. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Flandreau is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Flandreau to individually study supply-side resources as part of this IRP.

C. Historic DSM Efforts

Flandreau has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1 at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Year 🔻 | Program | ¥ | BES or City | Quan | In | centive | kW | kWh |
|---------------|----------------------------------|---|-------------|------|----|---------|-------|---------|
| ■ 2009 | ■ Lighting | | City | | \$ | - | 200.0 | 219,000 |
| | Other | | City | 1 | \$ | - | 85.0 | 407,000 |
| 2009 Total | | | | 1 | \$ | - | 285.0 | 626,000 |
| □ 2010 | ■ Energy Star Appliance | | BES | 8 | \$ | 350 | 0.1 | 1,425 |
| | ■ Lighting - New Const | | BES | 10 | \$ | 800 | 4.7 | 11,582 |
| | Res HVAC | | BES | 2 | \$ | 400 | 0.6 | 2,381 |
| 2010 Total | | | | 20 | \$ | 1,550 | 5.4 | 15,388 |
| ■ 2011 | ■ Energy Star Appliance | | BES | 22 | \$ | 1,015 | 0.8 | 6,579 |
| | □ Lighting - Retrofit | | BES | 61 | \$ | 3,515 | 9.4 | 23,850 |
| | Res HVAC | | BES | 2 | \$ | 450 | 0.5 | 3,230 |
| 2011 Total | | | | 85 | \$ | 4,980 | 10.7 | 33,659 |
| □ 2012 | ☐ CI HVAC | | BES | 8 | \$ | 4,755 | 23.0 | 38,112 |
| | □ Comm Refrigeration Audit | t | BES | 2 | \$ | - | 0.1 | 2,291 |
| | □ Custom Electric Program | | BES | 1 | \$ | 60 | 0.2 | 468 |
| | ■ Energy Star Appliance | | BES | 18 | \$ | 700 | 0.5 | 4,378 |
| | ■ Lighting - New Const | | BES | 41 | \$ | 1,025 | 2.5 | 10,787 |
| | □ Lighting - Retrofit | | BES | 120 | \$ | 1,700 | 3.9 | 27,940 |
| | Res HVAC | | BES | 9 | \$ | 925 | 2.7 | 3,259 |
| | ■ VFDs and Pumps | | BES | 2 | \$ | 400 | 2.6 | 7,137 |
| | □ Comm Refrigeration | | BES | 13 | \$ | 390 | 1.1 | 10,992 |
| 2012 Total | | | | 214 | \$ | 9,955 | 36.5 | 105,364 |
| ■ 2013 | □ CI HVAC | | BES | 3 | \$ | 290 | 1.1 | 1,702 |
| | ■ Custom Electric Program | | BES | 1 | \$ | 2,694 | 11.5 | 21,260 |
| | ■ Energy Star Appliance | | BES | 10 | \$ | 500 | 0.3 | 2,954 |
| | ☐ Lighting - New Const | | BES | 104 | \$ | 5,161 | 17.1 | 76,627 |
| | ☐ Lighting - Retrofit | | BES | 273 | \$ | 2,017 | 12.3 | 38,874 |
| | ■ Res HVAC | | BES | 14 | \$ | 1,900 | 3.6 | 7,398 |
| | ■ Specialty Measures | | BES | 1 | \$ | 50 | 0.0 | 100 |
| 2013 Total | | | | 406 | \$ | 12,612 | 45.9 | 148,915 |
| Grand Total | | | | 726 | \$ | 29,097 | 383.5 | 929,326 |

D. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Flandreau was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

E. Options Chosen – Development of Action Plan

DSMore software was run on each individual measure, and then grouped into programs that MRES is either currently offering (Phase I) or are planning to offer within the next five years (Phase II) as a part of Bright Energy Solutions.

i. Future Actions

It is assumed that Flandreau will continue to participate in the Bright Energy Solutions program. Flandreau would have virtually no out-of-pocket costs, as MRES will be paying the incentives for all of these programs. It is planned that Flandreau will participate in the all of the Bright Energy Solutions programs to the extent possible, with the exception of appliance turn-in measures, where Flandreau Utility personnel has identified that participation levels might be reduced due to the lack of market potential. This assumption was made only to obtain more realistic expectations for the five-year plan, and is certainly not considered to be a cap on participation in the event that the program attracts more participants than anticipated.

Representatives from Flandreau plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, it is unknown if Flandreau will participate in the MRES Coordinated Demand Response (CDR) program in the future. That decision will be evaluated in years to come.

ii. Milestones

As part of the annual WAPA IRP updates, Flandreau will evaluate the progress on these programs. The success will be measured against this 5-year plan, with

adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Quality control, measurement of savings, verification tracking, and program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

F. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will, by definition, decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

G. Public Participation

A preliminary draft of this report was produced on June 25, 2014. A notice of public hearing on IRP was published in the local newspaper on July 9, 2014. The public hearing on the IRP was held at the July 21, 2014 City Council meeting. A summary of any comments and responses made during the meeting are included in the Appendix. The City Council approved the resolution on July 21, 2014. A copy of the approved resolution is included in Appendix 2.

| IRP Approval Process | | | | | |
|-------------------------------|-----------|--|--|--|--|
| Preliminary Draft Date | 6/25/2014 | | | | |
| Date Published in Paper | 7/9/2014 | | | | |
| Public Hearing Date | 7/21/2014 | | | | |
| Date Approved by City Council | 7/21/2014 | | | | |

Appendix 1 – Detailed DSM Measures Installed

Utility Flandreau

| | | | BES or | | | | | |
|--------|------------------------------|--|-----------|---------|----------------|-----------|-------|------------|
| Year | Program | Measure | City | Quan | Ir | centive | kW | kWh |
| 2009 | Lighting | Street Lights | City | (blank) | \$ | - | 200.0 | 219,000 |
| | | | | | \$ | - | 200.0 | 219,000 |
| | Other | Distribution Center Upgrade | City | 1 | \$ | - | 85.0 | 407,000 |
| | | | | | \$ | - | 85.0 | 407,000 |
| 2009 T | otal | | | | \$ | - | 285.0 | 626,000 |
| 2010 | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 100 | 0.0 | 450 |
| | | | | 2 | \$ | 200 | 0.1 | 701 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 50 | 0.0 | 274 |
| | | | | | \$ | 350 | 0.1 | 1,425 |
| | | Ltng New Const _ T5HO 4ft Hi Bay | | | | | | |
| | Lighting - New Const | Fixture | BES | 10 | \$ | 800 | 4.7 | 11,582 |
| | | | | | \$ | 800 | 4.7 | 11,582 |
| | Res HVAC | HVAC Air_Source HP | BES | 1 | \$ | 250 | 0.4 | 1,981 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | | | | \$ | 400 | 0.6 | 2,381 |
| 2010 T | | | | | \$ | 1,550 | 5.4 | 15,388 |
| 2011 | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 200 | 0.1 | 900 |
| | | | | 2 | \$ | 200 | 0.1 | 900 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 50 | 0.0 | 274 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 350 | 0.3 | 2,835 |
| | | | | 2 | \$ | 200 | 0.2 | 1,620 |
| | | Energy Star Room AC | BES | 1 | \$ | 15 | 0.1 | 50 |
| | | | | | \$ | 1,015 | 0.8 | 6,579 |
| | Lighting - Retrofit | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 38 | \$ | 3,230 | 8.5 | 20,267 |
| | | Ltng Retro _Flrscnt T8 & T5 w/Elec Bal | BES | 23 | \$ | 285 | 0.9 | 3,583 |
| | | | | | \$ | 3,515 | 9.4 | 23,850 |
| | Res HVAC | HVAC HE Furnace with ECM | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | HVAC HP Water Heater | BES | 1 | \$ | 300 | 0.3 | 2,830 |
| | | | | | \$ | 450 | 0.5 | 3,230 |
| 2011 T | otal | | | | \$ | 4,980 | 10.7 | 33,659 |
| 2012 | CI HVAC | Split System Air Source HP | BES | 1 | \$ | 480 | 1.7 | 4,833 |
| | | Unitary Air Cooled Split System AC | BES | 3 | \$ | 1,125 | 5.6 | 8,772 |
| | | Unitary Single Pkgd AC | BES | 4 | \$ | 3,150 | 15.7 | 24,507 |
| | | | | | \$ | 4,755 | 23.0 | 38,112 |
| | Comm Refrigeration | | | | _ | | | |
| | Audit | Coil Cleaning kit | BES | 1 | \$ | - | 0.0 | 1,880 |
| | | LED Screw-in Replacement Lamp | BES | 1 | \$ | - | 0.0 | 411 |
| | Custom Electric | | | | \$ | - | 0.1 | 2,291 |
| | Custom Electric Program | Custom | BES | 1 | \$ | 60 | 0.2 | 468 |
| | | Custom | 223 | 1 | \$ | 60 | 0.2 | 468 468 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | , \$ | 150 | 0.1 | 675 |
| | Elicisy stal Appliance | Liter By July Civilies Washel | DLJ | 1 | ٻ | 130 | 0.1 | 0/3 |

| | | | | 2 | \$ | 100 | 0.0 | 450 |
|--------|--------------------------|---|------|-----|----------|-------|------|---------|
| | | Energy Star Dehumidifier | BES | 1 | \$ | 10 | 0.0 | 88 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 75 | 0.0 | 411 |
| | | | | 2 | \$ | 50 | 0.0 | 274 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 50 | 0.0 | 405 |
| | | | | 5 | \$ | 250 | 0.2 | 2,025 |
| | | Energy Star Room AC | BES | 1 | \$ | 15 | 0.1 | 50 |
| | | | | | \$ | 700 | 0.5 | 4,378 |
| | Lighting - New Const | Ltng NC _ LED Recessed Downlight | BES | 41 | \$ | 1,025 | 2.5 | 10,787 |
| | | | | | \$ | 1,025 | 2.5 | 10,787 |
| | Lighting - Retrofit | Ltng Retro _ Firscnt T8 & T5 w/Elec Bal | BES | 50 | \$ | 650 | 1.7 | 6,100 |
| | | Ltng Retro _ LED & Induction Tech | BES | 70 | \$ | 1,050 | 2.3 | 21,840 |
| | | | | | \$ | 1,700 | 3.9 | 27,940 |
| | Res HVAC | HVAC Central AC unit | BES | 1 | \$ | 100 | 1.3 | 698 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ | 300 | 0.5 | 800 |
| | | | | 3 | \$ | 450 | 0.7 | 1,200 |
| | | Programmable Thermostat - Propane, | DEC | 2 | , | 75 | 0.2 | F.C.4 |
| | | Fuel Oil, Boiler w/AC | BES | 3 | \$ | 75 | 0.3 | 561 |
| | ven la | W : 11 5 8 : | 550 | 2 | \$ | 925 | 2.7 | 3,259 |
| | VFDs and Pumps | Variable Freq Drives | BES | 2 | \$ | 400 | 2.6 | 7,137 |
| | | | | | \$ | 400 | 2.6 | 7,137 |
| | Comm Refrigeration | ECM Fan Motor for Cooler-Freezer | BES | 6 | \$ | 120 | 0.3 | 3,954 |
| | | LED Reach-in Refrigerated Case Ltg | BES | 1 | \$ | 120 | 0.2 | 2,466 |
| | | Low Heat Reach-in Freezer Door | BES | 6 | \$ | 150 | 0.5 | 4,572 |
| | | | | | \$ | 390 | 1.1 | 10,992 |
| 2012 T | | | _ | | \$ | 9,955 | 36.5 | 105,364 |
| 2013 | CI HVAC | ECM in Res Style Furnace | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | Energy Star Window AC | BES | 2 | \$ | 140 | 0.8 | 1,302 |
| | Custom Electric | | | | \$ | 290 | 1.1 | 1,702 |
| | Program | Custom Lighting | BES | 1 | \$ | 2,694 | 11.5 | 21,260 |
| | 110814111 | Custom Lighting | DLJ | _ | \$ | 2,694 | 11.5 | 21,260 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 200 | 0.1 | 524 |
| | Life By Otal Application | Energy Star Refrigerators | BES | 1 | \$ | 300 | 0.3 | 2,430 |
| | | Energy star herrigerators | 525 | - | \$ | 500 | 0.3 | 2,954 |
| | Lighting - New Const | CEE Qual T8 4ft Low Wattage System | BES | 19 | \$ | 171 | 0.5 | 1,811 |
| | gg | T5HO 4ft Hi Bay Fixture | BES | 37 | \$ | 2,590 | 9.4 | 57,758 |
| | | T8 4ft Hi Bay Fixture | BES | 18 | \$ | 900 | 2.7 | 6,397 |
| | | 70 mem 20, mea. 0 | | 30 | \$ | 1,500 | 4.5 | 10,661 |
| | | | | 30 | \$ | 5,161 | 17.1 | 76,627 |
| | Lighting - Retrofit | Hi Performance T8 4ft CEE Qual | BES | 7 | \$ | 49 | 0.2 | 425 |
| | 88 | LED & Induction Tech | BES | 42 | \$ | 630 | 2.4 | 4,694 |
| | | Rducd Wtg T8 Lamps ONLY | BES | 78 | \$ | 78 | 0.3 | 671 |
| | | T8 2ft w/Elec Bal | BES | 5 | \$ | 30 | 0.1 | 120 |
| | | T8 4ft w/Elec Bal | BES | 10 | \$ | 130 | 0.4 | 809 |
| | | CFL Fixtures and Lamps | BES | 120 | \$ | 180 | 5.8 | 25,957 |
| | | T8 Hi Bay Fixtures w/ 4ft Lamps | BES | 11 | \$ | 920 | 3.1 | 6,198 |
| | | , | =.=- | | \$ | 2,017 | 12.3 | 38,874 |
| | Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | HVAC Air_Source HP - 14.5 SEER | BES | 1 | \$ | 250 | 0.2 | 1,581 |
| | | HVAC Central AC unit | BES | 1 | \$ | 100 | 0.9 | 516 |
| | | , to central ne unit | 223 | 1 | Ţ | 100 | 0.5 | 310 |

| | HVAC HE Furnace with ECM | BES | 1 | \$ 750 | 1.2 | 2,000 |
|--------------------|--------------------------------------|-----|---|--------------|-------|---------|
| | | | 2 | \$ 600 | 0.9 | 1,600 |
| | Programmable Thermostat - Heat | | | | | |
| | Pump | BES | 1 | \$ 25 | 0.1 | 1,114 |
| | Programmable Thermostat - Propane, | | | | | |
| | Fuel Oil, Boiler w/AC | BES | 1 | \$ 25 | 0.1 | 187 |
| | | | | \$ 1,900 | 3.6 | 7,398 |
| Specialty Measures | Energy Star Clothes Washer - Elec WH | BES | 1 | \$ 50 | 0.0 | 100 |
| | | | | \$ 50 | 0.0 | 100 |
| 2013 Total | | | | \$ 12,612 | 45.9 | 148,915 |
| Grand Total | | | | \$ 29,097 | 383.5 | 929,326 |

Appendix 2 – Flandreau Resolution

RESOLUTION NO. 2014-11

A RESOLUTION TO APPROVE AN INTEGRATED RESOURCE PLAN SUMMARY REPORT

WHEREAS, the City of Flandreau purchases a significant portion of its power supply from the Western Area Power Administration (Western); and

WHEREAS, Western has recently published its Energy Planning and Management Program Rules specifying the requirements for preparing and filing of an Integrated Resource Plan (IRP); and

WHEREAS, the municipal utility staff has prepared an IRP Summary Report describing the IRP process used and the information and assumptions used to develop the IRP; and

WHEREAS, our customers were informed of our IRP and resulting Action Plans through various means including a Public Hearing where public questions and comments were encouraged; and

WHEREAS, any public comments received will be addressed in order to strengthen the City's Integrated Resource Plan.

NOW THEREFORE BE IT RESOLVED by the City of Flandreau City Council as follows:

That the "Integrated Resource Plan Summary Report for the City of Flandreau dated July 2014 shall be approved for filing with Western under the Energy Planning and Management Program."

Passed and approved this 21st day of July, 2014.

Mark R. Bonrud

Mayor

ATTEST:

Donald W. Whitman City Administrator

Adopted: July 21s^t, 2014 Published: July 30th, 2014

Effective: August 19th, 2014

Fort Pierre, SD Resource Planning

H. City Information

Fort Pierre, located in Moody County, is a community of more than 2,000 individuals located in central South Dakota. The residential sector includes 959 housing units. The median age of the population is 41.8 years. About 16% of the population is 65 years of age or older and about 24.1% percent are under 18 years old. In 2012, the municipal utility had 990 residential customers and 264 commercial customers. The residential sector's yearly usage averaged 12,199 kWh per customer in 2012, and commercial customers averaged 51,485 kWh.

The rates for each type of customer are shown on in the Exhibit 1. As of January 2014, the residential sector was charged 8.18 cents per kWh, and received a fixed customer charge of \$9.00. Small commercial customers were charged 8.7 cents per kWh, and received a fixed customer charge of \$15 or \$20. Large commercial customers were charged 4.8 cents per kWh and received a fixed service charge of \$28. Additionally, large commercial customers also paid a demand charge of \$11.98 per kW.

Exhibit 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4 show the winter and summer peak demand and energy for 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Fort Pierre on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively. The total peak load, including distribution and transformation losses, was 5,372 kW in the winter and 5,659 kW in the summer. Exhibits 7 and 8 each show the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load remaining flat from midnight to 6 am then increasing till roughly 9 am. Then loads begin to decline until 4 pm. Loads then fall again until 6 am the next day. The summer peak graph indicates the load increasing from 6 am until peaking at 5 pm. Then a steady decline occurs until 6 am the next day.


FORT PIERRE, SOUTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE

| Customer Class | Rate Component | Current Rate |
|---------------------------|---------------------------|---------------------|
| Residential | Customer Charge \$/kWh | \$9.00 \$.0818 |
| Small Commercial - Single | Phase | |
| <u> </u> | Customer Charge | \$15.00 |
| | \$/kWh | \$.087 |
| Small Commercial - Three | Phase | |
| | Customer Charge | \$20.00 |
| | \$/kWh | \$.087 |
| Large Commercial | Customer Charge | \$28.00 |
| | \$/kWh | \$.048 |
| | \$/kVV | \$11.98 |

MRES Seasonal Load Report Fort Pierre, SD Town Gate Load BASE Forecast 1/31/14 2:14 PM
Town Gate Load
Monthly Splits
Historic Through 12/2013

| BASE For | ecast | | | | | Historic I nrough 12/2013 | | | | |
|----------|--------------|-------------|-------------|--------------|--------|---------------------------|-------------|-------------|--------------|--|
| | | Deman | ıd (kW) | | | | Energy (k\ | Wh) | | |
| Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | |
| 2001 | 5,003 | 3,010 | 2,399 | 0 | 2001 | 10,238,724 | 6,426,000 | 3,812,724 | 0 | |
| 2002 | 4,942 | 3,010 | 2,414 | 0 | 2002 | 10,526,364 | 6,426,000 | 4,100,364 | 0 | |
| 2003 | 4,966 | 3,010 | 2,427 | 0 | 2003 | 10,389,492 | 6,426,000 | 3,963,492 | 0 | |
| 2004 | 4,841 | 3,010 | 2,313 | 0 | 2004 | 10,001,870 | 6,426,000 | 3,575,870 | 0 | |
| 2005 | 5,342 | 3,010 | 2,652 | 0 | 2005 | 11,367,699 | 6,426,000 | 4,941,699 | 0 | |
| 2006 | 5,558 | 3,005 | 3,034 | 0 | 2006 | 11,715,639 | 6,414,000 | 5,301,639 | 0 | |
| 2007 | 5,754 | 3,005 | 3,230 | 0 | 2007 | 11,664,740 | 6,414,000 | 5,250,740 | 0 | |
| 2008 | 5,139 | 3,005 | 2,615 | 0 | 2008 | 11,580,280 | 6,414,000 | 5,166,280 | 0 | |
| 2009 | 5,253 | 3,005 | 2,714 | 0 | 2009 | 12,201,273 | 6,414,000 | 5,787,273 | 0 | |
| 2010 | 5,772 | 3,005 | 3,248 | 0 | 2010 | 12,707,522 | 6,414,000 | 6,293,522 | 0 | |
| 2011 | 5,471 | 3,005 | 2,759 | 0 | 2011 | 11,645,213 | 6,414,000 | 5,231,213 | 0 | |
| 2012 | 6,102 | 3,005 | 3,578 | 0 | 2012 | 12,593,757 | 6,414,000 | 6,179,757 | 0 | |
| 2013 | 5,659 | 3,005 | 3,051 | 0 | 2013 | 12,127,469 | 6,414,000 | 5,713,469 | 0 | |
| 2014 | 5,235 | 3,005 | 2,711 | 0 | 2014 | 11,688,288 | 6,414,000 | 5,274,288 | 0 | |
| 2015 | 5,308 | 3,005 | 2,784 | 0 | 2015 | 11,852,431 | 6,414,000 | 5,438,431 | 0 | |
| 2016 | 5,382 | 3,005 | 2,858 | 0 | 2016 | 12,016,603 | 6,414,000 | 5,602,603 | 0 | |
| 2017 | 5,455 | 3,005 | 2,931 | 0 | 2017 | 12,180,806 | 6,414,000 | 5,766,806 | 0 | |
| 2018 | 5,529 | 3,005 | 3,005 | 0 | 2018 | 12,345,040 | 6,414,000 | 5,931,040 | 0 | |
| | | Deman | ıd (kW) | | | | Energy (k\ | Nh) | | |
| Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | |
| 2002 | 4,221 | 2,433 | 2,102 | 0 | 2002 | 11,091,060 | 6,065,000 | 5,026,060 | 0 | |
| 2003 | 4,309 | 2,433 | 2,002 | 0 | 2003 | 11,345,292 | 6,065,000 | 5,280,292 | 0 | |
| 2004 | 4,689 | 2,433 | 2,311 | 0 | 2004 | 11,843,350 | 6,104,000 | 5,739,350 | 0 | |
| 2005 | 4,633 | 2,433 | 2,312 | 0 | 2005 | 11,685,679 | 6,065,000 | 5,620,679 | 0 | |
| 2006 | 4,527 | 2,428 | 2,471 | 0 | 2006 | 11,936,475 | 6,056,000 | 5,880,475 | 0 | |
| 2007 | 5,139 | 2,428 | 2,943 | 0 | 2007 | 12,744,913 | 6,052,000 | 6,692,913 | 0 | |
| 2008 | 5,108 | 2,428 | 2,680 | 0 | 2008 | 13,217,031 | 6,091,000 | 7,126,031 | 0 | |
| 2009 | 6,087 | 2,428 | 4,035 | 0 | 2009 | 14,813,307 | 6,052,000 | 8,761,307 | 0 | |
| 2010 | 5,834 | 2,428 | 3,596 | 0 | 2010 | 14,987,302 | 6,052,000 | 8,935,302 | 0 | |
| 2011 | 5,778 | 2,428 | 3,681 | 0 | 2011 | 15,161,911 | 6,052,000 | 9,109,911 | 0 | |
| 2012 | 5,288 | 2,428 | 3,236 | 0 | 2012 | 12,763,022 | 6,091,000 | 6,672,022 | 0 | |
| 2013 | 5,372 | 2,428 | 2,964 | 0 | 2013 | 14,046,340 | 6,052,000 | 7,994,340 | 0 | |
| 2014 | 5,408 | 2,428 | 3,356 | 0 | 2014 | 14,038,194 | 6,052,000 | 7,986,194 | 0 | |
| 2015 | 5,413 | 2,428 | 3,298 | 0 | 2015 | 13,934,077 | 6,052,000 | 7,882,077 | 0 | |
| 2016 | 5,488 | 2,428 | 3,373 | 0 | 2016 | 14,128,020 | 6,091,214 | 8,036,806 | 0 | |
| 2017 | 5,563 | 2,428 | 3,448 | 0 | 2017 | 14,321,997 | 6,052,000 | 8,269,997 | 0 | |
| 2018 | 5,638 | 2,428 | 3,523 | 0 | 2018 | 14,516,012 | 6,052,000 | 8,464,012 | 0 | |
| | | | | | | | | | | |

Exhibit 3







Exhibit 4






Exhibit 5
Fort Pierre, SD Winter 2012-2013 Half-Hour Load Shape - Town Gate




Exhibit 6
Fort Pierre, SD Summer 2013 Half-Hour Load Shape - Town Gate




Exhibit 7

Fort Pierre, SD Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate





Exhibit 8

Fort Pierre, SD Peak Half-Hour Load Shape, Summer 2013, Town Gate



I. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Fort Pierre is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Fort Pierre to individually study supply-side resources as part of this IRP.

J. Historic DSM Efforts

Fort Pierre has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1 at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Year | T. | Program | * | BES or City | * | Quan | In | centive | kW | kWh |
|-------------------|----|--------------------------------|---|-------------|---|------|----|---------|-------|---------|
| ■ 2009 | | ■ Energy Star Appliance | | BES | | 1 | \$ | 300 | 0.1 | 1,290 |
| | | ■ Lighting | | BES | | 60 | \$ | 3,816 | 12.0 | 52,548 |
| | | ■ Res HVAC | | BES | | | \$ | 800 | 1.3 | 4,762 |
| 2009 Total | | | | | | 61 | \$ | 4,916 | 13.4 | 58,600 |
| 2010 | | ■ Custom Electric Program | | BES | | 1 | \$ | 240 | 0.9 | 3,826 |
| | | ■ Energy Star Appliance | | BES | | 28 | \$ | 996 | 0.3 | 3,765 |
| | | ■ Lighting - New Const | | BES | | 16 | \$ | 690 | 3.5 | 8,419 |
| | | ■ Lighting - Retrofit | | BES | | 362 | \$ | 13,593 | 36.5 | 87,768 |
| | | ■ Res HVAC | | BES | | 13 | \$ | 2,200 | 3.8 | 20,290 |
| 2010 Total | | | | | | 420 | \$ | 17,719 | 45.0 | 124,068 |
| ■ 2011 | | □ CI HVAC | | BES | | 1 | \$ | 150 | 0.2 | 400 |
| | | ■ Energy Star Appliance | | BES | | 44 | \$ | 969 | 0.5 | 5,611 |
| | | ■ Lighting - New Const | | BES | | 9 | \$ | 670 | 3.7 | 13,300 |
| | | ■ Lighting - Retrofit | | BES | | 744 | \$ | 3,297 | 24.1 | 92,392 |
| | | ■ Res HVAC | | BES | | 16 | \$ | 2,075 | 3.1 | 12,859 |
| 2011 Total | | | | | | 814 | \$ | 7,161 | 31.6 | 124,562 |
| □ 2012 | | ■ Custom Electric Program | | BES | | 1 | \$ | 135 | 0.5 | 1,172 |
| | | ■ Energy Star Appliance | | BES | | 5 | \$ | 225 | 0.1 | 1,217 |
| | | ☐ Lighting - Retrofit | | BES | | 258 | \$ | 3,828 | 13.5 | 62,689 |
| | | ■ Res HVAC | | BES | | 18 | \$ | 2,075 | 5.1 | 10,485 |
| 2012 Total | | | | | | 282 | \$ | 6,263 | 19.2 | 75,563 |
| ■ 2013 | | □ CI HVAC | | BES | | 8 | \$ | 850 | 1.0 | 9,189 |
| | | ■ Energy Star Appliance | | BES | | 20 | \$ | 900 | 0.5 | 3,158 |
| | | ☐ Lighting - New Const | | BES | | 102 | \$ | 2,550 | 6.7 | 24,609 |
| | | ☐ Lighting - Retrofit ☐ | | BES | | 295 | \$ | 5,195 | 17.7 | 48,640 |
| | | ■ Res HVAC | | BES | | 12 | \$ | 1,500 | 2.7 | 13,206 |
| 2013 Total | | | | | | 437 | \$ | 10,995 | 28.6 | 98,802 |
| Grand Tota | ıl | | | | | 2014 | \$ | 47,054 | 137.7 | 481,595 |

K. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Fort Pierre was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

L. Options Chosen – Development of Action Plan

DSMore software was run on each individual measure, and then grouped into programs that MRES is either currently offering (Phase I) or are planning to offer within the next five years (Phase II) as a part of Bright Energy Solutions.

i. Future Actions

It is assumed that Fort Pierre will continue to participate in the Bright Energy Solutions program. Fort Pierre would have virtually no out-of-pocket costs, as MRES will be paying the incentives for all of these programs. It is planned that Fort Pierre will participate in the all of the Bright Energy Solutions programs to the maximum extent possible. This assumption was made only to obtain a more realistic estimate for the five-year plan, and is certainly not considered to be a cap on participation in the event that the program attracts more participants than anticipated.

Representatives from Fort Pierre plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, it is unknown if Fort Pierre will participate in the MRES Coordinated Demand Response (CDR) program in the future. That decision will be evaluated in years to come.

ii. Milestones

As part of the annual WAPA IRP updates, Fort Pierre will evaluate the progress on these programs. The success will be measured against this 5-year plan, with adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Quality control, measurement of savings, verification tracking, and program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

M. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will, by definition, decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

N. Public Participation

A preliminary draft of this report was produced on July 3, 2014. A notice of public hearing on IRP was published in the local newspaper on June 20,2014. The public hearing on the IRP was held at the July 7, 2014 City Council meeting. A summary of any comments and responses made during the meeting are included in the Appendix. The City Council approved the resolution on July 7, 2014. A copy of the approved resolution is included in Appendix 2.

| IRP Approval Process | |
|-------------------------------|-----------|
| Preliminary Draft Date | 7/3/2014 |
| Date Published in Paper | 6/20/2014 |
| Public Hearing Date | 7/7/2014 |
| Date Approved by City Council | 7/7/2014 |

Appendix 1 – Detailed DSM Measures Installed

Utility Fort Pierre

| | | | BES | | | | | |
|--------|-----------------------|---|------------|---------|-----------------|-------------------|-------------------|---------------------|
| Year | Program | Measure | or City | Quan | lı | ncentive | kW | kWh |
| 2009 | Energy Star Appliance | GE WPRE61SQKWT | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | (blank) | BES | (blank) | \$ | 250 | 0.1 | 1,125 |
| | | | | | \$ | 300 | 0.1 | 1,290 |
| | Lighting | 4 CFL bulbs | BES | 4 | \$ | 6 | 0.0 | 200 |
| | | T8 HB 3L | BES | 20 | \$ | 2,650 | 7.0 | 30,600 |
| | | T8 HB 4L | BES | 2 | \$ | 1,160 | 0.2 | 1,006 |
| | | | | 8 | | | 0.9 | 4,024 |
| | | T8 HB 6L | BES | 12 | | | 1.8 | 7,716 |
| | | | | 14 | | | 2.1 | 9,002 |
| | | | | | \$ | 3,816 | 12.0 | 52,548 |
| | Res HVAC | (blank) | BES | (blank) | \$ | 800 | 1.3 | 4,762 |
| | | | | | \$ | 800 | 1.3 | 4,762 |
| 2009 T | otal | | | | \$ | 4,916 | 13.4 | 58,600 |
| | | Replaced 6 320 watt metal halide | | | | | | |
| 2010 | Custom Electric | magnetic pulse start w 6 6 lamp T8 | DEC | 1 | ۲ | 240 | 0.0 | 2 026 |
| 2010 | Program | high bay | BES | 1 | \$ | | 0.9 | 3,826 |
| | Energy Star Appliance | Energy Star Clother Washer | BES | 1 | \$ \$ | 240 100 | 0.9 0.0 | 3,826 450 |
| | Energy Star Appliance | Energy Star Clothes Washer | DES | 1 2 | ۶ \$ | 400 | 0.0 | 1,402 |
| | | | | 7 | ۶ \$ | 350 | 0.1 | |
| | | | | , | | | | 1,177 |
| | | Energy Star Decorative Lights | BES | 6 | \$ | 21 | 0.0 | 51 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 75 | 0.0 | 411 |
| | | | | 2 | \$ | 50 | 0.0 | 274 |
| | | | | | \$ | 996 | 0.3 | 3,765 |
| | Lighting - New Const | Ltng New Const _ T8 4ft Hi Bay Fixture | BES | 16 | \$ | 690 | 3.5 | 8,419 |
| | | | | | \$ | 690 | 3.5 | 8,419 |
| | Lighting - Retrofit | Ltng Retrofit _ CFL Fixtures & Lamps Ltng Retrofit _FIrscnt T8 & T5 w/Elec | BES | 10 | \$ | 15 | 0.4 | 980 |
| | | Bal | BES | 6 | \$ | 36 | 0.0 | 112 |
| | | Ltng Retrofit _ T8 Hi Bay Fixtures w- | DEC | 42 | ۲. | 0.65 | 2.2 | F 422 |
| | | Elec Bal | BES | 13 | \$ | 865 | 2.3 | 5,432 |
| | | | | 58 | \$ | 4,930 | 12.9 | 30,521 |
| | | Line Detroit Delived With Fig. TO Leaves | DEC | 91 | \$ | | 19.4 | 45,965 |
| | | Ltng Retrofit _ Rducd Wtg Flr T8 Lamps Ltng Retrofit Rducd Wtg T8 CEE Qual | BES | 36 | \$ | 18 | 0.1 | 467 |
| | | Ling Retront _ Rauca Wig 18 CEE Quai | BES | 4 | \$ | 72 1 207 | 0.1 | 381 |
| | | | | 144 | \$ | 1,287 | 1.4 | 3,910 |
| | Res HVAC | Air Handler Fan Cail with FCM | DEC | 1 | \$ | 13,593 | 36.5 | 87,768 |
| | Res HVAC | Air Handler _ Fan Coil with ECM HVAC Air Source HP | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | HVAC Central AC unit | BES | 1 | \$ ¢ | 500 100 | 0.8 0.3 | 3,962 |
| | | HVAC HE Furnace with ECM | BES | 1 2 | \$ \$ | 600 | 0.3 | 188 1,600 |
| | | TIVAC HE FUITIACE WILLI ECIVI | BES | | \$ \$ | | | |
| | | HVAC Mini Split Duetless Air Source | DEC | 3 | | 450 400 | 0.7 | 1,200 |
| | | HVAC Mini Split_Ductless Air_Source | BES | 2 | \$ | 400 | 0.9 | 12,940 |

ΗР

| | | | | | \$ | 2,200 | 3.8 | 20,290 |
|--------|------------------------------|--|------------|---------------|----------------|-----------------|-------------------|--------------|
| 2010 T | otal | | | | \$ | 17,719 | 45.0 | 124,068 |
| 2011 | CI HVAC | ECM in Res Style Furnace | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | | | | \$ | 150 | 0.2 | 400 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 250 | 0.1 | 1,125 |
| | | | | 2 | \$ | 100 | 0.0 | 450 |
| | | | | 4 | \$ | 200 | 0.1 | 900 |
| | | Energy Star Decorative Lights | BES | 24 | \$ | 84 | 0.0 | 612 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 10 | 0.0 | 88 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 75 | 0.0 | 411 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 150 | 0.1 | 1,215 |
| | | | | 2 | \$ | 100 | 0.1 | 810 |
| | | | | | \$ | 969 | 0.5 | 5,611 |
| | Lighting - New Const | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 1 | \$ | 270 | 0.0 | 247 |
| | | | | 8 | \$ | 400 | 3.7 | 13,053 |
| | | | | | \$ | 670 | 3.7 | 13,300 |
| | Lighting - Retrofit | Ltng Retro _ CFL Fixtures & Lamps | BES | 405 | \$ | 608 | 11.8 | 52,135 |
| | | Ltng Retro _ Rducd Wtg Flr T8 Lamps | BES | 130 | \$ | 65 | 0.6 | 1,505 |
| | | Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 60 | \$ | 1,062 | 4.2 | 11,443 |
| | | Ltng Retro _Flrscnt T8 & T5 w/Elec Bal | BES | 65 | \$ | 1,226 | 4.1 | 13,478 |
| | | Ltng Retro_CFL Reflector Flood | BES | 84 | \$ | 336 | 3.4 | 13,831 |
| | | | | | \$ | 3,297 | 24.1 | 92,392 |
| | Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 450 | 0.7 | 1,200 |
| | | HVAC Air_Source HP | BES | 1 | \$ | 750 | 1.2 | 5,943 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ | 450 | 0.7 | 1,200 |
| | | | | 2 | \$ | 300 | 0.5 | 800 |
| | | Programmable Thermostat - Heat | | | | | | |
| | | Pump | BES | 1 | \$ | 75 | 0.0 | 3,342 |
| | | Programmable Thermostat - NON Elec- | DEC | 4 | <u>,</u> | F0 | 0.0 | 274 |
| | | Gas w/AC | BES | 1 | \$ | 50 | 0.0 | 374 |
| 2011 T | 'atal | | | | \$ \$ | 2,075 | 3.1 | 12,859 |
| 2011 T | Custom Electric | 11 fixtures retrofited from 4 lamp | | | Ş | 7,161 | 31.6 | 124,562 |
| 2012 | Program | F32T8 to 2 lamp F28T8. | BES | 1 | \$ | 135 | 0.5 | 1,172 |
| | · · | · | | | \$ | 135 | 0.5 | 1,172 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 50 | 0.0 | 225 |
| | , | 3, | | 2 | \$ | 100 | 0.0 | 450 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 25 | 0.0 | 137 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 50 | 0.0 | 405 |
| | | znergy etai nemgeraters | | _ | \$ | 225 | 0.1 | 1,217 |
| | Lighting - Retrofit | Ltng Retro _ Firscnt T8 & T5 w/Elec Bal | BES | 15 | \$ | 128 | 0.2 | 1,157 |
| | Lighting Netrone | zeng netro _ moone ro a ro m/ zice bar | 525 | 40 | \$ | 520 | 1.6 | 4,359 |
| | | | | 64 | \$ | 1,113 | 3.2 | 12,624 |
| | | | | | · | - , | ے. د | 12,024 |
| | | Ltng Retro Rducd Wtg Flr T8 and | | 0.1 | | | | |
| | | Ltng Retro _ Rducd Wtg Flr T8 and T5HO Lamps | BES | 112 | \$ | 56 | 0.4 | 1,397 |
| | | | BES BES | | | | | 1,397 721 |
| | | T5HO Lamps | | 112 | \$ | 56 | 0.4 | |
| | | T5HO Lamps Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 112 7 | \$ \$ | 56 51 | 0.4 0.2 | 721 3,174 |
| | | T5HO Lamps Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 112 7 4 | \$ \$ \$ | 56 51 340 | 0.4 0.2 0.7 | 721 |

| | Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ 150 | 0.2 | 400 |
|--------|-----------------------|--|-----|-----|--------------|-------|---------|
| | | HVAC Air_Source HP - 14.5 SEER | BES | 1 | \$ 500 | 0.4 | 3,162 |
| | | HVAC Central AC unit | BES | 1 | \$ 200 | 0.9 | 545 |
| | | | | 2 | \$ 200 | 1.8 | 958 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ 450 | 0.7 | 1,200 |
| | | | | 3 | \$ 450 | 0.7 | 1,200 |
| | | Programmable Thermostat - Elec Heat | | | | | |
| | | w/AC | BES | 1 | \$ 25 | 0.1 | 2,272 |
| | | Programmable Thermostat - Propane, Fuel Oil, Boiler w/AC | BES | 1 | \$ 50 | 0.1 | 374 |
| | | raci oii, bolici w/Ac | DLJ | 2 | \$ 50 | 0.2 | 374 |
| | | | | _ | \$ 2,075 | 5.1 | 10,485 |
| 2012 T | otal | al | | | \$ 6,263 | 19.2 | 75,563 |
| 2013 | CI HVAC | ECM in Res Style Air Handler _ Fan Coil | BES | 1 | \$ 150 | 0.2 | 400 |
| | | ECM in Res Style Furnace | BES | 2 | \$ 300 | 0.5 | 800 |
| | | Setback/Programmable Thermostats | BES | 4 | \$ 200 | 0.0 | 7,644 |
| | | Unitary Air Cooled Split Sys AC <65k | | | | | |
| | | Btuh (1ph) | BES | 1 | \$ 200 | 0.3 | 345 |
| | | | | | \$ 850 | 1.0 | 9,189 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ 150 | 0.1 | 393 |
| | | | | 2 | \$ 300 | 0.1 | 786 |
| | | | | 4 | \$ 200 | 0.1 | 524 |
| | | Energy Star Dishwasher | BES | 1 | \$ 50 | 0.1 | 120 |
| | | _ | | 2 | \$ 50 | 0.1 | 120 |
| | | Energy Star Refrigerators | BES | 1 | \$ 150 | 0.1 | 1,215 |
| | | | | | \$ 900 | 0.5 | 3,158 |
| | Lighting - New Const | LED Energy Star Recessed Downlight | BES | 102 | \$ 2,550 | 6.7 | 24,609 |
| | | | | | \$ 2,550 | 6.7 | 24,609 |
| | Lighting - Retrofit | LED & Induction Tech | BES | 21 | \$ 525 | 1.1 | 4,188 |
| | | | | 266 | \$ 3,990 | 14.7 | 40,039 |
| | | T8 Hi Bay Fixtures w/ 4ft Lamps | BES | 8 | \$ 680 | 1.8 | 4,413 |
| | | | | | \$ 5,195 | 17.7 | 48,640 |
| | Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ 150 | 0.2 | 400 |
| | | HVAC Air_Source HP - 14.5 SEER | BES | 1 | \$ 500 | 0.4 | 3,162 |
| | | HVAC Central AC unit | BES | 1 | \$ 100 | 0.5 | 299 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ 150 | 0.2 | 400 |
| | | HVAC Mini Split_Ductless Air_Source | | 2 | \$ 300 | 0.5 | 800 |
| | | HP | BES | 1 | \$ 200 | 0.4 | 6,470 |
| | | Programmable Thermostat - AC Only Programmable Thermostat - Heat | BES | 2 | \$ 50 | 0.2 | 374 |
| | | Pump Programmable Thermostat - Propane, | BES | 1 | \$ 25 | 0.1 | 1,114 |
| | | Fuel Oil, Boiler w/AC | BES | 1 | \$ 25 | 0.1 | 187 |
| | | | | | \$ 1,500 | 2.7 | 13,206 |
| 2013 T | otal | | | | \$ 10,995 | 28.6 | 98,802 |
| Grand | Total | | | | \$ 47,054 | 137.7 | 481,595 |
| | | | | | | | |

Appendix 2 – Fort Pierre Resolution

Resolution # 2014-14 City of Fort Pierre—Integrated Resource Plan COOP Filing

WHEREAS, the City of Fort Pierre purchases a significant portion of its power supply From Western Area Power Administration (Western); and

WHEREAS, Western has recently published its Energy Planning Management Program Rules specifying the requirement for preparing and filing of an Integrated Resource Plan (IRP); and

WHEREAS, the City of Fort Pierre has prepared an IRP Summary Report describing the IRP process used and the information and assumptions used to develop the IRP; and

WHEREAS, Our customers were informed of our IRP and resulting Action Plans through various means including a public meeting where public questions and comments were encouraged; and

WHEREAS, any public comment received has been addressed in order to strengthen the city's IRP; and

WHEREAS, the IRP Summary Report included 5-year and 2-year action plans outlining actions to be taken by the Municipal Utility during the next several years,

THEREFORE BE IT RESOLVED, by the Fort Pierre City Council:

That the "Integrated Resource Plan Summary Report for the City of Fort Pierre dated July 2014 be approved for filing with Western under the Energy Planning and Management Program."

Adopted and effective this 7th day of July, 2014.

Gloria Hanson, Mayor City of Fort Pierre

 \cap

Attest: WWW.

Roxanne Heezen, Finance Officer

V. Hillsboro, ND Resource Planning

A. City Information

Hillsboro, located in Traill County, is a community of more than 1,600 individuals located in eastern North Dakota. The City has one elementary school and one high school. The residential sector included 763 housing units, and the median age of the population is 40.5 years. About 18.7% of the population is 65 years of age or older and about 25.6% percent are under 18 years old. In 2011, the municipal utility had 840 residential customers, and 142 commercial customers. The residential sector's yearly usage averaged 20,645 kWh per customer in 2012, and commercial customers averaged 64,394 kWh.

The rates for each type of customer are shown on the rate sheet in the appendix. As of January 2014, the residential sector was charged 7.3 cents per kWh, plus a fixed monthly charge of \$16.00 per month. Small commercial customers were charged 6.7 cents per kWh, plus a fixed charge of \$42.00 per month. Large commercial customers were charged 6.7 cents per kWh with a fixed charge of \$42.00 per month.

Exhibit 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4, which show the winter and summer peak demand and energy for 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Hillsboro on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively. The total peak load, including distribution and transformation losses, was 7,725 kW in the winter and 4,918 kW in the summer. Exhibits 7 and 8 each show the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load increasing after 5 am till roughly 9 am. Then loads begin to decline until 5am the next day. The summer peak graph indicates the load increasing from 5 am until peaking at 5 pm. Then a steady decline occurs until 5 am the next day.


HILLSBORO, NORTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE

| Customer Class | Rate Component | Current Rate |
|-----------------------|---------------------------|---------------------|
| Residential | Customer Charge \$/kWh | \$16.00 \$.073 |
| Small Commercial | Customer Charge \$/kWh | \$42.00 \$.067 |
| Large Commercial | Customer Charge \$/kWh | \$42.00 \$.067 |

MRES Seasonal Load Report Hillsboro, ND Town Gate Load BASE Forecast 1/31/14 2:14 PM Town Gate Load Monthly Splits Historic Through 12/2013

| Demand (kW) | | | | Energy (kWh) | | | | | |
|-------------|--------------|-------------|-------------|--------------|--------|--------------|-------------|-------------|--------------|
| Summer | <u>Total</u> | <u>WAPA</u> | MRES | Other | Summer | <u>Total</u> | <u>WAPA</u> | MRES | Other |
| 2001 | 3,534 | 2,144 | 1,407 | 0 | 2001 | 8,238,936 | 5,580,000 | 2,658,936 | 0 |
| 2002 | 3,935 | 2,144 | 1,808 | 0 | 2002 | 9,174,479 | 5,580,000 | 3,594,479 | 0 |
| 2003 | 3,532 | 2,144 | 1,437 | 0 | 2003 | 9,067,796 | 5,580,000 | 3,487,796 | 0 |
| 2004 | 3,292 | 2,144 | 1,196 | 0 | 2004 | 8,756,755 | 5,580,000 | 3,176,755 | 0 |
| 2005 | 3,577 | 2,144 | 1,495 | 0 | 2005 | 9,264,458 | 5,580,000 | 3,684,458 | 0 |
| 2006 | 4,334 | 2,140 | 2,210 | 0 | 2006 | 9,614,808 | 5,571,000 | 4,043,808 | 0 |
| 2007 | 3,629 | 2,140 | 1,489 | 0 | 2007 | 9,105,049 | 5,571,000 | 3,534,049 | 0 |
| 2008 | 4,226 | 2,140 | 2,102 | 0 | 2008 | 9,277,534 | 5,571,000 | 3,706,534 | 0 |
| 2009 | 4,269 | 2,140 | 2,145 | 0 | 2009 | 10,273,081 | 5,571,000 | 4,702,081 | 0 |
| 2010 | 4,386 | 2,140 | 2,262 | 0 | 2010 | 10,023,859 | 5,571,000 | 4,452,859 | 0 |
| 2011 | 4,119 | 2,140 | 2,113 | 0 | 2011 | 10,089,077 | 5,571,000 | 4,518,077 | 0 |
| 2012 | 4,261 | 2,140 | 2,137 | 0 | 2012 | 10,460,323 | 5,571,000 | 4,889,323 | 0 |
| 2013 | 4,837 | 2,140 | 2,713 | 0 | 2013 | 11,098,200 | 5,571,000 | 5,527,200 | 0 |
| 2014 | 4,434 | 2,140 | 2,310 | 0 | 2014 | 10,525,757 | 5,571,000 | 4,954,757 | 0 |
| 2015 | 4,449 | 2,140 | 2,325 | 0 | 2015 | 10,561,691 | 5,571,000 | 4,990,691 | 0 |
| 2016 | 4,473 | 2,140 | 2,349 | 0 | 2016 | 10,618,153 | 5,571,000 | 5,047,153 | 0 |
| 2017 | 4,499 | 2,140 | 2,375 | 0 | 2017 | 10,679,643 | 5,571,000 | 5,108,643 | 0 |
| 2018 | 4,524 | 2,140 | 2,400 | 0 | 2018 | 10,740,471 | 5,571,000 | 5,169,471 | 0 |
| | | Deman | d (kW) | | | Energy (kWh) | | | |
| Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> |
| 2002 | 4,884 | 3,213 | 1,954 | 0 | 2002 | 13,262,547 | 9,080,829 | 4,181,718 | 0 |
| 2003 | 5,627 | 3,213 | 2,703 | 0 | 2003 | 14,863,929 | 9,120,000 | 5,743,929 | 0 |
| 2004 | 5,901 | 3,213 | 2,688 | 0 | 2004 | 14,885,324 | 9,170,000 | 5,715,324 | 0 |
| 2005 | 5,926 | 3,213 | 2,713 | 0 | 2005 | 14,878,484 | 9,120,000 | 5,758,484 | 0 |
| 2006 | 6,005 | 3,213 | 2,799 | 0 | 2006 | 15,047,058 | 9,108,000 | 5,939,058 | 0 |
| 2007 | 6,356 | 3,206 | 3,150 | 0 | 2007 | 16,198,392 | 9,100,000 | 7,098,392 | 0 |
| 2008 | 6,898 | 3,206 | 3,692 | 0 | 2008 | 17,722,966 | 9,150,000 | 8,572,966 | 0 |
| 2009 | 7,190 | 3,206 | 4,248 | 0 | 2009 | 19,152,748 | 9,100,000 | 10,052,748 | 0 |
| 2010 | 7,308 | 3,206 | 4,102 | 0 | 2010 | 18,072,573 | 9,100,000 | 8,972,573 | 0 |
| 2011 | 7,157 | 3,206 | 3,975 | 0 | 2011 | 19,531,313 | 9,100,000 | 10,431,313 | 0 |
| 2012 | 7,316 | 3,206 | 4,110 | 0 | 2012 | 16,458,135 | 9,150,000 | 7,308,135 | 0 |
| 2013 | 7,593 | 3,206 | 4,387 | 0 | 2013 | 19,678,184 | 9,100,000 | 10,578,184 | 0 |
| 2014 | 7,376 | 3,206 | 4,170 | 0 | 2014 | 19,541,607 | 9,100,000 | 10,441,607 | 0 |
| 2015 | 7,342 | 3,206 | 4,136 | 0 | 2015 | 18,934,529 | 9,100,000 | 9,834,529 | 0 |
| 2016 | 7,381 | 3,206 | 4,175 | 0 | 2016 | 19,023,038 | 9,150,250 | 9,872,788 | 0 |
| 2017 | 7,424 | 3,206 | 4,218 | 0 | 2017 | 19,130,264 | 9,100,000 | 10,030,264 | 0 |
| 2018 | 7,467 | 3,206 | 4,261 | 0 | 2018 | 19,239,856 | 9,100,000 | 10,139,856 | 0 |

Exhibit 3







Exhibit 4






Exhibit 5

Hillsboro, ND Winter 2012-2013 Half-Hour Load Shape - Town Gate




Exhibit 6
Hillsboro, ND Summer 2013 Half-Hour Load Shape - Town Gate




Exhibit 7

Hillsboro, ND Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate





Exhibit 8

Hillsboro, ND Peak Half-Hour Load Shape, Summer 2013, Town Gate



B. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Hillsboro is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Hillsboro to individually study supply-side resources as part of this IRP.

C. Historic DSM Efforts

Hillsboro has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1 at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Year 🔻 | Program | ¥ | BES or City | * | Quan | In | centive | kW | kWh |
|--------------------|--------------------------------|----|-------------|---|------|----|---------|-------|---------|
| □ 2010 | ■ Energy Star Appliance | | BES | | 8 | \$ | 118 | 0.0 | 541 |
| | ☐ Lighting - Retrofit | | BES | | 24 | \$ | 2,040 | 5.4 | 12,800 |
| | ■ Res HVAC | | BES | | 2 | \$ | 1,804 | 4.5 | 22,435 |
| 2010 Total | | | | | 34 | \$ | 3,961 | 9.9 | 35,776 |
| 2011 | ■ Custom Electric Program | | BES | | 1 | \$ | 2,755 | 9.2 | 34,896 |
| | ■ Energy Star Appliance | | BES | | 10 | \$ | 450 | 0.2 | 2,254 |
| | ■ Lighting - Retrofit | | BES | | 54 | \$ | 324 | 0.9 | 2,575 |
| 2011 Total | | | | | 65 | \$ | 3,529 | 10.3 | 39,725 |
| 2012 | □ Comm Refrigeration Aud | it | BES | | 2 | \$ | - | 0.3 | 2,591 |
| | ■ Energy Star Appliance | | BES | | 13 | \$ | 575 | 0.2 | 2,841 |
| | ■ Lighting - New Const | | BES | | 30 | \$ | 1,366 | 4.1 | 9,707 |
| | ☐ Lighting - Retrofit ☐ | | BES | | 29 | \$ | 725 | 1.4 | 12,441 |
| 2012 Total | | | | | 74 | \$ | 2,666 | 6.0 | 27,580 |
| ■ 2013 | □ CI HVAC | | BES | | 16 | \$ | 11,487 | 12.7 | 147,723 |
| | ■ Compressed Air System | | BES | | 1 | \$ | 1,050 | 3.2 | 14,100 |
| | ■ Energy Star Appliance | | BES | | 9 | \$ | 375 | 0.3 | 1,514 |
| | ■ Lighting - New Const | | BES | | 211 | \$ | 8,330 | 31.0 | 107,376 |
| | □ Lighting - Retrofit | | BES | | 20 | \$ | 1,124 | 3.0 | 7,496 |
| | Res HVAC | | BES | | 1 | \$ | 200 | 0.4 | 6,470 |
| | ■ Specialty Measures | | BES | | 1 | \$ | 50 | 0.0 | 100 |
| | ■ VFDs and Pumps | | BES | | 20 | \$ | 15,600 | 96.1 | 365,328 |
| 2013 Total | | | | | 279 | \$ | 38,216 | 146.7 | 650,107 |
| Grand Total | | | | | 452 | \$ | 48,371 | 172.9 | 753,188 |

• Load Management Program

Description: Load management controls were installed on electric water heaters, and central air conditioners with a savings of approximately 1 MW, up until 2011 when the program was discontinued.

Energy Savings: Approximately 1 MW on peak, until 2011 when the program was discontinued.

D. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and

economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Hillsboro was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

E. Options Chosen – Development of Action Plan

DSMore software was run on each individual measure, and then grouped into programs that MRES is either currently offering (Phase I) or is planning to offer within the next five years (Phase II) as a part of Bright Energy Solutions.

i. Future Actions

It is assumed that Hillsboro will continue to participate in the Bright Energy Solutions program. Hillsboro would have virtually no out-of-pocket costs, as MRES will be paying the incentives for all of these programs. It is planned that Hillsboro will participate in the all of the Bright Energy Solutions programs to the extent possible.

Representatives from Hillsboro plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, Hillsboro is pursuing participation in the MRES Coordinated Demand Response (CDR) program. The level of future participation is unknown, as implementation of the program has not yet begun.

ii. Milestones

As part of the annual WAPA IRP updates, Hillsboro will evaluate the progress on these programs. The success will be measured against this 5-year plan, with adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Quality control, measurement of savings, verification tracking, and program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of

savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

F. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will, by definition, decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

G. Public Participation

A preliminary draft of this report was produced on July 1, 2014. A notice of public hearing on IRP was published in the local newspaper on July 11, 2014. The public hearing on the IRP was held at the August 4, 2014 City Commission meeting. A summary of any comments and responses made during the meeting are included in the Appendix. The City Council approved the resolution on August 4, 2014. A copy of the approved resolution is included in Appendix 2.

| IRP Approval Process | |
|-------------------------|-----------|
| Preliminary Draft Date | 07/1/2014 |
| Date Published in Paper | 7/11/2014 |
| Public Hearing Date | 8/4/2014 |
| Date Approved by City | |
| Commission | 8/4/2014 |

Appendix 1 – Detailed DSM Measures Installed

Utility Hillsboro

| | | | BES | | | | | |
|---------|------------------------------|--|------------|--------|-----------------|----------|-------------------|---------|
| Year | Program | Measure | or City | Quan | le | centive | kW | kWh |
| | | | • | - | | | | 225 |
| 2010 | Energy Star Appliance | Energy Star Clothes Washer | BES BES | 1 5 | \$ \$ | 50 | 0.0 0.0 | 42 |
| | | Energy Star Dichurcher | BES | 2 | \$ \$ | 18 50 | | 274 |
| | | Energy Star Dishwasher | DES | 2 | \$ \$ | 118 | 0.0 0.0 | 541 |
| | | Ltng Retrofit _ T8 Hi Bay Fixtures w- | | | Ģ | 110 | 0.0 | 541 |
| | Lighting - Retrofit | Elec Bal | BES | 24 | \$ | 2,040 | 5.4 | 12,800 |
| | | | | | \$ | 2,040 | 5.4 | 12,800 |
| | Res HVAC | Desuperheater | BES | 1 | \$ | 250 | 0.6 | 1,221 |
| | | HVAC Closed Loop Water to Air GS HP | BES | 1 | \$ | 1,554 | 3.9 | 21,214 |
| | | | | | \$ | 1,804 | 4.5 | 22,435 |
| 2010 To | otal | | | | \$ | 3,961 | 9.9 | 35,776 |
| | Custom Electric | | | | | • | | • |
| 2011 | Program | replaced t-12 with t9 | BES | 1 | \$ | 2,755 | 9.2 | 34,896 |
| | | | | | \$ | 2,755 | 9.2 | 34,896 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 100 | 0.0 | 450 |
| | | | | 2 | \$ | 100 | 0.0 | 450 |
| | | | | 3 | \$ | 150 | 0.1 | 675 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 50 | 0.0 | 274 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 50 | 0.0 | 405 |
| | | | | | \$ | 450 | 0.2 | 2,254 |
| | Lighting - Retrofit | Ltng Retro _Firscnt T8 & T5 w/Elec Bal | BES | 54 | \$ | 324 | 0.9 | 2,575 |
| | | | | | \$ | 324 | 0.9 | 2,575 |
| 2011 T | otal | | | | \$ | 3,529 | 10.3 | 39,725 |
| | Comm Refrigeration | | | | | | | |
| 2012 | Audit | Coil Cleaning kit | BES | 1 | \$ | - | 0.2 | 2,180 |
| | | LED Screw-in Replacement Lamp | BES | 1 | \$ | - | 0.0 | 411 |
| | | | | | \$ | - | 0.3 | 2,591 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 300 | 0.1 | 1,350 |
| | | | | 3 | \$ | 150 | 0.1 | 675 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 75 | 0.0 | 411 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 50 | 0.0 | 405 |
| | | | | | \$ | 575 | 0.2 | 2,841 |
| | Lighting - New Const | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 27 | \$ | 1,350 | 4.0 | 9,595 |
| | | Ltng NC _ T8 4ft Hi Performance | BES | 3 | \$ | 16 | 0.0 | 112 |
| | | | | | \$ | 1,366 | 4.1 | 9,707 |
| | Lighting - Retrofit | Ltng Retro _ LED & Induction Tech | BES | 29 | \$ | 725 | 1.4 | 12,441 |
| | | | | | \$ | 725 | 1.4 | 12,441 |
| 2012 To | otal | | | | \$ | 2,666 | 6.0 | 27,580 |
| | | | | _ | _ | | | |
| 2013 | CI HVAC | ECM in Res Style Furnace | BES | 2 | \$ | 300 | 0.5 | 800 |
| | CI HVAC | GS HP_Closed Loop Water to Air | BES | 3 | \$ | 6,000 | 5.5 | 118,620 |
| | CI HVAC | • | | | | | | |

| | Split System Air Source HP <65k Btuh | | | | | |
|-----------------------------|---------------------------------------|-----|----|--------------|-------|---------|
| | (3ph) | BES | 6 | \$ 1,375 | 3.8 | 7,617 |
| | Window Film | BES | 1 | \$ 3,312 | 2.1 | 3,924 |
| | | | | \$ 11,487 | 12.7 | 147,723 |
| Compressed Air | | | | | | |
| System | VFD Air Compressor | BES | 1 | \$ 1,050 | 3.2 | 14,100 |
| | | | | \$ 1,050 | 3.2 | 14,100 |
| Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ 200 | 0.1 | 524 |
| | Energy Star Dishwasher | BES | 3 | \$ 75 | 0.1 | 180 |
| | Energy Star Refrigerators | BES | 1 | \$ 100 | 0.1 | 810 |
| | | | | \$ 375 | 0.3 | 1,514 |
| Lighting - New Const | CEE Qual T8 4ft Hi Performance System | BES | 33 | \$ 130 | 0.4 | 2,943 |
| | LED Energy Star Recessed Downlight | BES | 8 | \$ 200 | 0.5 | 1,058 |
| | T5HO 4ft Hi Bay Fixture | BES | 98 | \$ 6,380 | 23.2 | 53,363 |
| | T8 4ft Hi Bay Fixture | BES | 72 | \$ 1,620 | 6.8 | 50,012 |
| | | | | \$ 8,330 | 31.0 | 107,376 |
| Lighting - Retrofit | T8 4ft w/Elec Bal | BES | 8 | \$ 104 | 0.3 | 1,181 |
| | T8 Hi Bay Fixtures w/ 4ft Lamps | BES | 12 | \$ 1,020 | 2.7 | 6,315 |
| | | | | \$ 1,124 | 3.0 | 7,496 |
| | HVAC Mini Split_Ductless Air_Source | | | | | |
| Res HVAC | HP | BES | 1 | \$ 200 | 0.4 | 6,470 |
| | | | | \$ 200 | 0.4 | 6,470 |
| Specialty Measures | Energy Star Clothes Washer - Elec WH | BES | 1 | \$ 50 | 0.0 | 100 |
| | | | | \$ 50 | 0.0 | 100 |
| VFDs and Pumps | Hi_Eff Pumps | BES | 4 | \$ 1,600 | 5.1 | 18,880 |
| | Variable Freq Drives | BES | 4 | \$ 1,000 | 6.5 | 20,362 |
| | | | 12 | \$ 13,000 | 84.5 | 326,086 |
| | | | | \$ 15,600 | 96.1 | 365,328 |
| 2013 Total | | | | \$ 38,216 | 146.7 | 650,107 |
| Grand Total | | | | \$ 48,371 | 172.9 | 753,188 |
| | | | | | | |

Appendix 2 – Hillsboro Resolution

RESOLUTION 2014-02

| WHEREAS, | the City of Hillsboro purchases a significant portion of its power supply |
|----------|---|
| | from the Western Area Power Administration (Western): and |

WHEREAS, Western has recently published its Energy Planning and Management Program Rules specifying the requirements for preparing and filing of an Integrated Resource Plan (IRP); and

WHEREAS, the municipal utility staff has prepared an IRP Summary Report describing the IRP process used and the information and assumptions used to develop the IRP; and

WHEREAS, our customers were informed of our IRP and resulting Action Plans through various means including a public meeting where public questions and comments were encouraged; and

WHEREAS, any public comments received have been addressed in order to strengthen the city's Integrated Resource Plan; and

WHEREAS, the IRP Summary report included 5-year and 2-year action plans outlining actions to be taken by the Municipal utility during the next several years.

NOW THEREFORE BE IT RESOLVED BY the City of Hillsboro City Commission as follows:

That the "Integrated Resource Plan Summary Report for the City of Hillsboro dated September 2014 shall be approved for filing with Western under the Energy Planning and Management Program."

Passed and approved this 4th Day of August, 2014.

Mark Forseth, Commission President

1

ATTEST:

VI. Pierre, SD Resource Planning

A. City Information

Pierre, located in Hughes County, is the capital of South Dakota and is a community of more than 13,600 individuals located in central South Dakota. The residential sector includes 6,159 housing units, and the median age of the population is 39.3 years. About 13.9% of the population is 65 years of age or older and about 22.9% percent are under 18 years old.

In 2012, the municipal utility had 6,002 residential customers, 1,016 commercial customers, and 182 industrial customers. The residential sector's yearly usage averaged 11,602 kWh per customer in 2012. Commercial customers averaged 25,790 kWh, and industrial customers averaged 484,769 kWh.

The rates for each type of customer are shown on the rate sheet in Exhibit 1. Exhibit 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4, which show the winter and summer peak demand and energy for 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Pierre on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively. The total peak load, including distribution and transformation losses, was 36,264 kW in the winter and 41,902 kW in the summer.

Exhibits 7 and 8 each show the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load remaining flat from midnight to roughly 5 am then increasing till 8 am. The load then begins to decline until 4 pm followed by an increase until 6 pm. The summer peak graph indicates the load increasing from 6 am until peaking at 5 pm. Then a steady decline occurs until 6 am the next day.

Exhibit 1

PIERRE, SOUTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE

| Customer Class | Rate Component | Current Rate |
|-----------------------|---|---|
| Residential | Customer Charge \$/kWh Jun-Aug \$/kWh Sep-May | \$10.00 \$.088 |
| | First 1,000 Over 1,000 | \$.082 \$.072 |
| Small Commercial | Customer Charge \$/kWh Jun-Aug \$/kWh Sep-May | \$19.15 \$.091 \$.085 |
| Large Commercial | Customer Charge \$/kW Jun-Aug \$/kW Sep-May \$/kWh | \$35.00 \$14.60 \$12.75 \$.037 |

Exhibit 2


MRES Seasonal Load Report Pierre, SD Town Gate Load BASE Forecast

1/31/14 2:14 PM Town Gate Load Monthly Splits Historic Through 12/2013

| | | Dema | nd (kW) | | | Energy (kWh) | | | | | |
|--------|--------------|-------------|-------------|--------------|--------|--------------|-------------|-------------|--------------|--|--|
| Summer | Total | <u>WAPA</u> | MRES | Other | Summer | Total | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | | |
| 2001 | 42,055 | 26,952 | 17,139 | 0 | 2001 | 90,599,084 | 62,607,000 | 27,992,084 | 0 | | |
| 2002 | 42,343 | 27,626 | 18,894 | 0 | 2002 | 94,197,912 | 62,607,000 | 31,590,912 | 0 | | |
| 2003 | 41,032 | 26,952 | 17,583 | 0 | 2003 | 91,900,445 | 62,607,000 | 29,293,445 | 0 | | |
| 2004 | 40,774 | 26,952 | 17,325 | 0 | 2004 | 87,644,023 | 62,607,000 | 25,037,023 | 0 | | |
| 2005 | 39,592 | 26,952 | 14,695 | 0 | 2005 | 92,674,224 | 62,607,000 | 30,067,224 | 0 | | |
| 2006 | 44,483 | 27,581 | 21,072 | 0 | 2006 | 100,470,836 | 62,504,000 | 37,966,836 | 0 | | |
| 2007 | 45,525 | 26,908 | 22,114 | 0 | 2007 | 99,044,825 | 62,504,000 | 36,540,825 | 0 | | |
| 2008 | 39,320 | 26,908 | 15,909 | 0 | 2008 | 92,508,453 | 62,504,000 | 30,004,453 | 0 | | |
| 2009 | 39,340 | 26,908 | 14,260 | 0 | 2009 | 91,636,661 | 62,504,000 | 29,132,661 | 0 | | |
| 2010 | 41,154 | 27,581 | 17,274 | 0 | 2010 | 94,580,014 | 62,504,000 | 32,076,014 | 0 | | |
| 2011 | 44,824 | 27,581 | 21,413 | 0 | 2011 | 93,555,860 | 62,504,000 | 31,051,860 | 0 | | |
| 2012 | 44,462 | 26,908 | 21,051 | 0 | 2012 | 96,548,941 | 62,504,000 | 34,044,941 | 0 | | |
| 2013 | 41,902 | 26,908 | 17,931 | 0 | 2013 | 92,862,640 | 62,504,000 | 30,358,640 | 0 | | |
| 2014 | 40,222 | 26,908 | 15,708 | 0 | 2014 | 91,809,772 | 62,504,000 | 29,305,772 | 0 | | |
| 2015 | 40,722 | 26,908 | 16,195 | 0 | 2015 | 92,951,460 | 62,504,000 | 30,447,460 | 0 | | |
| 2016 | 41,222 | 26,993 | 16,681 | 0 | 2016 | 94,093,352 | 62,504,000 | 31,589,352 | 0 | | |
| 2017 | 41,722 | 27,320 | 17,168 | 0 | 2017 | 95,235,454 | 62,504,000 | 32,731,454 | 0 | | |
| 2018 | 42,223 | 27,581 | 17,655 | 0 | 2018 | 96,377,772 | 62,504,000 | 33,873,772 | 0 | | |
| | | Dema | nd (kW) | | | Energy (kWh) | | | | | |
| Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | | |
| 2002 | 34,303 | 19,806 | 16,022 | 0 | 2002 | 88,889,855 | 50,798,000 | 38,091,855 | 0 | | |
| 2003 | 36,457 | 19,806 | 16,651 | 0 | 2003 | 90,983,891 | 50,798,000 | 40,185,891 | 0 | | |
| 2004 | 37,087 | 20,280 | 16,807 | 0 | 2004 | 91,238,344 | 52,354,000 | 38,884,344 | 0 | | |
| 2005 | 35,645 | 20,280 | 15,365 | 0 | 2005 | 90,855,179 | 52,012,000 | 38,843,179 | 0 | | |
| 2006 | 35,521 | 20,236 | 17,782 | 0 | 2006 | 92,948,867 | 51,934,000 | 41,014,867 | 0 | | |
| 2007 | 38,407 | 20,236 | 18,664 | 0 | 2007 | 96,029,369 | 51,899,000 | 44,130,369 | 0 | | |
| 2008 | 37,297 | 20,236 | 17,061 | 0 | 2008 | 97,026,976 | 52,240,000 | 44,786,976 | 0 | | |
| 2009 | 39,668 | 20,236 | 20,837 | 0 | 2009 | 99,272,381 | 51,899,000 | 47,373,381 | 0 | | |
| 2010 | 38,483 | 20,236 | 18,255 | 0 | 2010 | 98,199,947 | 51,899,000 | 46,300,947 | 0 | | |
| 2011 | 38,576 | 20,236 | 18,833 | 0 | 2011 | 99,950,173 | 51,899,000 | 48,051,173 | 0 | | |
| 2012 | 35,648 | 20,236 | 15,683 | 0 | 2012 | 89,298,758 | 52,240,000 | 37,058,758 | 0 | | |
| 2013 | 36,264 | 20,236 | 16,028 | 0 | 2013 | 94,898,050 | 51,899,000 | 42,999,050 | 0 | | |
| 2014 | 36,302 | 20,236 | 18,524 | 0 | 2014 | 96,038,396 | 51,899,000 | 44,139,396 | 0 | | |
| 2015 | 36,753 | 20,236 | 16,517 | 0 | 2015 | 95,295,912 | 51,899,000 | 43,396,912 | 0 | | |
| 2016 | 37,205 | 20,236 | 16,969 | 0 | 2016 | 96,471,473 | 52,240,035 | 44,231,438 | 0 | | |
| 2017 | 37,656 | 20,236 | 17,420 | 0 | 2017 | 97,647,246 | 51,899,000 | 45,748,246 | 0 | | |
| 2018 | 38,108 | 20,236 | 17,872 | 0 | 2018 | 98,823,240 | 51,899,000 | 46,924,240 | 0 | | |

Exhibit 3

Pierre, SD Winter Demand - Town Gate



Pierre, SD Winter Energy - Town Gate





Exhibit 4

Pierre, SD Summer Demand - Town Gate



Pierre, SD Summer Energy - Town Gate




Exhibit 5

Pierre, SD Winter 2012-2013 Half-Hour Load Shape - Town Gate




Exhibit 6

Pierre, SD Summer 2013 Half-Hour Load Shape - Town Gate




Exhibit 7

Pierre, SD Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate





Exhibit 8

Pierre, SD Peak Half-Hour Load Shape, Summer 2013, Town Gate



B. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Pierre is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Pierre to individually study supply-side resources as part of this IRP.

C. Historic DSM Efforts

Pierre has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1 at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Year 🔻 | Program | ¥ | BES or City | O |)uan | In | centive | kW | kWh |
|--------------------|----------------------------------|---|-------------|---------|-------|----|---------|---------|-----------|
| 2009 | □ Cooling | | BES | | 17 | \$ | 2,750 | 4.1 | 6,806 |
| | □ Custom Lighting | | BES | | 2 | \$ | 3,846 | 12.8 | 39,514 |
| | ■ Energy Star Appliance | | BES | | 50 | \$ | 4,471 | 2.4 | 17,175 |
| | ■ Lighting | | BES | | 253 | \$ | 15,104 | 32.5 | 131,483 |
| | ■ Lighting | | BES | | 8 | \$ | 680 | 1.2 | 5,144 |
| | ■ Lighting - New Const | | BES | | 12 | | | 2.8 | 12,264 |
| | ■ Motors | | BES | | 5 | \$ | 2,425 | 12.5 | 46,051 |
| | ■ Res HVAC | | BES | | 9 | \$ | 5,100 | 7.6 | 18,792 |
| | ■ VFDs and Pumps | | BES | | 2 | \$ | 1,800 | 10.1 | 37,210 |
| | ■ Res Lighting | | BES | | 192 | \$ | 288 | 0.8 | 9,600 |
| 2009 Total | | | | | 550 | \$ | 36,463 | 86.9 | 324,039 |
| 2010 | □ CI HVAC | | BES | | 8 | \$ | 400 | 2.6 | 6,576 |
| | ■ Custom Electric Program | | BES | | 7 | \$ | 7,832 | 26.1 | 257,664 |
| | ■ Energy Star Appliance | | BES | | 384 | \$ | 9,991 | 3.0 | 42,758 |
| | ■ Lighting - Retrofit | | BES | | 4556 | \$ | 44,125 | 123.8 | 422,933 |
| | ■ Res HVAC | | BES | | 125 | \$ | 20,900 | 33.3 | 103,138 |
| | ■ Specialty Measures | | BES | | 1 | \$ | 50 | 0.0 | 225 |
| 2010 Total | | | | | 5081 | \$ | 83,297 | 188.9 | 833,294 |
| □ 2011 | ☐ CI HVAC | | BES | | 7 | \$ | 350 | 2.3 | 5,754 |
| | ■ Custom Electric Program | | BES | | 6 | \$ | 3,639 | 15.9 | 38,605 |
| | ■ Energy Star Appliance | | BES | | 172 | \$ | 6,064 | 2.8 | 32,825 |
| | ■ Food Service | | BES | | 1 | \$ | 150 | 0.1 | 790 |
| | ☐ Lighting - New Const ☐ | | BES | | 90 | \$ | 1,052 | 2.1 | 8,717 |
| | ■ Lighting - Retrofit | | BES | | 9753 | \$ | 73,329 | 300.9 | 1,045,426 |
| | ■ Res HVAC | | BES | | 125 | \$ | 12,950 | 21.2 | 90,261 |
| | ■ Specialty Measures | | BES | | 1 | \$ | 50 | 0.0 | 225 |
| | ■ VFDs and Pumps | | BES | | 2 | \$ | 240 | 1.0 | 2,759 |
| | ■ Res Lighting | | BES | | 415 | \$ | 623 | 1.7 | 16,113 |
| 2011 Total | | | | 1 | 10572 | \$ | 98,445 | 348.0 | 1,241,475 |
| 2012 | □ CI HVAC | | BES | | 21 | \$ | 5,460 | 19.7 | 22,182 |
| | ■ Custom Electric Program | | BES | | 5 | \$ | 14,136 | 36.7 | 342,991 |
| | ■ Energy Star Appliance | | BES | | 153 | \$ | 5,845 | 2.8 | 30,813 |
| | ■ Food Service | | BES | | 1 | \$ | 300 | 0.3 | 2,695 |
| | ■ Lighting - New Const | | BES | | 378 | \$ | 8,550 | 27.1 | 97,285 |
| | ■ Lighting - Retrofit | | BES | | 1585 | \$ | 21,805 | 69.3 | 233,001 |
| | ■ Res HVAC | | BES | | 73 | \$ | 7,250 | 16.6 | 40,151 |
| | | | BES | | 2 | \$ | 400 | 2.6 | 7,137 |
| | ☐ Res Lighting ☐ | | BES | | 108 | \$ | 162 | 0.4 | 4,193 |
| 2012 Total | | | | | 2326 | \$ | 63,908 | 175.5 | 780,448 |
| ■ 2013 | ⊕ CI HVAC | | BES | | 5 | \$ | 650 | 1.1 | 19,884 |
| | □ Custom Electric Program | | BES | | 4 | \$ | 2,829 | 9.6 | 28,582 |
| | ■ Energy Star Appliance | | BES | \perp | 162 | \$ | 6,645 | 4.5 | 25,277 |
| | ■ Lighting - New Const | | BES | \perp | 178 | \$ | 6,374 | 23.4 | 64,169 |
| | □ Lighting - Retrofit | | BES | | 5886 | \$ | 39,789 | 129.3 | 404,102 |
| | ■ Res HVAC | | BES | | 243 | \$ | 23,825 | 82.4 | 108,428 |
| | | | BES | \perp | 142 | \$ | 213 | 0.7 | 6,219 |
| | □ Comm Refrigeration | | BES | \perp | 16 | \$ | 840 | 1.7 | 27,645 |
| 2013 Total | | | | | 6636 | \$ | 81,164 | 252.7 | 684,306 |
| Grand Total | | | | 2 | 25165 | \$ | 363,278 | 1,052.0 | 3,863,562 |

D. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Pierre was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

E. Options Chosen – Development of Action Plan

DSMore software was run on each individual measure, and then grouped into programs that MRES is either currently offering (Phase I) or is planning to offer within the next five years (Phase II) as a part of Bright Energy Solutions.

i. Future Actions

It is assumed that Pierre will continue to participate in the Bright Energy Solutions program. Pierre would have virtually no out-of-pocket costs, as MRES will be paying the incentives for all of these programs. It is planned that Pierre will participate in the all of the Bright Energy Solutions programs to the extent possible, with the exception of the residential appliance turn-in measures, where Pierre Utility personnel has identified that participation levels might be reduced due to the lack of market potential and appliance retailers in the area. This assumption was made only to obtain more realistic expectations for the five-year plan, and is certainly not considered to be a cap on participation in the event that the program attracts more participants than anticipated.

Representatives from Pierre plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, Pierre is pursuing participation in the MRES Coordinated Demand Response (CDR) program. The level of future participation is unknown, as implementation of the program has not yet begun.

ii. Milestones

As part of the annual WAPA IRP updates, Pierre will evaluate the progress on these programs. The success will be measured against this 5-year plan, with

adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Quality control, measurement of savings, verification tracking, and program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

F. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will, by definition, decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

G. Public Participation

A preliminary draft of this report was produced on June 17, 2014. A notice of public hearing on IRP was published in the local newspaper on August 1, 2014. The public hearing on the IRP was held at the August 12, 2014 City Commission meeting. A summary of any comments and responses made during the meeting are included in the Appendix. The City Commission approved the resolution on August 12, 2014. A copy of the approved resolution is included in Appendix 2.

| IRP Approval Process | |
|-------------------------------|-----------|
| Preliminary Draft Date | 6/17/2014 |
| Date Published in Paper | 8/1/2014 |
| Public Hearing Date | 8/12/2014 |
| Date Approved by City Council | 8/12/2014 |

Appendix 1 – Detailed DSM Measures Installed

Utility Pierre

| | | | BES | | | | | |
|------|-------------------------|---|------------|--------|----------|-----------|------------|----------|
| | | | or | | | | | |
| Year | Program | Measure | City | Quan | | centive | kW | kWh |
| 2009 | Cooling | CA 1.5 ton | BES | 14 | \$ | 750 | 1.1 | 588 |
| | | CA 2 ton | BES | 2 | | | 0.2 | 84 |
| | | Spilt system 10.2 EER | BES | 1 | \$ | 2,000 | 2.8 | 6,134 |
| | | | | _ | \$ | 2,750 | 4.1 | 6,806 |
| | Custom Lighting | T8 4' 4L low wattage | BES | 1 | \$ | 3,492 | 11.6 | 35,100 |
| | | T8 HB 6L | BES | 1 | \$ | 354 | 1.2 | 4,414 |
| | Foreign Chan Appellance | A NEW/7200TM | D.E.C | 4 | \$ | 3,846 | 12.8 | 39,514 |
| | Energy Star Appliance | Amana NFW7200TW | BES | 1 | \$ | 50 450 | 0.0 | 165 |
| | | ATF7000F | BES | 1 | \$ | 150 10 | 0.1 | 495 |
| | | DDR3009EE DDR5009REE | BES BES | 1 | \$ \$ | 10 | 0.1 0.1 | 92 92 |
| | | Electrolux EWFLW65HTS | BES | 1 1 | ۶ \$ | 50 | 0.0 | 165 |
| | | FAFW3511KW | BES | 1 | ۶ \$ | 50 | 0.0 | 165 |
| | | FDR25S1 | BES | 1 | \$ | 10 | 0.0 | 92 |
| | | Frididaire FAFW3574KW | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire AFT7000FS | BES | 1 | \$ | 100 | 0.1 | 330 |
| | | Frigidaire ATF6700FSI | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire ATF8000FSI | BES | 1 | \$ | 150 | 0.1 | 495 |
| | | - | BES | | , \$ | 25 | 0.0 | 144 |
| | | Frigidaire GLD2445RES Frigidaire GLD4355RES | BES | 1 1 | ۶ \$ | 25 25 | 0.0 | 144 |
| | | GE EWA5600KWV | BES | 1 | ب \$ | 50 | 0.0 | 165 |
| | | GE GDWT160R0SS | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | GE Profile PDW1860NSS | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | GE WPRE6150K2WT | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | GLD4355RFB3 | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | GLD4355RFS3 | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | GU2275XTV | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Kenmore 49962 | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | KUDS30IVSS | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | LG WM2016CW | BES | 1 | \$ | 200 | 0.1 | 660 |
| | | LG WM2233HW | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Maytag MDB6701AWN | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Maytag MDB7851AWB | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Maytag MDC4650AWB1 | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Maytag MHWE500* | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | NFW7200TW | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Samsung WF328AAW | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | WFMC8440UC | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | WFW9450WN | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Whirlpool GU2275XTVBO | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Whirlpool GU2275XTVQ | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Whirlpool PWTW57ESVN | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | WL37T26DU02 | BES | 1 | \$ | 50 | 0.0 | 165 |

| | | WM2016CW | BES | 1 | \$ | 50 | 0.0 | 165 |
|--------|-----------------------------|------------------------|-----|---------|---------|--------|------|---------|
| | | WM2101HW | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | WPGT9150HWW | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | WTW57ESVW | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | WTW6800WW | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | (blank) | BES | (blank) | \$ | 2,416 | 0.7 | 9,417 |
| | | CFL Fixtures and Lamps | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | | | | \$ | 4,471 | 2.4 | 17,175 |
| | Lighting | LED wall mount | BES | 1 | | | 0.0 | 747 |
| | | Occup. Sensors | BES | 33 | | | 2.4 | 9,075 |
| | | Switching controls | BES | 1 | \$ | 106 | 2.7 | 4,832 |
| | | T5 HO 6L | BES | 25 | \$ | 1,750 | 3.7 | 16,075 |
| | | T8 4' 2L | BES | 31 | \$ | 9,627 | 0.5 | 1,705 |
| | | T8 4' 3L | BES | 3 | | | 0.1 | 357 |
| | | T8 4' 4L | BES | 2 | \$ | 126 | 0.7 | 252 |
| | | | | 18 | | | 0.6 | 2,268 |
| | | T8 HB 6L | BES | 3 | | | 0.4 | 1,929 |
| | | | | 27 | \$ | 3,495 | 6.6 | 28,836 |
| | | | | 100 | | | 14.7 | 64,300 |
| | | CFL Fixtures and Lamps | BES | 9 | | | 0.3 | 1,107 |
| | | | | | \$ | 15,104 | 32.5 | 131,483 |
| | Lighting | T8 HB 6L | BES | 8 | \$ | 680 | 1.2 | 5,144 |
| | | | | | \$ | 680 | 1.2 | 5,144 |
| | Lighting - New Const | T5HO 4L | BES | 12 | | | 2.8 | 12,264 |
| | | | | | | | 2.8 | 12,264 |
| | Motors | 5HP Motor | BES | 2 | \$ | 2,425 | 0.1 | 174 |
| | | 7.5HP Motor | BES | 1 | | | 0.1 | 398 |
| | | VFD 15HP | BES | 1 | | | 3.4 | 12,403 |
| | | VFD 40HP | BES | 1 | | | 9.0 | 33,076 |
| | | | | | \$ | 2,425 | 12.5 | 46,051 |
| | Res HVAC | 15 SEER HP | BES | 1 | \$ | 400 | 0.1 | 76 |
| | | 16 SEER HP | BES | 1 | \$ | 400 | 0.1 | 103 |
| | | 16.75 SEER HP | BES | 1 | | | 0.1 | 103 |
| | | ECM motor-ASHP | BES | 1 | | | 0.1 | 968 |
| | | ECM-air handler | BES | 1 | | | 0.1 | 968 |
| | | ECM-gas furnace | BES | 1 | \$ | 550 | 0.5 | 2,433 |
| | | Heat pump-air source | BES | 1 | \$ | 400 | 0.1 | 103 |
| | | (blank) | BES | (blank) | \$ | 3,350 | 6.3 | 14,038 |
| | | | | | \$ | 5,100 | 7.6 | 18,792 |
| | VFDs and Pumps | 20 HP VFD | BES | 1 | | | 4.5 | 16,538 |
| | | 25 HP VFD | BES | 1 | \$ | 1,800 | 5.6 | 20,672 |
| | | | | | \$ | 1,800 | 10.1 | 37,210 |
| | Res Lighting | 192 CFL bulbs | BES | 192 | \$ | 288 | 0.8 | 9,600 |
| | | | | | \$ | 288 | 0.8 | 9,600 |
| 2009 T | | | | | \$ | 36,463 | 86.9 | 324,039 |
| 2010 | CI HVAC | Setback Thermostats | BES | 3 | \$ | 150 | 1.0 | 2,466 |
| | | | | 5 | \$ | 250 | 1.6 | 4,110 |
| | Our training Electric | | | | \$ | 400 | 2.6 | 6,576 |
| | Custom Electric Program | Custom | BES | 1 | \$ | 3,151 | 10.5 | 30,098 |
| | | Custom Lighting | BES | 1 | ڊ \$ | 226 | 0.8 | 1,564 |
| | | Custom Lighting | DES | 1 | ڔ | 220 | 0.6 | 1,304 |

| | Replaced 12 4 lamp F32T8 with 12 2 lamp F28T8. | BES | 1 | \$ | 212 | 0.7 | 517 |
|------------------------------|---|-----|-----|----|-------|------|---------|
| | Replace T8 Lighting with Low Wattage T8 and reflectors. | BES | 1 | \$ | 659 | 2.2 | 5,143 |
| | Replace 6 - 250 watt metal halide w 2 lamp F28T8 fixture Retrofit 88 4 lamp F32T8 fixtures with 2 | | | | | | , |
| | | BES | 1 | \$ | 396 | 1.3 | 193,350 |
| | - F28T8 fixtures Convert 110 - 4 lamp F32T8 to 2 lamp | BES | 1 | \$ | 1,241 | 4.1 | 10,753 |
| | F28T8 | BES | 1 | \$ | 1,947 | 6.5 | 16,239 |
| | | | | \$ | 7,832 | 26.1 | 257,664 |
| Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 50 | 0.0 | 225 |
| | | | 2 | \$ | 100 | 0.0 | 450 |
| | | | 4 | \$ | 200 | 0.1 | 900 |
| | | | 6 | \$ | 300 | 0.1 | 1,350 |
| | | | 8 | \$ | 800 | 0.3 | 3,600 |
| | | | 9 | \$ | 450 | 0.2 | 2,025 |
| | | | 14 | \$ | 700 | 0.3 | 3,150 |
| | | | 15 | \$ | 750 | 0.3 | 3,375 |
| | | | 22 | \$ | 1,100 | 0.4 | 4,552 |
| | | | 29 | \$ | 1,450 | 0.5 | 5,729 |
| | | | 33 | \$ | 1,650 | 0.6 | 6,231 |
| | Energy Star Decorative Lights | BES | 10 | \$ | 35 | 0.0 | 85 |
| | | | 15 | \$ | 53 | 0.0 | 127 |
| | | | 131 | \$ | 459 | 0.0 | 1,108 |
| | Energy Star Dehumidifier | BES | 1 | \$ | 20 | 0.0 | 176 |
| | Energy Star Dishwasher | BES | 1 | \$ | 50 | 0.0 | 274 |
| | | | 2 | \$ | 100 | 0.0 | 548 |
| | | | 4 | \$ | 300 | 0.0 | 1,644 |
| | | | 5 | \$ | 250 | 0.0 | 1,370 |
| | | | 6 | \$ | 150 | 0.0 | 822 |
| | | | 18 | \$ | 450 | 0.0 | 2,286 |
| | | | 23 | ; | 575 | 0.0 | 2,731 |
| | | | | \$ | 9,991 | 3.0 | 42,758 |
| Lighting - Retrofit | Ltng Retrofit _ CFL Fixtures & Lamps | BES | 11 | \$ | 242 | 0.6 | 2,223 |
| gg | | | 54 | \$ | 81 | 1.9 | 6,245 |
| | Ltng Retrofit _ LED & Induction Tech | BES | 1 | \$ | 12 | 0.0 | 166 |
| | zeng neurone _ zeo a maacton reen | 223 | 4 | \$ | 96 | 0.2 | 1,332 |
| | | | 13 | \$ | 480 | 0.2 | 2,846 |
| | Ltng Retrofit Othr Eff Ltg Tech/Unit | BES | 2 | \$ | 40 | 0.1 | 375 |
| | zang nearone _ oan za zag reen, oan | 223 | 6 | \$ | 120 | 0.3 | 1,434 |
| | | | 10 | \$ | 400 | 1.2 | 4,321 |
| | Ltng Retrofit _FIrscnt T8 & T5 w/Elec | | 10 | Y | 400 | 1.2 | 7,321 |
| | Bal | BES | 42 | \$ | 868 | 3.9 | 18,441 |
| | | | 54 | \$ | 1,350 | 4.1 | 17,936 |
| | | | 153 | \$ | 3,090 | 8.7 | 29,211 |
| | | | 204 | \$ | 3,093 | 9.3 | 31,797 |
| | | | 344 | \$ | 7,528 | 22.5 | 80,623 |
| | Ltng Retrofit _ T8 Hi Bay Fixtures w-Elec | | | | | | |
| | Bal | BES | 7 | \$ | 490 | 2.1 | 4,342 |
| | | | 29 | \$ | 2,305 | 6.3 | 19,692 |
| | | | 34 | \$ | 2,890 | 7.5 | 46,441 |

| | | | | 48 | \$ 4,080 | 13.9 | 37,760 |
|-------|------------------------|--|-----|-----|--------------|-------|---------|
| | | | | 84 | \$ 5,880 | 15.4 | 41,278 |
| | | Ltng Retrofit _ Rducd Wtg Flr T8 Lamps | BES | 163 | \$ 82 | 0.6 | 2,288 |
| | | | | 180 | \$ 90 | 0.8 | 3,139 |
| | | | | 425 | \$ 213 | 1.5 | 3,842 |
| | | | | 893 | \$ 447 | 3.7 | 10,462 |
| | | | | 946 | \$ 473 | 3.8 | 11,483 |
| | | Ltng Retrofit _ Rducd Wtg T8 CEE Qual | BES | 24 | \$ 432 | 0.6 | 2,288 |
| | | | | 28 | \$ 250 | 0.4 | 1,369 |
| | | | | 136 | \$ 2,439 | 3.5 | 12,918 |
| | | | | 147 | \$ 1,332 | 2.4 | 6,633 |
| | | | | 485 | \$ 4,373 | 6.2 | 16,695 |
| | | Ltng Retrofit _ Hi Perf T8 CEE Qual Ltng Retrofit _ T5HO Hi Bay Fixtures w- | BES | 20 | \$ 600 | 1.5 | 3,821 |
| | | Elec Bal | BES | 5 | \$ 350 | 0.6 | 1,532 |
| | | | | | \$ 44,125 | 123.8 | 422,933 |
| | Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ 300 | 0.5 | 800 |
| | | | | 2 | \$ 600 | 0.9 | 1,600 |
| | | | | 3 | \$ 450 | 0.7 | 1,200 |
| | | | | 4 | \$ 600 | 0.9 | 1,600 |
| | | | | 5 | \$ 750 | 1.2 | 2,000 |
| | | HVAC Air_Source HP | BES | 1 | \$ 500 | 0.8 | 3,962 |
| | | | | 2 | \$ 500 | 0.8 | 3,962 |
| | | | | 3 | \$ 750 | 1.2 | 5,943 |
| | | | | 6 | \$ 1,500 | 2.4 | 11,886 |
| | | | | 9 | \$ 2,250 | 3.6 | 17,829 |
| | | HVAC Central AC unit | BES | 1 | \$ 600 | 1.7 | 1,108 |
| | | | | 3 | \$ 900 | 2.3 | 1,625 |
| | | | | 5 | \$ 500 | 1.1 | 786 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ 300 | 0.5 | 800 |
| | | | | 2 | \$ 600 | 0.9 | 1,600 |
| | | | | 3 | \$ 900 | 1.4 | 2,400 |
| | | | | 4 | \$ 600 | 0.9 | 1,600 |
| | | | | 5 | \$ 750 | 1.2 | 2,000 |
| | | | | 6 | \$ 900 | 1.4 | 2,400 |
| | | | | 7 | \$ 1,050 | 1.6 | 2,800 |
| | | | | 9 | \$ 1,350 | 2.1 | 3,600 |
| | | | | 12 | \$ 1,800 | 2.8 | 4,800 |
| | | HVAC HP Water Heater HVAC Mini Split_Ductless Air_Source | BES | 1 | \$ 300 | 0.3 | 2,830 |
| | | НР | BES | 2 | \$ 400 | 0.9 | 12,940 |
| | | HVAC Air-Source Heat Pump | BES | 2 | \$ 1,000 | 0.8 | 6,324 |
| | | | | 3 | \$ 750 | 0.6 | 4,743 |
| | | | | | \$ 20,900 | 33.3 | 103,138 |
| | Specialty Measures | Energy Star Clothes Washer | BES | 1 | \$ 50 | 0.0 | 225 |
| | | | | | \$ 50 | 0.0 | 225 |
| 010 T | otal | | | | \$ 83,297 | 188.9 | 833,294 |
| 011 | CI HVAC | Setback Thermostats | BES | 2 | \$ 100 | 0.7 | 1,644 |
| | | | | 5 | \$ 250 | 1.6 | 4,110 |
| | | | | | \$ 350 | 2.3 | 5,754 |
| | Custom Electric | Custom | BES | 1 | \$ 1,499 | 8.7 | 19,066 |
| | | | | | | | |

| Program | | | | | | | |
|------------------------|--|-----|-----|-----------------|---------------------|--------------------|------------------------|
| | Custom Lighting Replace 20 - 4 lamp T8 with 20 - 2 lamp | BES | 1 | \$ | 407 | 1.4 | 3,175 |
| | 28watt T8 Replace 4 lamp T8 with 2 lamp F28T8 | BES | 1 | \$ | 354 | 1.2 | 2,761 |
| | and reflector. Replace 3 - 400 W MH with 3 - 4 lamp | BES | 1 | \$ | 673 | 2.2 | 6,501 |
| | F28T8 fixtures 38 - 3 lamp F32T8 fixtures retrofitted to | BES | 1 | \$ | 329 | 1.1 | 4,168 |
| | 2 lamp F28T8 | BES | 1 | \$ \$ | 376 3,639 | 1.3 15.9 | 2,934 38,605 |
| Energy Star Appliance | Energy Star Ceiling Fans | BES | 1 | \$ | 25 | 0.1 | 151 |
| Lifergy Star Appliance | Energy Star Clothes Washer | BES | 3 | \$ | 300 | 0.1 | 1,350 |
| | Lifeigy Star Clothes washer | DLJ | 4 | \$ | 200 | 0.1 | 900 |
| | | | 5 | \$ | 250 | 0.1 | 1,125 |
| | | | 6 | \$ | 600 | 0.1 | 2,700 |
| | | | 7 | \$ | 350 | 0.3 | 1,575 |
| | | | 8 | \$ | 400 | 0.2 | 1,800 |
| | | | 9 | \$ | 450 | 0.2 | 2,025 |
| | | | 11 | \$ | 550 | 0.2 | 2,023 |
| | | | 14 | \$ | 700 | 0.2 | 3,150 |
| | Energy Star Decorative Lights | BES | 4 | \$ | 14 | 0.0 | 102 |
| | Energy Star Decorative Lights | DLJ | 13 | \$ | 46 | 0.0 | 331 |
| | | | 14 | \$ | 49 | 0.0 | 356 |
| | Energy Star Dehumidifier | BES | 1 | \$ | 30 | 0.1 | 264 |
| | Energy Star Dishwasher | BES | 1 | \$ | 75 | 0.0 | 411 |
| | Energy Star Distinusiner | DLJ | 3 | \$ | 150 | 0.0 | 822 |
| | | | 4 | \$ | 200 | 0.0 | 1,096 |
| | | | 5 | \$ | 375 | 0.0 | 2,055 |
| | | | 6 | \$ | 150 | 0.0 | 822 |
| | Energy Star Refrigerators | BES | 1 | \$ | 200 | 0.2 | 1,620 |
| | Energy Star Nerrigerators | DLJ | 2 | \$ | 200 | 0.2 | 1,620 |
| | | | 3 | \$ | 300 | 0.3 | 2,430 |
| | | | 4 | \$ | 200 | 0.2 | 1,620 |
| | | | 5 | \$ | 250 | 0.2 | 2,025 |
| | | | 3 | \$ | 6,064 | 2.8 | 32,825 |
| Food Service | ES Comm Solid Door Refrigerators | BES | 1 | \$ | 150 | 0.1 | 790 |
| | 20 Committee and 2001 Herrigan Actions | | _ | \$ | 150 | 0.1 | 790 |
| Lighting - New Const | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 24 | \$ | 600 | 1.0 | 4,470 |
| 8 | Ltng NC Low Watt T8 Fixture | BES | 66 | \$ | 452 | 1.2 | 4,247 |
| | | | | \$ | 1,052 | 2.1 | 8,717 |
| Lighting - Retrofit | Ltng Retro CFL Fixtures & Lamps | BES | 8 | \$ | 12 | 0.4 | 1,171 |
| 8 | 2018 Hear 6 _ 01 2 1 Mear 65 61 2011 ps | | 10 | \$ | 15 | 0.4 | 1,640 |
| | | | 18 | \$ | 27 | 0.8 | 2,951 |
| | | | 238 | \$ | 357 | 12.8 | 34,852 |
| | Ltng Retro _ Hi Perf T8 Replacing | | _55 | 7 | | | 3 .,032 |
| | Specific Fixtures | BES | 23 | \$ | 690 | 2.3 | 8,488 |
| | | | 636 | \$ | 18,200 | 60.1 | 245,605 |
| | Ltng Retro _ LED & Induction Tech | BES | 1 | \$ | 12 | 0.0 | 166 |
| | | | 2 | \$ | 48 | 0.1 | 666 |
| | | | 7 | \$ | 84 | 0.1 | 1,165 |
| | | | 12 | \$ | 144 | 0.2 | 1,997 |

| | | | 15 | \$ | 180 | 0.3 | 2,496 |
|----------|--|-----|------|----|--------|-------|-----------|
| | | | 21 | \$ | 460 | 0.9 | 4,023 |
| | | | 27 | \$ | 532 | 1.3 | 4,681 |
| L | tng Retro _ Othr Eff Ltg Tech/Unit | BES | 5 | \$ | 100 | 0.3 | 1,068 |
| L | tng Retro _ Rducd Wtg Flr T8 Lamps | BES | 16 | \$ | 8 | 0.1 | 207 |
| | | | 76 | \$ | 38 | 0.3 | 881 |
| | | | 113 | \$ | 57 | 0.4 | 1,448 |
| | | | 126 | \$ | 63 | 0.4 | 1,634 |
| | | | 142 | \$ | 71 | 0.6 | 1,722 |
| | | | 234 | \$ | 117 | 8.0 | 2,348 |
| | | | 588 | \$ | 294 | 2.3 | 7,665 |
| | | | 640 | \$ | 320 | 2.4 | 7,367 |
| | | | 684 | \$ | 342 | 2.4 | 8,867 |
| | | | 2862 | \$ | 1,431 | 12.0 | 48,560 |
| L | tng Retro _ Rducd Wtg T8 CEE Qual | BES | 6 | \$ | 42 | 0.1 | 430 |
| | | | 12 | \$ | 108 | 0.3 | 1,235 |
| | | | 18 | \$ | 261 | 0.8 | 3,112 |
| | | | 153 | \$ | 1,692 | 5.0 | 12,002 |
| L | tng Retro _ T5HO Hi Bay Fix w-Elec Bal | BES | 24 | \$ | 2,160 | 5.5 | 20,132 |
| L | tng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 2 | \$ | 140 | 0.4 | 960 |
| | | | 4 | \$ | 340 | 0.9 | 2,835 |
| | | | 10 | \$ | 700 | 1.5 | 5,376 |
| | | | 12 | \$ | 1,020 | 2.7 | 6,400 |
| | | | 16 | \$ | 1,360 | 3.5 | 11,339 |
| | | | 17 | \$ | 1,445 | 3.8 | 9,378 |
| | | | 61 | \$ | 5,185 | 13.7 | 32,533 |
| L | tng Retro _Firscnt T8 & T5 w/Elec Bal | BES | 8 | \$ | 193 | 0.5 | 2,291 |
| | , | | 12 | \$ | 300 | 1.0 | 3,166 |
| | | | 43 | \$ | 1,005 | 2.7 | 11,982 |
| | | | 58 | \$ | 1,450 | 3.9 | 16,202 |
| | | | 68 | \$ | 1,399 | 4.3 | 15,921 |
| | | | 115 | \$ | 2,875 | 9.3 | 44,683 |
| | | | 153 | \$ | 2,545 | 7.3 | 26,618 |
| | | | 204 | \$ | 2,857 | 7.5 | 29,320 |
| | | | 318 | \$ | 6,256 | 17.4 | 76,483 |
| | | | 338 | \$ | 6,510 | 19.0 | 67,334 |
| L | tng Retro_CFL Reflector Flood | BES | 21 | \$ | 168 | 2.5 | 8,808 |
| | | | 43 | \$ | 344 | 5.5 | 17,138 |
| | | | 831 | \$ | 3,324 | 58.2 | 155,646 |
| L | tng Retro Low Watt T8 Fixture | BES | 4 | \$ | 36 | 0.1 | 407 |
| | 5 _ | | 35 | \$ | 253 | 0.9 | 2,501 |
| | | | 169 | \$ | 1,836 | 7.0 | 19,115 |
| L | tng Retro_Rducd Wtg T8 Fixture | BES | 11 | \$ | 99 | 0.4 | 1,022 |
| | | | 15 | \$ | 180 | 0.6 | 1,647 |
| | | | 147 | \$ | 1,656 | 5.3 | 19,366 |
| | | | 255 | \$ | 1,988 | 7.2 | 28,376 |
| | | | 233 | \$ | 73,329 | 300.9 | 1,045,426 |
| Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 450 | 0.7 | 1,200 |
| , | | | 2 | \$ | 300 | 0.5 | 800 |
| | | | 4 | \$ | 600 | 0.9 | 1,600 |
| | | | • | ~ | 200 | 3.3 | _,000 |
| | | | | | | | |

| | | HVAC Air_Source HP | BES | 1 | \$ | 500 | 0.8 | 3,962 |
|---------|-----------------------|---|-----|--------|----------------|------------|-------|-----------------------|
| | | | | 2 | \$ | 1,500 | 2.4 | 11,886 |
| | | | | 3 | \$ | 750 | 1.2 | 5,943 |
| | | HVAC Central AC unit | BES | 1 | \$ | 100 | 0.2 | 154 |
| | | | | 2 | \$ | 800 | 2.2 | 1,556 |
| | | | | 3 | \$ | 900 | 2.7 | 1,918 |
| | | | | 4 | \$ | 400 | 0.8 | 546 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ | 300 | 0.5 | 800 |
| | | | | 2 | \$ | 600 | 0.9 | 1,600 |
| | | | | 3 | \$ | 900 | 1.4 | 2,400 |
| | | | | 4 | \$ | 600 | 0.9 | 1,600 |
| | | | | 5 | \$ | 750 | 1.2 | 2,000 |
| | | | | 10 | \$ | 1,500 | 2.3 | 4,000 |
| | | HVAC Mini Split_Ductless Air_Source | | | | | | |
| | | HP | BES | 1 | \$ | 400 | 0.9 | 12,940 |
| | | | | 2 | \$ | 400 | 0.9 | 12,940 |
| | | Programmable Thermostat - AC Only | BES | 1 | \$ | 50 | 0.0 | 374 |
| | | | | 2 | \$ | 50 | 0.0 | 374 |
| | | Programmable Thermostat - Elec Heat | | | | | | |
| | | w/AC | BES | 1 | \$ | 50 | 0.0 | 4,544 |
| | | Programmable Thermostat - Heat Pump | BES | 1 | \$ | 75 | 0.0 | 3,342 |
| | | | | 3 | \$ | 75 | 0.0 | 3,342 |
| | | Drogrammable Thermestat NON Flee | | 4 | \$ | 100 | 0.0 | 4,456 |
| | | Programmable Thermostat - NON Elec- Gas w/AC | BES | 1 | \$ | 50 | 0.0 | 374 |
| | | das W/AC | DLJ | 2 | \$ | 50 | 0.0 | 374 |
| | | | | 3 | \$ | 225 | 0.0 | 1,683 |
| | | | | 4 | \$ | 100 | 0.0 | 748 |
| | | | | 7 | \$ | 175 | 0.0 | 1,309 |
| | | | | 8 | ۶ \$ | 200 | 0.0 | 1,496 |
| | | | | 0 | \$ | 12,950 | 21.2 | 90,261 |
| | Specialty Measures | Energy Star Clothes Washer | BES | 1 | , \$ | 50 | 0.0 | 225 |
| | Specialty Weasures | Lifelgy Star Clothes Washer | DLS | 1 | \$ | 50 | 0.0 | 225 225 |
| | VFDs and Pumps | Variable Freq Drives | BES | 2 | ب \$ | 240 | 1.0 | 2,759 |
| | VI D3 and Fullips | variable freq brives | DLS | 2 | \$ | 240 | 1.0 | 2,759 2,759 |
| | Res Lighting | CFL Fixtures and Lamps | BES | 415 | , \$ | 623 | 1.7 | 16,113 |
| | Nes Lighting | CIL Fixtures and Lamps | DLS | 413 | \$ | 623 | 1.7 | 16,113 |
| 2011 To | ntal | | | | \$ | 98,445 | 348.0 | 1,241,475 |
| 2011 | CI HVAC | ECM in Por Style Europee | BES | - | \$ | 900 | 1.4 | |
| 2012 | CITIVAC | ECM in Res Style Furnace Setback Thermostats | BES | 6 4 | ۶ \$ | 200 | 1.4 | 2,400 3,288 |
| | | Setback/Programmable Thermostats | BES | 6 | ۶ \$ | 300 | 0.0 | 5,292 |
| | | Unitary Air Cooled Split System AC | BES | 2 | ۶ \$ | 2,500 | 9.7 | 4,128 |
| | | Unitary Single Pkgd AC | BES | 3 | ۶ \$ | | 7.3 | 7,074 |
| | | Officary Single Pkgu AC | DES | 3 | | 1,560 | | |
| | Custom Electric | | | | \$ | 5,460 | 19.7 | 22,182 |
| | Program | Custom Lighting | BES | 1 | \$ | 2,546 | 8.5 | 30,669 |
| | Ü | Geothermal - large system new | | | | , | | , |
| | | construction | BES | 1 | \$ | 11,484 | 27.9 | 311,402 |
| | | Replace 6 - 4 lamp F32T8 with 6 - 2 | | | | | _ | |
| | | lamp F28T8 Nema Premium. | BES | 1 | \$ | 106 | 0.4 | 920 |
| | | | | _ | \$ | 14,136 | 36.7 | 342,991 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 50 | 0.0 | 225 |
| | | | | | | | | |

| | | | 4 | \$ 600 | 0.3 | 2,700 |
|----------------------|---------------------------------------|-----|-----|-------------|------|--------|
| | | | 5 | \$ 250 | 0.1 | 1,125 |
| | | | 6 | \$ 1,200 | 0.5 | 5,400 |
| | | | 8 | \$ 400 | 0.2 | 1,800 |
| | | | 10 | \$ 500 | 0.2 | 2,250 |
| | | | 15 | \$ 750 | 0.3 | 3,375 |
| | Energy Star Decorative Lights | BES | 10 | \$ 35 | 0.0 | 255 |
| | Energy Star Dehumidifier | BES | 1 | \$ 10 | 0.0 | 88 |
| | | | 3 | \$ 30 | 0.1 | 264 |
| | Energy Star Dishwasher | BES | 1 | \$ 25 | 0.0 | 137 |
| | | | 2 | \$ 100 | 0.0 | 548 |
| | | | 3 | \$ 225 | 0.0 | 1,233 |
| | | | 4 | \$ 300 | 0.0 | 1,644 |
| | | | 5 | \$ 125 | 0.0 | 685 |
| | | | 6 | \$ 300 | 0.0 | 1,644 |
| | Energy Star Refrigerators | BES | 1 | \$ 150 | 0.1 | 1,215 |
| | | | 2 | \$ 200 | 0.2 | 1,620 |
| | | | 3 | \$ 150 | 0.1 | 1,215 |
| | | | 4 | \$ 400 | 0.4 | 3,240 |
| | Energy Star Room AC | BES | 1 | \$ 15 | 0.1 | 50 |
| | | | 2 | \$ 30 | 0.2 | 100 |
| | | | | \$ 5,845 | 2.8 | 30,813 |
| Food Service | ES Ice Machines | BES | 1 | \$ 300 | 0.3 | 2,695 |
| | | | | \$ 300 | 0.3 | 2,695 |
| Lighting - New Const | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 24 | \$ 1,200 | 4.6 | 25,751 |
| | ° - ' | | 171 | \$ 6,600 | 19.4 | 63,177 |
| | Ltng NC _ T8 4ft Hi Performance | BES | 183 | \$ 750 | 3.1 | 8,357 |
| | <u> </u> | | | \$ 8,550 | 27.1 | 97,285 |
| Lighting - Retrofit | Ltng Retro _ CFL Fixtures & Lamps | BES | 12 | \$ 18 | 0.5 | 1,967 |
| | Ltng Retro _ CFL Reflector Flood | BES | 26 | \$ 104 | 1.5 | 5,452 |
| | <u> </u> | | 31 | \$ 124 | 1.8 | 6,501 |
| | Ltng Retro Firscnt T8 & T5 w/Elec Bal | BES | 15 | \$ 270 | 0.8 | 2,715 |
| | _ | | 24 | \$ 242 | 0.6 | 1,800 |
| | | | 29 | \$ 474 | 1.2 | 5,103 |
| | | | 59 | \$ 589 | 1.5 | 5,977 |
| | | | 96 | \$ 2,400 | 6.4 | 28,359 |
| | | | 125 | \$ 1,502 | 4.1 | 15,378 |
| | | | 126 | \$ 1,610 | 4.1 | 15,489 |
| | Ltng Retro _ Hi Perf T8 Replacing | | | | | |
| | Specific Fixtures | BES | 6 | \$ 180 | 0.6 | 1,635 |
| | Ltng Retro _ LED & Induction Tech | BES | 1 | \$ 12 | 0.0 | 166 |
| | | | 3 | \$ 36 | 0.1 | 499 |
| | | | 5 | \$ 120 | 0.2 | 1,664 |
| | | | 13 | \$ 156 | 0.2 | 2,164 |
| | | | 80 | \$ 1,200 | 4.4 | 12,042 |
| | Ltng Retro _ Rducd Wtg Flr T8 and | | 144 | \$ 2,160 | 8.0 | 21,675 |
| | T5HO Lamps | BES | 46 | \$ 23 | 0.2 | 596 |
| | | | 192 | \$ 96 | 0.7 | 2,489 |
| | Ltng Retro _ Rducd Wtg Flr T8 Lamps | BES | 176 | \$ 88 | 0.8 | 2,038 |
| | Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 7 | \$ 63 | 0.2 | 721 |
| | | | | | | |

| | | | | 51 | \$ | 792 | 2.6 | 9,482 |
|--------|------------------------------|---|-----|-----|----|------------|-------|----------------|
| | | | | 104 | \$ | 1,872 | 6.1 | 22,603 |
| | | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 3 | \$ | 255 | 0.9 | 2,360 |
| | | | | 25 | \$ | 1,885 | 4.8 | 14,799 |
| | | | | 29 | \$ | 2,465 | 6.5 | 17,045 |
| | | Ltng Retro _Flrscnt T8 & T5 w/Elec Bal | BES | 88 | \$ | 2,088 | 6.8 | 22,188 |
| | | Ltng Retro_Rducd Wtg T8 Fixture | BES | 64 | \$ | 981 | 3.7 | 10,094 |
| | | | | | \$ | 21,805 | 69.3 | 233,001 |
| | Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 450 | 0.7 | 1,200 |
| | | HVAC Air_Source HP | BES | 2 | \$ | 500 | 0.8 | 3,962 |
| | | HVAC Air_Source HP - 14.5 SEER | BES | 1 | \$ | 750 | 0.6 | 4,743 |
| | | HVAC Central AC unit | BES | 1 | \$ | 500 | 3.0 | 1,748 |
| | | | | 2 | \$ | 600 | 2.9 | 1,792 |
| | | | | 3 | \$ | 300 | 2.1 | 1,149 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ | 300 | 0.5 | 800 |
| | | | | 2 | \$ | 1,200 | 1.8 | 3,200 |
| | | | | 3 | \$ | 1,350 | 2.1 | 3,600 |
| | | | | 4 | \$ | 600 | 0.9 | 1,600 |
| | | Programmable Thermostat - Elec Heat | | | • | | | , |
| | | w/AC | BES | 1 | \$ | 25 | 0.1 | 2,272 |
| | | | | 3 | \$ | 75 | 0.0 | 6,816 |
| | | Programmable Thermostat - Heat Pump Programmable Thermostat - Propane, | BES | 1 | \$ | 75 | 0.0 | 3,342 |
| | | Fuel Oil, Boiler w/AC | BES | 1 | \$ | 125 | 0.2 | 935 |
| | | raci on, Boner wyrto | 525 | 2 | \$ | 150 | 0.4 | 1,122 |
| | | | | 3 | \$ | 150 | 0.3 | 1,122 |
| | | | | 4 | \$ | 100 | 0.2 | 748 |
| | | | | - | \$ | 7,250 | 16.6 | 40,151 |
| | VFDs and Pumps | Variable Freq Drives | BES | 2 | \$ | 400 | 2.6 | 7,137 |
| | VI D3 una i umps | variable freq Brives | DLJ | _ | \$ | 400 | 2.6 | 7,137 7,137 |
| | Res Lighting | CFL Fixtures and Lamps | BES | 108 | \$ | 162 | 0.4 | 4,193 |
| | Nes Eighting | er E rixtures and Earnips | DLJ | 100 | \$ | 162 | 0.4 | 4,193 |
| 2012 T | ntal | | | | \$ | 63,908 | 175.5 | 780,448 |
| 2013 | CI HVAC | ECM in Res Style Furnace | BES | 1 | \$ | 150 | 0.2 | 400 |
| 2013 | CITIVAC | Mini Split Ductless Air Source HP | BES | 1 | \$ | 400 | 0.9 | 12,940 |
| | | Setback/Programmable Thermostats | BES | 2 | \$ | 100 | 0.0 | 6.544 |
| | | Setbacky Frogrammable mermostats | DLJ | 2 | \$ | 650 | 1.1 | 19,884 |
| | Custom Electric | | | | • | | | |
| | Program | Custom Lighting | BES | 1 | \$ | 2,829 | 9.6 | 28,582 |
| | | | | | \$ | 2,829 | 9.6 | 28,582 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 50 | 0.0 | 131 |
| | | | | 3 | \$ | 150 | 0.1 | 393 |
| | | | | 6 | \$ | 1,200 | 0.4 | 3,144 |
| | | | | 7 | \$ | 350 | 0.1 | 917 |
| | | | | 8 | \$ | 800 | 0.3 | 2,096 |
| | | | | 9 | \$ | 450 | 0.2 | 1,179 |
| | | | | 10 | \$ | 500 | 0.2 | 1,310 |
| | | | | 15 | \$ | 750 | 0.3 | 1,965 |
| | | Energy Star Decorative Lights | BES | 7 | \$ | 25 | 0.0 | 547 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 10 | 0.1 | 90 |
| | | . . | | 2 | \$ | 20 | 0.2 | |
| | | | | | Ų | 20 | 0.2 | 180 |

| | Energy Star Dishwasher | BES | 1 | \$ | 50 | 0.1 | 120 |
|----------------------|------------------------------------|-----|------|----|--------|------|---------|
| | | | 2 | \$ | 200 | 0.3 | 480 |
| | | | 3 | \$ | 75 | 0.1 | 180 |
| | | | 4 | \$ | 100 | 0.1 | 240 |
| | | | 5 | \$ | 375 | 0.6 | 900 |
| | | | 7 | \$ | 175 | 0.3 | 420 |
| | Energy Star Refrigerators | BES | 1 | \$ | 300 | 0.3 | 2,430 |
| | | | 2 | \$ | 200 | 0.2 | 1,620 |
| | | | 4 | \$ | 600 | 0.6 | 4,860 |
| | | | 5 | \$ | 250 | 0.2 | 2,025 |
| | Energy Star Room AC | BES | 1 | \$ | 15 | 0.1 | 50 |
| | | | | \$ | 6,645 | 4.5 | 25,277 |
| Lighting - New Const | CEE Qual T8 4ft Low Wattage System | BES | 21 | \$ | 189 | 0.5 | 1,196 |
| | Hi Bay Occupancy Sensor Control | BES | 16 | \$ | 160 | 0.7 | 3,851 |
| | LED Energy Star Recessed Downlight | BES | 24 | \$ | 600 | 1.3 | 4,786 |
| | T8 4ft Hi Bay Fixture | BES | 2 | \$ | 100 | 0.3 | 711 |
| | | | 6 | \$ | 300 | 0.9 | 2,235 |
| | | | 17 | \$ | 850 | 3.4 | 7,030 |
| | | | 20 | \$ | 1,000 | 3.9 | 10,625 |
| | | | 72 | \$ | 3,175 | 12.4 | 33,735 |
| | | | | \$ | 6,374 | 23.4 | 64,169 |
| Lighting - Retrofit | LED & Induction Tech | BES | 1 | \$ | 12 | 0.0 | 150 |
| | | | 3 | \$ | 36 | 0.1 | 499 |
| | | | 34 | \$ | 525 | 1.0 | 5,956 |
| | | | 35 | \$ | 525 | 1.7 | 5,825 |
| | | | 47 | \$ | 955 | 2.9 | 7,764 |
| | | | 165 | \$ | 2,535 | 9.1 | 25,129 |
| | | | 677 | \$ | 10,155 | 37.5 | 101,903 |
| | Othr Eff Ltg Tech - per Unit | BES | 3 | \$ | 60 | 0.2 | 717 |
| | | | 5 | \$ | 100 | 0.3 | 1,195 |
| | Rducd Wtg T8 Lamps ONLY | BES | 2 | \$ | 2 | 0.0 | 26 |
| | | | 36 | \$ | 36 | 0.1 | 467 |
| | | | 64 | \$ | 64 | 0.2 | 830 |
| | | | 460 | \$ | 460 | 2.0 | 5,326 |
| | | | 576 | \$ | 576 | 2.3 | 7,468 |
| | | | 1080 | \$ | 1,080 | 3.2 | 8,478 |
| | | | 1542 | \$ | 1,542 | 4.7 | 12,626 |
| | Reduced Wtg T8 4ft CEE Qual | BES | 3 | \$ | 27 | 0.1 | 309 |
| | | | 28 | \$ | 252 | 0.8 | 2,883 |
| | | | 66 | \$ | 792 | 3.1 | 8,316 |
| | | | 84 | \$ | 736 | 2.3 | 8,381 |
| | | | 245 | \$ | 4,392 | 13.5 | 33,040 |
| | T8 4ft w/ Bal and Reflectors | BES | 2 | \$ | 100 | 0.3 | 1,305 |
| | | | 11 | \$ | 240 | 0.7 | 2,888 |
| | | | 26 | \$ | 650 | 2.1 | 6,860 |
| | | | 32 | \$ | 800 | 2.1 | 9,453 |
| | | | 44 | \$ | 1,100 | 2.9 | 12,998 |
| | | | 58 | \$ | 1,359 | 3.8 | 15,974 |
| | | | 288 | \$ | 7,200 | 21.1 | 80,912 |
| | T8 4ft w/Elec Bal | BES | 3 | \$ | 18 | 0.0 | 96 |
| | - , | | - | т. | | | |

| Grand Total | | | | \$ | 363,278 | 1,052.0 | 3,863,562 |
|---------------------|---|-----|--------|----------|--------------|------------|----------------|
| 2013 Total | | | | \$ | 81,164 | 252.7 | 684,306 |
| | | | | \$ | 840 | 1.7 | 27,645 |
| - | ECM Fan Motor for Cooler-Freezer | BES | 15 | \$ | 660 | 1.6 | 18,489 |
| Comm Refrigeration | Anti_sweat heater control | BES | 1 | \$ | 180 | 0.2 | 9,156 |
| 5 · 6 | r - | - | | \$ | 213 | 0.7 | 6,219 |
| Res Lighting | CFL Fixtures and Lamps | BES | 142 | \$ | 213 | 0.7 | 6,219 |
| | | | | \$ | 23,825 | 82.4 | 108,428 |
| | | | 13 | \$ | 325 | 1.3 | 2,431 |
| | | | 12 | \$ | 600 | 2.3 | 4,488 |
| | | | 11 | ۶ \$ | 275 | 1.1 | 2,057 |
| | | | 10 | \$ \$ | 250 | 1.0 | 1,490 |
| | | | 3 4 | \$ \$ | 200 | 0.8 | 1,496 |
| | i dei Oil, bollet W/AC | DES | 2 3 | \$ \$ | 75 | 0.4 | 748 561 |
| | Programmable Thermostat - Propane, Fuel Oil, Boiler w/AC | BES | າ | \$ | 100 | 0.4 | 748 |
| | Drogrammable Thereses to the Survey | | 3 | \$ | 150 | 0.6 | 6,684 |
| | | | 2 | \$ | 50 | 0.2 | 2,228 |
| | Programmable Thermostat - Heat Pump | BES | 1 | \$ | 50 | 0.2 | 2,228 |
| | НР | BES | 1 | \$ | 200 | 0.4 | 6,470 |
| | HVAC Mini Split_Ductless Air_Source | | | | | | |
| | | | 14 | \$ | 4,200 | 6.4 | 11,200 |
| | | | 13 | \$ | 1,950 | 3.0 | 5,200 |
| | | | 11 | \$ | 3,300 | 5.1 | 8,800 |
| | | | 6 | \$ | 900 | 1.4 | 2,400 |
| | | | 3 | \$ | 900 | 1.4 | 2,400 |
| | | - | 2 | \$ | 600 | 0.9 | 1,600 |
| | HVAC HE Furnace with ECM | BES | 1 | \$ | 300 | 0.5 | 800 |
| | | | 12 | \$ | 1,200 | 9.8 | 5,359 |
| | | | 11 | \$ | 2,200 | 18.7 | 10,214 |
| | | | 10 | \$ | 1,000 | 7.9 | 4,311 |
| | | | 9 | \$ | 900 | 7.5 | 4,085 |
| | | | 5 | ۶ \$ | 500 | 4.0 | 2,181 |
| | | JLJ | 2 | ۶ \$ | 400 | 3.2 | 1,746 |
| | HVAC Central AC unit | BES | 1 | \$ \$ | 200 | 1.2 | 4,743 642 |
| | | | 2 3 | \$ \$ | 1,000 750 | 0.8 0.6 | 6,324 4,743 |
| | HVAC Air_Source HP - 14.5 SEER | BES | 1 | \$ \$ | 500 1.000 | 0.4 | 3,162 6,224 |
| | UNIAC Alta Carrana US 114 E CEED | DEC | 2 | \$ | 300 | 0.5 | 800 |
| Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 450 | 0.7 | 1,200 |
| B 10 | | 555 | ٠ | \$ | 39,789 | 129.3 | 404,102 |
| | | | 9 | \$ | 765 | 2.0 | 4,965 |
| | T8 Hi Bay Fixtures w/ 4ft Lamps | BES | 4 | \$ | 340 | 1.2 | 3,147 |
| | | | 21 | \$ | 84 | 1.4 | 5,328 |
| | CFL Fixtures and Lamps | BES | 10 | \$ | 40 | 0.7 | 1,873 |
| | | | 98 | \$ | 1,211 | 3.1 | 11,339 |
| | | | 36 | \$ | 223 | 0.5 | 1,990 |
| | | | 26 | \$ | 268 | 0.8 | 3,008 |
| | | | 24 | \$ | 457 | 1.3 | 4,037 |
| | | | 12 | \$ | 72 | 0.2 | 641 |
| | | | | | | | |

Appendix 2 - Pierre Resolution

RESOLUTION NO. 2526

- **WHEREAS,** the City of Pierre purchases a significant portion of its power supply from the Western Area Power Administration (Western); and
- WHEREAS, Western has recently published its Energy Planning and Management Program Rules specifying the requirements for preparing and filing of an Integrated Resource Plan (IRP); and
- WHEREAS, the municipal utility staff has prepared an IRP Summary Report describing the IRP process used and the information and assumptions used to develop the IRP; and
- WHEREAS, our customers were informed of our IRP and resulting Action Plans through various means including a public meeting where public questions and comments were encouraged; and
- WHEREAS, any public comments received have been addresses in order to strengthen the city's Integrated Resource Plan; and
- WHEREAS, the IRP Summary Report included 5-year and 2-year action plans outlining actions to be taken by the Municipal utility during the next several years
- NOW THEREFORE BE IT RESOLVED BY the City of Pierre City Commission as follows:

That the "Integrated Resource Plan Summary Report for the City of Pierre shall be approved for filing with Western under the Energy Planning and Management Program."

Passed and approved this 12th day of August, 2014.

(SEAL)

Laurie R. Gill, Mayor

Twila Hight, Finance Officer

VII. Vermillion, SD Resource Planning

A. City Information

Vermillion, located in Clay County, is a community of more than 10,500 individuals located in southeastern South Dakota. Municipal services include electricity, water, and sewer services. The City is the home of the University of South Dakota. The City has many large employers. The three largest are the University of South Dakota (800 employees) and Sanford Health (233 employees). Other major employers (each employing between 100 and 160 people) include Hy-Vee, Polaris Industries, Vermillion City, Vermillion School District, and Wal-Mart.

In 2013, the municipal utility had 3,972 residential customers, and 497 commercial customers. The residential sector's yearly usage averaged 7,962 kWh per customer in 2012, and commercial customers averaged 68,785 kWh.

The rates for each type of customer are shown on the rate sheet on Exhibit 1. Exhibit 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4, which show the winter and summer peak demand and energy for the seasons 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Vermillion on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively. The total peak load, including distribution and transformation losses, was 11,218 kW in the winter and 16,562 kW in the summer.

Exhibits 7 and 8 each shows the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load decreasing from midnight to roughly 5 am and then increasing till 9 am. The load then begins to level off until a brief upswing at 6 pm followed by a steady decline until 5 am the next day. The summer peak graph indicates the load increasing from 6 am until peaking at 5 pm. Then a steady decline occurs until 6 am the next day.

VERMILLION, SOUTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE


| Customer Class | Rate Component | Current Rate | | | | | | |
|---|---|---|--|--|--|--|--|--|
| Residential | Customer Charge \$/kWh Jun-Aug \$/kWh Sep-May | \$9.00 \$.098 \$.089 | | | | | | |
| Small Commercial - Single Phase | | | | | | | | |
| o de la companya de | Customer Charge \$/kWh Jun-Aug \$/kWh Sep-May | \$15.00 \$.098 \$.093 | | | | | | |
| Small Commercial - Three | Phase | | | | | | | |
| | Customer Charge \$/kWh Jun-Aug \$/kWh Sep-May | \$25.00 \$.098 \$.093 | | | | | | |
| Large Commercial | Customer Charge \$/kW Jun-Aug \$/kW Sep-May \$/kWh | \$33.00 \$13.30 \$11.30 \$.039 | | | | | | |

MRES Seasonal Load Report Vermillion, SD Town Gate Load BASE Forecast 1/31/14 2:14 PM Town Gate Load Monthly Splits Historic Through 12/2013

| | | Dema | and (kW) | | | | Energy (k | Wh) | |
|--------|--------------|-------------|-------------|--------------|--------|--------------|-------------|-------------|--------------|
| Summer | <u>Total</u> | <u>WAPA</u> | MRES | <u>Other</u> | Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> |
| 2001 | 14,745 | 10,814 | 4,421 | 0 | 2001 | 30,191,469 | 23,108,000 | 7,083,469 | 0 |
| 2002 | 14,288 | 10,814 | 3,744 | 0 | 2002 | 32,425,643 | 23,108,000 | 9,317,643 | 0 |
| 2003 | 13,964 | 10,814 | 3,640 | 0 | 2003 | 30,577,524 | 23,108,000 | 7,469,524 | 0 |
| 2004 | 13,995 | 10,814 | 3,213 | 0 | 2004 | 30,168,255 | 23,108,000 | 7,060,255 | 0 |
| 2005 | 14,533 | 10,814 | 4,209 | 0 | 2005 | 34,211,154 | 23,108,000 | 11,103,154 | 0 |
| 2006 | 16,132 | 10,796 | 5,336 | 0 | 2006 | 35,071,534 | 23,071,000 | 12,000,534 | 0 |
| 2007 | 15,424 | 10,796 | 4,811 | 0 | 2007 | 36,243,138 | 23,071,000 | 13,172,138 | 0 |
| 2008 | 14,746 | 10,796 | 4,273 | 0 | 2008 | 34,110,666 | 23,071,000 | 11,039,666 | 0 |
| 2009 | 14,776 | 10,796 | 4,469 | 0 | 2009 | 32,871,257 | 23,071,000 | 9,800,257 | 0 |
| 2010 | 15,619 | 10,796 | 5,687 | 0 | 2010 | 36,220,691 | 23,071,000 | 13,149,691 | 0 |
| 2011 | 16,720 | 10,796 | 6,413 | 0 | 2011 | 36,731,820 | 23,071,000 | 13,660,820 | 0 |
| 2012 | 17,114 | 10,796 | 6,486 | 0 | 2012 | 38,438,173 | 23,071,000 | 15,367,173 | 0 |
| 2013 | 16,562 | 10,796 | 6,255 | 0 | 2013 | 36,069,679 | 23,071,000 | 12,998,679 | 0 |
| 2014 | 15,456 | 10,796 | 5,149 | 0 | 2014 | 35,592,504 | 23,071,000 | 12,521,504 | 0 |
| 2015 | 15,758 | 10,796 | 5,451 | 0 | 2015 | 36,288,098 | 23,071,000 | 13,217,098 | 0 |
| 2016 | 16,125 | 10,796 | 5,818 | 0 | 2016 | 37,134,289 | 23,071,000 | 14,063,289 | 0 |
| 2017 | 16,464 | 10,796 | 6,157 | 0 | 2017 | 37,914,698 | 23,071,000 | 14,843,698 | 0 |
| 2018 | 16,796 | 10,796 | 6,489 | 0 | 2018 | 38,679,128 | 23,071,000 | 15,608,128 | 0 |
| | | Dema | and (kW) | | | | Energy (k | Wh) | |
| Winter | Total | WAPA | <u>MRES</u> | Other | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | Other |
| 2002 | 10,006 | 6,444 | 4,127 | 0 | 2002 | 26,050,837 | 18,918,000 | 7,132,837 | 0 |
| 2003 | 8,803 | 6,444 | 2,654 | 0 | 2003 | 26,712,993 | 18,918,000 | 7,794,993 | 0 |
| 2004 | 9,125 | 6,444 | 2,801 | 0 | 2004 | 26,761,861 | 19,038,000 | 7,723,861 | 0 |
| 2005 | 9,554 | 6,444 | 3,230 | 0 | 2005 | 27,357,439 | 18,918,000 | 8,439,439 | 0 |
| 2006 | 10,305 | 6,444 | 3,861 | 0 | 2006 | 29,528,087 | 18,892,000 | 10,636,087 | 0 |
| 2007 | 11,265 | 6,430 | 5,399 | 0 | 2007 | 30,948,004 | 18,878,000 | 12,070,004 | 0 |
| 2008 | 10,714 | 6,430 | 4,404 | 0 | 2008 | 31,983,696 | 18,998,000 | 12,985,696 | 0 |
| 2009 | 11,496 | 6,430 | 5,066 | 0 | 2009 | 32,137,630 | 18,878,000 | 13,259,630 | 0 |
| 2010 | 11,148 | 6,430 | 4,838 | 0 | 2010 | 32,095,175 | 18,878,000 | 13,217,175 | 0 |
| 2011 | 11,240 | 6,430 | 4,930 | 0 | 2011 | 33,119,499 | 18,878,000 | 14,241,499 | 0 |
| 2012 | 10,855 | 6,430 | 4,812 | 0 | 2012 | 31,840,775 | 18,998,000 | 12,842,775 | 0 |
| 2013 | 11,218 | 6,430 | 4,908 | 0 | 2013 | 32,541,069 | 18,878,000 | 13,663,069 | 0 |
| 2014 | 11,177 | 6,430 | 4,867 | 0 | 2014 | 32,995,807 | 18,878,000 | 14,117,807 | 0 |
| 2015 | 11,395 | 6,430 | 5,085 | 0 | 2015 | 33,397,472 | 18,878,000 | 14,519,472 | 0 |
| 2016 | 11,661 | 6,430 | 5,351 | 0 | 2016 | 34,133,700 | 18,997,750 | 15,135,950 | 0 |
| 2017 | 11,906 | 6,430 | 5,596 | 0 | 2017 | 34,877,514 | 18,878,000 | 15,999,514 | 0 |
| 2018 | 12,146 | 6,430 | 5,836 | 0 | 2018 | 35,590,752 | 18,878,000 | 16,712,752 | 0 |

Exhibit 3

Vermillion, SD Winter Demand - Town Gate



Vermillion, SD Winter Energy - Town Gate





Exhibit 4

Vermillion, SD Summer Demand - Town Gate



Vermillion, SD Summer Energy - Town Gate




Exhibit 5

Vermillion, SD Winter 2012-2013 Half-Hour Load Shape - Town Gate






Exhibit 6


Vermillion, SD Summer 2013 Half-Hour Load Shape - Town Gate



Vermillion, SD Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate



Vermillion, SD Peak Half-Hour Load Shape, Summer 2013, Town Gate



B. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Vermillion is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Vermillion to individually study supply-side resources as part of this IRP.

C. Historic DSM Efforts

Vermillion has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1 at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Year | ₩ | Program | ¥ | BES or City ▼ | Quan | Ir | centive | kW | kWh |
|-----------------|-----|--------------------------------|---|---------------|------|----|---------|-------|-----------|
| □ 2009 | | □ Cooling | | BES | 1 | \$ | 323 | 0.7 | 2,700 |
| | | □ Cooling/Chiller | | BES | 3 | \$ | 150 | 5.1 | 28,404 |
| | | □ Custom Lighting | | BES | 1 | \$ | 6,074 | 20.2 | 84,223 |
| | | ■ Energy Star Appliance | | BES | 10 | \$ | 1,596 | 2.8 | 5,479 |
| | | ■ Lighting | | BES | 839 | \$ | 40,784 | 84.9 | 430,337 |
| | | ■ Lighting - New Const | | BES | 178 | \$ | 2,392 | 20.4 | 77,931 |
| | | ■ Motors | | BES | 1 | \$ | 750 | 0.1 | 398 |
| | | ■ Res HVAC | | BES | 21 | \$ | 7,700 | 14.2 | 23,708 |
| | | ■ VFDs and Pumps | | BES | 1 | | | 3.4 | 12,403 |
| | | ■ Res Lighting | | BES | 460 | \$ | 660 | 1.8 | 23,000 |
| 2009 Tota | al | | | | 1515 | \$ | 60,428 | 153.5 | 688,583 |
| 2010 | | □ CI HVAC | | BES | 12 | \$ | 5,340 | 9.9 | 55,350 |
| | | ■ Energy Star Appliance | | BES | 88 | \$ | 1,221 | 0.4 | 5,463 |
| | | ■ Lighting - New Const | | BES | 14 | \$ | 840 | 3.0 | 7,489 |
| | | ■ Lighting - Retrofit | | BES | 685 | \$ | 15,929 | 43.8 | 211,396 |
| | | ■ Res HVAC | | BES | 65 | \$ | 8,100 | 16.7 | 20,475 |
| 2010 Tota | al | | | | 864 | \$ | 31,430 | 73.9 | 300,173 |
| 2011 | | □ CI HVAC | | BES | 10 | \$ | 1,250 | 4.2 | 18,362 |
| | | ■ Energy Star Appliance | | BES | 25 | \$ | 539 | 0.5 | 3,256 |
| | | ☐ Lighting - Retrofit | | BES | 148 | \$ | 1,978 | 4.4 | 30,421 |
| | | ■ Res HVAC | | BES | 53 | \$ | 4,275 | 7.1 | 13,753 |
| | | ■ VFDs and Pumps | | BES | 4 | \$ | 4,000 | 26.0 | 105,742 |
| | | Res Lighting | | BES | 5236 | \$ | 7,854 | 20.9 | 203,298 |
| 2011 Tota | al | | | | 5476 | \$ | 19,896 | 63.2 | 374,832 |
| 2012 | | □ CI HVAC | | BES | 5 | \$ | 689 | 2.4 | 9,896 |
| | | ■ Energy Star Appliance | | BES | 20 | \$ | 550 | 0.2 | 2,868 |
| | | ■ Lighting - Retrofit | | BES | 284 | \$ | 3,159 | 9.2 | 43,249 |
| | | Res HVAC | | BES | 57 | \$ | 5,550 | 18.7 | 22,274 |
| 2012 Tota | al | | | | 366 | \$ | 9,948 | 30.5 | 78,287 |
| 2013 | | □ CI HVAC | | BES | 21 | \$ | 2,125 | 3.2 | 15,825 |
| | | ■ Energy Star Appliance | | BES | 18 | \$ | 410 | 0.5 | 2,506 |
| | | □ Food Service | | BES | 8 | \$ | 1,140 | 1.4 | 11,893 |
| | | ■ Lighting - New Const | | BES | 319 | \$ | 16,241 | 50.9 | 310,188 |
| | | □ Lighting - Retrofit | | BES | 493 | \$ | 7,280 | 26.3 | 96,025 |
| | | ■ Res HVAC | | BES | 71 | \$ | 8,000 | 28.1 | 43,639 |
| 2013 Tota | al | | | | 930 | \$ | 35,196 | 110.3 | 480,076 |
| Grand To | tal | | | | 9151 | \$ | 156,896 | 431.5 | 1,921,951 |

• Load Management Program

Description: Vermillion Municipal Utilities operates load management switches on 2,236 central AC units (including residential, commercial, industrial, and municipal AC units), 203 electric water heaters (load management switches are mandatory on all water heaters by city ordinance), and five humidifiers in city buildings. Additional load management measures include voltage control during peak times and manually shutting down all non-essential operations at the city water plant while the load management system is in operation. The city continues to invest in the system by purchasing new hardware and software as necessary, and tests 25% of all control devices annually for proper operation.

Energy Savings: Approximately 3.5 MW on peak Cost: Approximate annual average of \$42,000

D. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Vermillion was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

E. Options Chosen – Development of Action Plan

DSMore software was run on each individual measure, and then grouped into programs that MRES is either currently offering (Phase I) or is planning to offer within the next five years (Phase II) as a part of Bright Energy Solutions.

i. Future Actions

It is assumed that Vermillion will continue to participate in the Bright Energy Solutions program. Vermillion would have virtually no out-of-pocket costs, as MRES will be paying the incentives for all of these programs. It is planned that Vermillion will participate in the all of the Bright Energy Solutions programs to the extent possible. This assumption was made only to obtain more realistic expectations for the five-year plan, and is certainly not considered to be a cap on participation in the event that the program attracts more participants than anticipated.

Representatives from Vermillion plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, Vermillion is successfully operating their own Load Management program, and it is unknown if they will participate in the MRES Coordinated Demand Response (CDR) program in the future. That decision will be evaluated in years to come.

ii. Milestones

As part of the annual WAPA IRP updates, Vermillion will evaluate the progress on these programs. The success will be measured against this 5-year plan, with adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Quality control, measurement of savings, verification tracking, and program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

E. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will, by definition, decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

F. Public Participation

A preliminary draft of this report was produced on June 1, 2014. A notice of public hearing on IRP was published in the local newspaper on June 2, 2014. The public hearing on the IRP was held at the June 16, 2014 City Council meeting. A summary of any comments and responses made during the meeting are included in the Appendix. The City Council approved the resolution on June 16, 2014. A copy of the approved resolution is included in Appendix 2.

| IRP Approval Process | |
|-------------------------------|------------|
| Preliminary Draft Date | 5/18//2014 |
| | 5/30/2014 |
| | and |
| Date Published in Paper | 6/6/2014 |
| Public Hearing Date | 6/16/2014 |
| Date Approved by City Council | 6/16/2014 |

Appendix 1 – Detailed DSM Measures Installed

Utility Vermillion

| | | | | BES | | | | | |
|------|------------------------|-------------------------------|-----------|------|---------|-----------------|-----------------------|---------------------|-------------------------|
| | | | | or | | | | 1 | Lved |
| Year | Program | Measure | | City | Quan | | centive | kW | kWh |
| 2009 | Cooling | Chilled water reset 53.8 tons | | BES | 1 | \$ | 323 | 0.7 | 2,700 |
| | C I' / Cl- !II | Dan and an Thomas and at | | DEC | 2 | \$ | 323 | 0.7 | 2,700 |
| | Cooling/Chiller | Program. Thermostat | | BES | 3 | \$ | 150 | 5.1 | 28,404 |
| | Contain Linktina | Controlo | | DEC | 4 | \$ | 150 | 5.1 | 28,404 |
| | Custom Lighting | Controls | | BES | 1 | \$ \$ | 6,074 6,074 | 20.2 20.2 | 84,223 84,223 |
| | Energy Star Appliance | | 580.54351 | BES | 1 | , \$ | 10 | 0.1 | 92 |
| | Lifeigy Star Appliance | DU1345XTVB0 | 300.34331 | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | FDF50S1 | | BES | 1 | \$ | 10 | 0.0 | 92 |
| | | FDR25S1 | | BES | 1 | \$ | 20 | 0.1 | 184 |
| | | Kenmore 48102701 | | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Kenmore Elite | | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Maytag MVWC6ESWW1 | | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Samsung WF219AN | | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | WF448AAP | | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | (blank) | | BES | (blank) | \$ | 1,306 | 2.3 | 4,163 |
| | | | | | | \$ | 1,596 | 2.8 | 5,479 |
| | Lighting | 85W CFLs | | BES | 1 | | | 6.2 | 93,228 |
| | | LED exit sign | | BES | 7 | | | 0.2 | 1,162 |
| | | Occup. Sensors | | BES | 17 | \$ | 340 | 1.2 | 4,675 |
| | | T12 4' 2L | | BES | 3 | \$ | 141 | 0.0 | 165 |
| | | T12 4' 4L | | BES | 3 | | | 0.1 | 378 |
| | | T8 4' 4L | | BES | 155 | \$ | 39,755 | 5.1 | 19,530 |
| | | T8 HB 6L | | BES | 444 | | | 65.3 | 285,492 |
| | | CFL Fixtures and Lamps | | BES | 209 | \$ | 548 | 6.7 | 25,707 |
| | | | | | | \$ | 40,784 | 84.9 | 430,337 |
| | Lighting - New Const | Occup. Sensors | | BES | 47 | | | 3.4 | 12,925 |
| | | Switching controls | | BES | 1 | | | 0.8 | 2,231 |
| | | T8 HB 6L | | BES | 15 | \$ | 2,392 | 2.2 | 9,645 |
| | | CFL Fixtures and Lamps | | BES | 115 | | 2 202 | 14.0 | 53,130 |
| | B.d. a have | 4FUD meeter | | DEC | 4 | \$ | 2,392 | 20.4 | 77,931 |
| | Motors | 15HP motor | | BES | 1 | \$ \$ | 750 750 | 0.1 0.1 | 398 398 |
| | Res HVAC | 14.5 SEER AC | | BES | 1 | , \$ | 500 | 0.1 | 84 |
| | RESTIVAC | 15 SEER AC | | BES | 1 | ڔ | 300 | 0.5 | 312 |
| | | 16 SEER AC | | BES | 1 | | | 0.3 | 180 |
| | | 16.6 SEER AC | | BES | 1 | \$ | 100 | 0.2 | 90 |
| | | 17 SEER AC | | BES | 1 | 7 | 100 | 0.2 | 90 |
| | | 18.7 SEER AC | | BES | 1 | | | 0.2 | 90 |
| | | ECM-gas furnace | | BES | 1 | \$ | 2,000 | 1.6 | 8,110 |
| | | (blank) | | BES | (blank) | \$ | 5,100 | 11.0 | 14,752 |
| | | | | | . , | \$ | 7,700 | 14.2 | 23,708 |
| | | | | | | - | - | | • |

| | VFDs and Pumps | 15HP VFD | BES | 1 | | | 3.4 | 12,403 |
|--------|------------------------------|---|-----|-----|----------------|--------|------------|----------------|
| | | | | | | | 3.4 | 12,403 |
| | Res Lighting | 460 CFL bulbs | BES | 460 | \$ | 660 | 1.8 | 23,000 |
| | | | | | \$ | 660 | 1.8 | 23,000 |
| 2009 T | otal | | | | \$ | 60,428 | 153.5 | 688,583 |
| 2010 | CI HVAC | ECM in Res Style Furnace | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | GS HP_Closed Loop Water to Air | BES | 3 | \$ | 3,405 | 0.7 | 43,697 |
| | | Setback Thermostats | BES | 1 | \$ | 50 | 0.3 | 822 |
| | | | | 4 | \$ | 200 | 1.3 | 3,288 |
| | | Unitary Air Cooled Split System AC | BES | 1 | \$ | 200 | 0.7 | 722 |
| | | Unitary Single Pkgd AC | BES | 2 | \$ | 1,335 | 6.7 | 6,421 |
| | | | | | \$ | 5,340 | 9.9 | 55,350 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 150 | 0.0 | 476 |
| | | | | 2 | \$ | 100 | 0.0 | 450 |
| | | | | 6 | \$ | 300 | 0.1 | 1,350 |
| | | Energy Star Decorative Lights | BES | 6 | \$ | 21 | 0.0 | 51 |
| | | | | 12 | \$ | 42 | 0.0 | 102 |
| | | | | 35 | \$ | 123 | 0.0 | 296 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 50 | 0.1 | 440 |
| | | | | 2 | \$ | 20 | 0.0 | 176 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 150 | 0.0 | 762 |
| | | | | 2 | \$ | 50 | 0.0 | 214 |
| | | | | 8 | \$ | 200 | 0.0 | 1,096 |
| | | Energy Star Room AC | BES | 1 | \$ | 15 | 0.1 | 50 |
| | | | | | \$ | 1,221 | 0.4 | 5,463 |
| | | Ltng New Const _ T5HO 4ft Hi Bay | | | | | | |
| | Lighting - New Const | Fixture | BES | 14 | \$ | 840 | 3.0 | 7,489 |
| | | | | | \$ | 840 | 3.0 | 7,489 |
| | Lighting - Retrofit | Ltng Retrofit _ CFL Fixtures & Lamps | BES | 446 | \$ | 669 | 15.0 | 62,919 |
| | | Ltng Retrofit _ LED & Induction Tech | BES | 11 | \$ | 132 | 0.2 | 1,831 |
| | | Ltng Retrofit _ Othr Eff Ltg Tech/Unit Ltng Retrofit _FIrscnt T8 & T5 w/Elec | BES | 10 | \$ | 200 | 0.7 | 1,585 |
| | | Bal | BES | 74 | \$ | 843 | 2.1 | 7,862 |
| | | Ltng Retrofit _ T8 Hi Bay Fixtures w-Elec | | | | | | |
| | | Bal | BES | 11 | \$ | 935 | 2.4 | 6,068 |
| | | Ltng Retrofit _ T5HO Hi Bay Fixtures w- Elec Bal | BES | 48 | \$ | 7,200 | 16.1 | 99,338 |
| | | Lice bui | DLJ | 85 | \$ | 5,950 | 7.2 | 31,793 |
| | | | | 65 | \$ | 15,929 | 43.8 | 211,396 |
| | Res HVAC | HVAC Air_Source HP | BES | 1 | , \$ | 250 | 0.4 | 1,981 |
| | Nes IIVAC | HVAC Central AC unit | BES | 1 | \$ | 100 | 0.4 | 1,981 |
| | | TIVAC CETITAL AC UIIIC | DLS | 2 | \$ | 200 | 0.2 | 314 |
| | | | | 3 | ۶ \$ | 300 | 0.4 | 649 |
| | | | | 4 | ۶ \$ | 800 | 2.1 | |
| | | | | | \$ \$ | 500 | 2.1 1.6 | 1,463 1,160 |
| | | | | 5 | | | | |
| | | | | 6 | \$ ¢ | 600 | 1.9 | 1,352 |
| | | HVAC HE Europee with ECM | DEC | 10 | \$ ¢ | 1,000 | 2.5 | 1,799 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ ¢ | 1,050 | 1.6 | 2,800 |
| | | | | 3 | \$ | 450 | 0.7 | 1,200 |
| | | | | 6 | \$ | 900 | 1.4 | 2,400 |
| | | | | 13 | \$ | 1,950 | 3.0 | 5,200 |

| | | | | | \$ | 8,100 | 16.7 | 20,475 |
|--------|-------------------------|---------------------------------------|-----|----------|----------------|-----------------------|---------------------|---------------------------|
| 2010 T | otal | | | | \$ | 31,430 | 73.9 | 300,173 |
| 2011 | CI HVAC | ECM in Res Style Furnace | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | Mini Split Ductless Air Source HP | BES | 2 | \$ | 400 | 0.9 | 12,940 |
| | | Setback Thermostats | BES | 1 | \$ | 100 | 0.7 | 1,644 |
| | | | | 2 | \$ | 100 | 0.7 | 1,644 |
| | | Unitary Air Cooled Split System AC | BES | 1 | \$ | 200 | 0.7 | 694 |
| | | | | 2 | \$ | 300 | 1.1 | 1,040 |
| | Foreign Chan Appellance | For any Chan Description Links | DEC | 4 | \$ | 1,250 | 4.2 | 18,362 |
| | Energy Star Appliance | Energy Star Decorative Lights | BES | 1 | \$ | 4 | 0.0 | 25 |
| | | Energy Star Dehumidifier | BES | 1 | \$ \$ | 30 | 0.1 | 264 |
| | | Fnormy Stor Dichwashor | DEC | 2 | \$ \$ | 20 25 | 0.0 | 176 |
| | | Energy Star Dishwasher | BES | 1 | \$ \$ | 25 100 | 0.0 0.0 | 137 548 |
| | | | | 4 8 | ۶ \$ | 200 | 0.0 | 1,096 |
| | | Energy Star Refrigerators | BES | 1 | ۶ \$ | 100 | 0.0 | 810 |
| | | Energy Star Room AC | BES | 1 | ۶ \$ | 30 | 0.1 | 100 |
| | | Lifergy Star Room AC | DES | 2 | ۶ \$ | 30 | 0.2 | 100 |
| | | | | 2 | \$ | 539 | 0.5 | 3,256 |
| | Lighting - Retrofit | Ltng Retro _ LED & Induction Tech | BES | 2 | \$ | 24 | 0.0 | 333 |
| | Lighting - Netront | Ettig Netro _ LED & madetion reem | DLJ | 40 | \$ | 1,000 | 2.0 | 17,160 |
| | | Ltng Retro Firscnt T8 & T5 w/Elec Bal | BES | 20 | \$ | 270 | 0.7 | 4,104 |
| | | zeng neuro _ noem ro a ro w/ ziec bar | 525 | 21 | \$ | 273 | 0.6 | 3,974 |
| | | | | 65 | \$ | 411 | 1.1 | 4,850 |
| | | | | | \$ | 1,978 | 4.4 | 30,421 |
| | Res HVAC | HVAC Central AC unit | BES | 1 | \$ | 400 | 1.2 | 855 |
| | | | | 2 | \$ | 200 | 0.6 | 427 |
| | | | | 5 | \$ | 500 | 1.4 | 996 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ | 450 | 0.7 | 1,200 |
| | | | | 3 | \$ | 900 | 1.4 | 2,400 |
| | | | | 8 | \$ | 1,200 | 1.8 | 3,200 |
| | | Programmable Thermostat - NON Elec- | | | | | | |
| | | Gas w/AC | BES | 1 | \$ | 75 | 0.0 | 561 |
| | | | | 2 | \$ | 100 | 0.0 | 748 |
| | | | | 4 | \$ | 100 | 0.0 | 748 |
| | | | | 5 | \$ | 125 | 0.0 | 935 |
| | | | | 9 | \$ | 225 | 0.0 | 1,683 |
| | ven la | W : 11 5 8: | 550 | ā | \$ | 4,275 | 7.1 | 13,753 |
| | VFDs and Pumps | Variable Freq Drives | BES | 4 | \$ | 4,000 | 26.0 | 105,742 |
| | Dan Limbting | CEL Firstronge and Lauren | DEC | F22C | \$ | 4,000 | 26.0 | 105,742 |
| | Res Lighting | CFL Fixtures and Lamps | BES | 5236 | \$ c | 7,854 7,854 | 20.9 20.9 | 203,298 203,298 |
| 2011 T | otal | | | | \$ \$ | 19,896 | 63.2 | |
| 2011 1 | CI HVAC | Demand Controlled Ventilation | BES | 1 | , | 89 | 0.3 | 374,832 490 |
| 2012 | CITIVAC | Setback/Programmable Thermostats | BES | 1 | \$ \$ | 50 | 0.0 | 822 |
| | | Setsacily Frogrammable Thermostats | DLJ | 2 | ۶ \$ | 100 | 0.0 | 6,544 |
| | | Unitary Single Pkgd AC | BES | 1 | ۶ \$ | 450 | 2.1 | 2,040 |
| | | Similar y Simple 1 ingul / is | 223 | <u> </u> | \$ | 689 | 2.4 | 9,896 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 50 | 0.0 | 225 |
| | o, otal / ippliance | | 223 | 2 | \$ | 100 | 0.0 | 450 |
| | | | | _ | Ţ | 100 | 0.0 | 750 |

| | | Energy Star Dehumidifier | BES | 1 | \$ | 10 | 0.0 | 88 |
|--------|------------------------------------|--|---------------------------------|---------------------------------|--|--|--|---|
| | | Energy Star Dishwasher | BES | 15 | \$ | 375 | 0.0 | 2,055 |
| | | Energy Star Room AC | BES | 1 | \$ | 15 | 0.1 | 50 |
| | | | | | \$ | 550 | 0.2 | 2,868 |
| | Lighting - Retrofit | Ltng Retro _ CFL Fixtures & Lamps | BES | 7 | \$ | 11 | 0.3 | 2,478 |
| | | Ltng Retro _ Flrscnt T8 & T5 w/Elec Bal | BES | 21 | \$ | 273 | 0.8 | 2,288 |
| | | | | 33 | \$ | 198 | 0.5 | 1,761 |
| | | | | 152 | \$ | 1,192 | 2.7 | 23,450 |
| | | Ltng Retro _ LED & Induction Tech | BES | 3 | \$ | 36 | 0.1 | 499 |
| | | | | 45 | \$ | 675 | 2.5 | 6,773 |
| | | Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 18 | \$ | 324 | 1.3 | 3,494 |
| | | Ltng Retro _ T5HO Hi Bay Fix w-Elec Bal | BES | 5 | \$ | 450 | 1.1 | 2,506 |
| | | | | | \$ | 3,159 | 9.2 | 43,249 |
| | Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | HVAC Air_Source HP - 18.0 SEER | BES | 1 | \$ | 350 | 0.5 | 2,243 |
| | | HVAC Central AC unit | BES | 1 | \$ | 300 | 2.4 | 1,354 |
| | | | | 2 | \$ | 400 | 2.2 | 1,266 |
| | | | | 3 | \$ | 300 | 3.4 | 1,875 |
| | | | | 4 | \$ | 400 | 3.8 | 2,069 |
| | | HVAC HE Furnace with ECM | BES | 1 | \$ | 600 | 0.9 | 1,600 |
| | | | | 2 | \$ | 300 | 0.5 | 800 |
| | | | | 3 | \$ | 450 | 0.7 | 1,200 |
| | | | | 4 | \$ | 600 | 0.9 | 1,600 |
| | | | | 8 | \$ | 1,200 | 1.8 | 3,200 |
| | | Programmable Thermostat - Heat Pump | BES | 1 | \$ | 25 | 0.0 | 1,114 |
| | | Programmable Thermostat - Propane, | DLJ | 1 | ڔ | 23 | 0.0 | 1,114 |
| | | Fuel Oil, Boiler w/AC | BES | 1 | \$ | 75 | 0.0 | 561 |
| | | | | 2 | \$ | 150 | 0.4 | 1,122 |
| | | | | 4 | \$ | 100 | 0.4 | 748 |
| | | | | 6 | \$ | 150 | 0.6 | 1,122 |
| | | | | | \$ | 5,550 | 18.7 | 22,274 |
| 2012 T | otal | | | | \$ | 9,948 | 30.5 | 78,287 |
| 2013 | CI HVAC | ECM in Res Style Furnace | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | | | 3 | \$ | 450 | 0.7 | 1,200 |
| | | Setback/Programmable Thermostats | BES | 1 | \$ | 50 | 0.0 | 822 |
| | | | | 5 | \$ | 250 | 0.0 | 4,110 |
| | | | | 6 | \$ | 300 | 0.0 | 4,932 |
| | | Split System Air Source HP <65k Btuh | | | | | | |
| | | ' ' | | | | | | |
| | | (3ph) | BES | 4 | \$ | 725 | 2.0 | 4,016 |
| | | (3ph) Unitary Air Cooled Split Sys AC <65k | | | | | | |
| | | (3ph) | BES BES | 4 1 | \$ | 200 | 0.3 | 345 |
| | | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) | BES | 1 | \$ \$ | 200 2,125 | 0.3 3.2 | 345 15,825 |
| | Energy Star Appliance | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) Energy Star Clothes Washer | BES BES | 1 | \$ \$ \$ | 200 2,125 150 | 0.3 3.2 0.1 | 345 15,825 393 |
| | Energy Star Appliance | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) Energy Star Clothes Washer Energy Star Decorative Lights | BES BES BES | 1 1 7 | \$ \$ \$ | 200 2,125 150 25 | 0.3 3.2 0.1 0.0 | 345 15,825 393 548 |
| | Energy Star Appliance | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) Energy Star Clothes Washer Energy Star Decorative Lights Energy Star Dehumidifier | BES BES BES | 1 1 7 1 | \$ \$ \$ \$ | 200 2,125 150 25 20 | 0.3 3.2 0.1 0.0 0.2 | 345 15,825 393 548 180 |
| | Energy Star Appliance | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) Energy Star Clothes Washer Energy Star Decorative Lights Energy Star Dehumidifier Energy Star Dishwasher | BES BES BES BES | 1 7 1 1 | \$ \$ \$ \$ \$ | 200 2,125 150 25 20 50 | 0.3 3.2 0.1 0.0 0.2 0.1 | 345 15,825 393 548 180 120 |
| | Energy Star Appliance | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) Energy Star Clothes Washer Energy Star Decorative Lights Energy Star Dehumidifier | BES BES BES | 1 7 1 1 1 | \$ \$ \$ \$ \$ \$ | 200 2,125 150 25 20 50 | 0.3 3.2 0.1 0.0 0.2 0.1 0.0 | 345 15,825 393 548 180 120 405 |
| | Energy Star Appliance | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) Energy Star Clothes Washer Energy Star Decorative Lights Energy Star Dehumidifier Energy Star Dishwasher Energy Star Refrigerators | BES BES BES BES BES | 1 7 1 1 1 2 | \$ \$ \$ \$ \$ \$ \$ | 200 2,125 150 25 20 50 50 100 | 0.3 3.2 0.1 0.0 0.2 0.1 0.0 0.1 | 345 15,825 393 548 180 120 405 810 |
| | Energy Star Appliance | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) Energy Star Clothes Washer Energy Star Decorative Lights Energy Star Dehumidifier Energy Star Dishwasher | BES BES BES BES | 1 7 1 1 1 | \$ \$ \$ \$ \$ \$ \$ | 200 2,125 150 25 20 50 100 15 | 0.3 3.2 0.1 0.0 0.2 0.1 0.0 0.1 0.0 | 345 15,825 393 548 180 120 405 810 50 |
| | | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) Energy Star Clothes Washer Energy Star Decorative Lights Energy Star Dehumidifier Energy Star Dishwasher Energy Star Refrigerators Energy Star Room AC | BES BES BES BES BES | 1 7 1 1 1 2 1 | \$ \$ \$ \$ \$ \$ \$ \$ | 200 2,125 150 25 20 50 100 15 410 | 0.3 3.2 0.1 0.0 0.2 0.1 0.0 0.1 0.0 | 345 15,825 393 548 180 120 405 810 50 2,506 |
| | Energy Star Appliance Food Service | (3ph) Unitary Air Cooled Split Sys AC <65k Btuh (3ph) Energy Star Clothes Washer Energy Star Decorative Lights Energy Star Dehumidifier Energy Star Dishwasher Energy Star Refrigerators | BES BES BES BES BES | 1 7 1 1 1 2 | \$ \$ \$ \$ \$ \$ \$ | 200 2,125 150 25 20 50 100 15 | 0.3 3.2 0.1 0.0 0.2 0.1 0.0 0.1 0.0 | 345 15,825 393 548 180 120 405 810 50 |

| | ES Comm Glass Door Refrigerators | BES | 2 | \$ | 200 | 0.2 | 1,336 |
|-----------------------------|---|-----|--------|---------|-----------|-------|---------------|
| | ES Comm Solid Door Freezers | BES | 1 | \$ | 100 | 0.1 | 869 |
| | | | 2 | \$ | 400 | 0.6 | 5,485 |
| | ES Comm Solid Door Refrigerators | BES | 2 | \$ | 350 | 0.2 | 1,603 |
| | | | | \$ | 1,140 | 1.4 | 11,893 |
| Lighting - New Const | CEE Qual T8 4ft Low Wattage System | BES | 19 | \$ | 171 | 0.6 | 2,191 |
| | LED Energy Star Recessed Downlight | BES | 10 | \$ | 250 | 0.7 | 2,413 |
| | Ltng NC _ T5HO 4ft Hi Bay Fixture | BES | 250 | \$ | 14,820 | 46.6 | 287,135 |
| | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 40 | \$ | 1,000 | 3.0 | 18,449 |
| | | | | \$ | 16,241 | 50.9 | 310,188 |
| Lighting - Retrofit | LED & Induction Tech | BES | 60 | \$ | 1,800 | 6.6 | 24,468 |
| | | | 70 | \$ | 1,050 | 3.9 | 10,537 |
| | | | 278 | \$ | 4,140 | 14.9 | 56,310 |
| | Othr Eff Ltg Tech - per Unit | BES | 5 | \$ | 100 | 0.3 | 1,446 |
| | T8 4ft w/Elec Bal | BES | 10 | \$ | 190 | 0.6 | 3,264 |
| | | | | \$ | 7,280 | 26.3 | 96,025 |
| Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 150 | 0.2 | 400 |
| | Desuperheater | BES | 1 | \$ | 250 | 0.4 | 1,221 |
| | HVAC Central AC unit | BES | 1 | \$ | 300 | 2.4 | 1,335 |
| | | | 2 | \$ | 400 | 3.4 | 1,857 |
| | | | 3 | \$ | 900 | 7.5 | 4,115 |
| | | | 6 | \$ | 600 | 5.3 | 2,910 |
| | HVAC Closed Loop Water to Air GS HP | BES | 1 | \$ | 1,000 | 0.8 | 17,661 |
| | HVAC HE Furnace with ECM | BES | 1 | \$ | 450 | 0.7 | 1,200 |
| | | | 2 | \$ | 1,200 | 1.8 | 3,200 |
| | | | 4 | \$ | 600 | 0.9 | 1,600 |
| | | | 5 | \$ | 750 | 1.2 | 2,000 |
| | B 11 7 1 B | | 6 | \$ | 900 | 1.4 | 2,400 |
| | Programmable Thermostat - Propane, Fuel Oil, Boiler w/AC | BES | 1 | \$ | 50 | 0.2 | 374 |
| | ruei Oil, Boilei W/AC | DES | 2 | \$ | 250 | 1.0 | 1,870 |
| | | | 3 | ۶ \$ | 230 75 | 0.3 | 561 |
| | | | 5 5 | ۶ \$ | 125 | 0.5 | 935 |
| | | | J | ب \$ | 8,000 | 28.1 | 43,639 |
| 2013 Total | | | | | 35,196 | 110.3 | 480,076 |
| Grand Total | | | | | 156,896 | 431.5 | 1,921,951 |
| | | | | Τ. | , | | _,, |

Boost

Appendix 2 – Vermillion Resolution

RESOLUTION ADOPTING INTEGRATED RESOURCE PLAN FOR SUBMITTAL TO WESTERN AREA POWER ADMINISTRATION

WHEREAS, the City of Vermillion purchases a significant portion of its power supply from the Western Area Power Administration (Western); and

WHEREAS, Western has published its Energy Planning and Management Program Rules specifying the requirements for preparing and filing of an Integrated Resource Plan (IRP); and

WHEREAS, the City of Vermillion with assistance from our supplemental power supplier Missouri River Energy Services has prepared an IRP Summary Report describing the IRP process used and the information and assumptions used to develop the IRP; and

WHEREAS, utility customers were informed of our IRP and resulting Action Plans through various means including a public meeting where public questions and comments were encouraged; and

WHEREAS, any public comments received have been addressed in order to strengthen the City's Integrated Resource Plan; and

WHEREAS, the IRP Summary Report includes 5-year and 2-year action plans outlining actions to be taken by the municipal utility during the next several years.

NOW, THEREFORE BE IT RESOLVED by the City of Vermillion City Council as follows:

That the "Integrated Resource Plan Summary Report For the City of Vermillion" dated September 2014 shall be approved for filing with Western under the Energy Planning and Management Program.

Passed and approved this 16th day of June, 2014.

FOR THE GOVERNING BODY OF THE CITY OF VERMILLION, SOUTH DAKOTA

John F. (Jack) Powell, Mayor

ATTEST:

Michael D. Carlson, Finance Officer

VIII. Watertown, SD Resource Planning

A. City Information

Watertown, located in Codington County, is a community of more than 21,400 individuals located in northeastern South Dakota. Municipal services include electricity, water, and natural gas distribution. In 2010, the residential sector included 10,050 occupied housing units. The median age of the population is 36.6 years. About 15.4% of the population is 65 years of age or older and about 24.2% are under 18 years old.

In 2012, the municipal utility had 11,158 residential customers, 2,115 commercial customers, and 210 industrial customers. The residential sector's yearly usage averaged 10,075 kWh per customer in 2012. Commercial customers averaged 43,194 kWh, and industrial customers averaged 782,181 kWh.

The rates for each type of customer are shown in Exhibit 1. Exhibit 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4, which show the winter and summer peak demand and energy for the seasons 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Watertown on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively. The total peak load, including distribution and transformation losses, was 65,001 kW in the winter and 75,283 kW in the summer.

Exhibits 7 and 8 each shows the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load decreasing from midnight to roughly 5 am then increasing till 9 am. The load then begins to level off until 6 pm followed by a steady decline until 5 am the next day. The summer peak graph indicates the load increasing from 6 am until peaking at 5 pm. Then a steady decline occurs until 6 am the next day.

WATERTOWN, SOUTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE


| Customer Class | Rate Component | Current Rate |
|-----------------------|---|---|
| Residential | Customer Charge \$/kWh Jun-Aug \$/kWh Sep-May | \$10.00 \$.075 \$.067 |
| Small Commercial | Customer Charge \$/kWh Jun-Aug \$/kWh Sep-May | \$14.00 \$.080 \$.072 |
| Large Commercial | Customer Charge \$/kW Jun-Aug \$/kW Sep-May \$/kWh | \$28.00 \$12.30 \$10.40 \$.033 |

MRES Seasonal Load Report Watertown, SD Town Gate Load BASE Forecast 1/31/14 2:14 PM
Town Gate Load
Monthly Splits
Historic Through 12/2013
Energy (kWh)

| BASE Forecast | | | | | | Historic Through 12/2013 | | | | |
|--|--|--|--|---|--|--|--|--|--------------------------------------|--|
| | Demand (kW) | | | | Energy (kWh) | | | | | |
| Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | |
| 2001 | 60,687 | 24,938 | 35,749 | 0 | 2001 | 141,985,196 | 64,057,000 | 77,928,196 | 0 | |
| 2002 | 60,489 | 24,938 | 35,551 | 0 | 2002 | 150,678,610 | 64,057,000 | 86,621,610 | 0 | |
| 2003 | 63,371 | 24,938 | 38,433 | 0 | 2003 | 155,228,607 | 64,057,000 | 91,171,607 | 0 | |
| 2004 | 63,307 | 24,938 | 38,369 | 0 | 2004 | 153,633,531 | 64,057,000 | 89,576,531 | 0 | |
| 2005 | 68,296 | 24,938 | 43,358 | 0 | 2005 | 172,210,770 | 64,057,000 | 108,153,770 | 0 | |
| 2006 | 71,677 | 24,897 | 46,780 | 0 | 2006 | 176,238,513 | 63,953,000 | 112,285,513 | 0 | |
| 2007 | 70,769 | 24,897 | 45,872 | 0 | 2007 | 175,504,470 | 63,953,000 | 111,551,470 | 0 | |
| 2008 | 68,643 | 24,897 | 43,746 | 0 | 2008 | 180,909,965 | 63,953,000 | 116,956,965 | 0 | |
| 2009 | 63,809 | 24,897 | 40,800 | 0 | 2009 | 170,007,122 | 63,953,000 | 106,054,122 | 0 | |
| 2010 | 71,521 | 24,897 | 46,624 | 0 | 2010 | 183,681,829 | 63,953,000 | 119,728,829 | 0 | |
| 2011 | 76,635 | 24,897 | 51,738 | 0 | 2011 | 187,240,569 | 63,953,000 | 123,287,569 | 0 | |
| 2012 | 74,581 | 24,897 | 49,684 | 0 | 2012 | 192,325,290 | 63,953,000 | 128,372,290 | 0 | |
| 2013 | 75,283 | 24,897 | 50,386 | 0 | 2013 | 193,763,550 | 63,953,000 | 129,810,550 | 0 | |
| 2014 | 73,468 | 24,897 | 48,571 | 0 | 2014 | 194,401,414 | 63,953,000 | 130,448,414 | 0 | |
| 2015 | 74,212 | 24,897 | 49,315 | 0 | 2015 | 196,371,598 | 63,953,000 | 132,418,598 | 0 | |
| 2016 | 74,850 | 24,897 | 49,953 | 0 | 2016 | 198,060,298 | 63,953,000 | 134,107,298 | 0 | |
| 2017 | 75,624 | 24,897 | 50,727 | 0 | 2017 | 200,108,149 | 63,953,000 | 136,155,149 | 0 | |
| 2018 | 76,484 | 24,897 | 51,587 | 0 | 2018 | 202,381,942 | 63,953,000 | 138,428,942 | 0 | |
| | Demand (kW) | | | | Energy (kWh) | | | | | |
| Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | |
| 2002 | 4 4 | | 27 672 | 0 | 2002 | 143,382,469 | 60,123,000 | 83,259,469 | 0 | |
| | 47,771 | 20,098 | 27,673 | U | | -,, | , , | 00,200,100 | | |
| 2003 | 47,771 55,118 | 20,098 20,098 | 35,020 | 0 | 2003 | 161,208,402 | 60,123,000 | 101,085,402 | 0 | |
| | - | | | | | | | | 0 0 | |
| 2003 | 55,118 | 20,098 | 35,020 | 0 | 2003 | 161,208,402 | 60,123,000 | 101,085,402 | | |
| 2003 2004 | 55,118 55,699 | 20,098 20,098 | 35,020 35,601 | 0 0 | 2003 2004 | 161,208,402 164,267,162 | 60,123,000 60,513,000 | 101,085,402 103,754,162 | 0 | |
| 2003 2004 2005 | 55,118 55,699 57,200 | 20,098 20,098 20,098 | 35,020 35,601 37,143 | 0 0 0 | 2003 2004 2005 | 161,208,402 164,267,162 168,997,349 | 60,123,000 60,513,000 60,123,000 | 101,085,402 103,754,162 108,874,349 | 0 0 | |
| 2003 2004 2005 2006 | 55,118 55,699 57,200 58,615 | 20,098 20,098 20,098 20,055 | 35,020 35,601 37,143 39,353 | 0 0 0 0 | 2003 2004 2005 2006 | 161,208,402 164,267,162 168,997,349 176,128,051 | 60,123,000 60,513,000 60,123,000 60,034,000 | 101,085,402 103,754,162 108,874,349 116,094,051 | 0 0 0 | |
| 2003 2004 2005 2006 2007 | 55,118 55,699 57,200 58,615 58,926 | 20,098 20,098 20,098 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 | 0 0 0 0 | 2003 2004 2005 2006 2007 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 | 0 0 0 0 | |
| 2003 2004 2005 2006 2007 2008 | 55,118 55,699 57,200 58,615 58,926 63,474 | 20,098 20,098 20,098 20,055 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 43,419 | 0 0 0 0 0 | 2003 2004 2005 2006 2007 2008 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 195,660,326 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 60,381,000 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 135,279,326 | 0 0 0 0 | |
| 2003 2004 2005 2006 2007 2008 2009 | 55,118 55,699 57,200 58,615 58,926 63,474 64,444 | 20,098 20,098 20,098 20,055 20,055 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 43,419 45,224 | 0 0 0 0 0 0 | 2003 2004 2005 2006 2007 2008 2009 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 195,660,326 191,180,316 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 60,381,000 59,992,000 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 135,279,326 131,188,316 | 0 0 0 0 0 | |
| 2003 2004 2005 2006 2007 2008 2009 2010 | 55,118 55,699 57,200 58,615 58,926 63,474 64,444 62,347 | 20,098 20,098 20,055 20,055 20,055 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 43,419 45,224 43,127 | 0 0 0 0 0 0 | 2003 2004 2005 2006 2007 2008 2009 2010 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 195,660,326 191,180,316 187,973,620 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 60,381,000 59,992,000 59,992,000 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 135,279,326 131,188,316 127,981,620 | 0 0 0 0 0 0 | |
| 2003 2004 2005 2006 2007 2008 2009 2010 2011 | 55,118 55,699 57,200 58,615 58,926 63,474 64,444 62,347 61,545 | 20,098 20,098 20,055 20,055 20,055 20,055 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 43,419 45,224 43,127 42,320 | 0 0 0 0 0 0 0 | 2003 2004 2005 2006 2007 2008 2009 2010 2011 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 195,660,326 191,180,316 187,973,620 197,903,980 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 60,381,000 59,992,000 59,992,000 59,992,000 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 135,279,326 131,188,316 127,981,620 137,911,980 | 0 0 0 0 0 0 | |
| 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 | 55,118 55,699 57,200 58,615 58,926 63,474 64,444 62,347 61,545 62,479 | 20,098 20,098 20,055 20,055 20,055 20,055 20,055 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 43,419 45,224 43,127 42,320 42,424 | 0 0 0 0 0 0 0 | 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 195,660,326 191,180,316 187,973,620 197,903,980 187,358,138 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 60,381,000 59,992,000 59,992,000 60,381,000 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 135,279,326 131,188,316 127,981,620 137,911,980 126,977,138 | 0 0 0 0 0 0 0 | |
| 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 | 55,118 55,699 57,200 58,615 58,926 63,474 64,444 62,347 61,545 62,479 65,001 | 20,098 20,098 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 43,419 45,224 43,127 42,320 42,424 44,946 | 0 0 0 0 0 0 0 0 | 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 195,660,326 191,180,316 187,973,620 197,903,980 187,358,138 201,267,651 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 60,381,000 59,992,000 59,992,000 60,381,000 59,992,000 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 135,279,326 131,188,316 127,981,620 137,911,980 126,977,138 141,275,651 | 0 0 0 0 0 0 0 | |
| 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 | 55,118 55,699 57,200 58,615 58,926 63,474 64,444 62,347 61,545 62,479 65,001 65,721 | 20,098 20,098 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 43,419 45,224 43,127 42,320 42,424 44,946 46,501 | 0 0 0 0 0 0 0 0 | 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 195,660,326 191,180,316 187,973,620 197,903,980 187,358,138 201,267,651 203,957,320 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 60,381,000 59,992,000 59,992,000 60,381,000 59,992,000 59,992,000 59,992,000 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 135,279,326 131,188,316 127,981,620 137,911,980 126,977,138 141,275,651 143,965,320 | 0 0 0 0 0 0 0 0 | |
| 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 | 55,118 55,699 57,200 58,615 58,926 63,474 64,444 62,347 61,545 62,479 65,001 65,721 65,690 | 20,098 20,098 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 43,419 45,224 43,127 42,320 42,424 44,946 46,501 45,635 | 0 0 0 0 0 0 0 0 0 | 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 195,660,326 191,180,316 187,973,620 197,903,980 187,358,138 201,267,651 203,957,320 205,013,443 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 59,992,000 59,992,000 59,992,000 59,992,000 59,992,000 59,992,000 59,992,000 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 135,279,326 131,188,316 127,981,620 137,911,980 126,977,138 141,275,651 143,965,320 145,021,443 | 0 0 0 0 0 0 0 0 | |
| 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 | 55,118 55,699 57,200 58,615 58,926 63,474 64,444 62,347 61,545 62,479 65,001 65,721 65,690 66,255 | 20,098 20,098 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 20,055 | 35,020 35,601 37,143 39,353 39,565 43,419 45,224 43,127 42,320 42,424 44,946 46,501 45,635 46,224 | 0 0 0 0 0 0 0 0 0 | 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 | 161,208,402 164,267,162 168,997,349 176,128,051 179,770,805 195,660,326 191,180,316 187,973,620 197,903,980 187,358,138 201,267,651 203,957,320 205,013,443 206,884,084 | 60,123,000 60,513,000 60,123,000 60,034,000 59,992,000 60,381,000 59,992,000 59,992,000 59,992,000 59,992,000 59,992,000 59,992,000 60,381,071 | 101,085,402 103,754,162 108,874,349 116,094,051 119,778,805 135,279,326 131,188,316 127,981,620 137,911,980 126,977,138 141,275,651 143,965,320 145,021,443 146,503,013 | 0 0 0 0 0 0 0 0 | |

Exhibit 3





Watertown, SD Winter Energy - Town Gate





Exhibit 4

Watertown, SD Summer Demand - Town Gate



Watertown, SD Summer Energy - Town Gate




Exhibit 5
Watertown, SD Winter 2012-2013 Half-Hour Load Shape - Town Gate





Exhibit 6
Watertown, SD Summer 2013 Half-Hour Load Shape - Town Gate



Watertown, SD Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate





Exhibit 8

Watertown, SD Peak Half-Hour Load Shape, Summer 2013, Town Gate



B. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Watertown is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Watertown to individually study supply-side resources as part of this IRP.

C. Historic DSM Efforts

Watertown has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1 at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Year 🔻 | Program | ~ | BES or City ▼ | Quan | Ir | centive | kW | kWh |
|-------------|---------------------------|----|---------------|-------|----|---------|---------|------------|
| ⊕ 2009 | ☐ CI HVAC | | BES | 1 | \$ | 5,142 | 13.5 | 11,178 |
| | ☐ Cooling/Chiller ☐ | | BES | 25 | | | 41.4 | 229,932 |
| | □ Custom Lighting | | BES | 7 | \$ | 8,861 | 30.1 | 112,284 |
| | ■ Energy Star Appliance | | BES | 44 | \$ | 3,540 | 1.8 | 11,836 |
| | □ Lighting | | BES | 1644 | \$ | 74,909 | 139.7 | 627,996 |
| | ☐ Lighting - New Const ☐ | | BES | 587 | \$ | 21,896 | 48.5 | 205,999 |
| | ■ Motors | | BES | 6 | \$ | 4,650 | 0.5 | 1,766 |
| | ■ Res HVAC | | BES | 9 | \$ | 5,100 | 7.7 | 18,581 |
| | ■ Room air conditioner | | BES | 3 | \$ | 45 | 0.1 | 177 |
| | ■ VFDs and Pumps | | BES | 9 | \$ | 4,000 | 42.0 | 153,614 |
| | ☐ Res Lighting ☐ | | BES | 153 | \$ | 230 | 0.6 | 7,650 |
| 2009 Total | | | | 2488 | \$ | 128,372 | 326.0 | 1,381,013 |
| 2010 | □ CI HVAC | | BES | 128 | \$ | 5,307 | 28.9 | 61,939 |
| | □ Custom Electric Program | | BES | 2 | \$ | 1,358 | 4.5 | 12,780 |
| | ■ Energy Star Appliance | | BES | 144 | \$ | 5,298 | 1.9 | 19,932 |
| | ■ Food Service | | BES | 5 | \$ | 4,700 | 6.5 | 38,515 |
| | □ Lighting - New Const | | BES | 464 | \$ | 31,420 | 141.4 | 672,168 |
| | □ Lighting - Retrofit | | BES | 1809 | \$ | 82,468 | 240.5 | 1,181,217 |
| | ■ Res HVAC | | BES | 106 | \$ | 14,600 | 25.1 | 38,706 |
| | | | BES | 5 | \$ | 950 | 3.5 | 11,582 |
| 2010 Total | | | | 2663 | \$ | 146,101 | 452.3 | 2,036,839 |
| 2011 | □ CI HVAC | | BES | 33 | \$ | 9,148 | 34.6 | 37,627 |
| | □ Compressed Air System | | BES | 2 | \$ | 4,435 | 40.3 | 423,299 |
| | □ Custom Electric Program | | BES | 4 | \$ | 11,034 | 37.0 | 186,547 |
| | ■ Energy Star Appliance | | BES | 99 | \$ | 3,338 | 1.8 | 18,960 |
| | ■ Lighting - New Const | | BES | 707 | \$ | 20,535 | 75.2 | 527,846 |
| | ■ Lighting - Retrofit | | BES | 1450 | \$ | 94,445 | 246.7 | 1,351,048 |
| | ■ Res HVAC | | BES | 81 | \$ | 12,916 | 23.2 | 91,622 |
| | ■ VFDs and Pumps | | BES | 77 | \$ | 31,145 | 135.7 | 682,791 |
| | ■ Res Lighting | | BES | 74 | \$ | 111 | 0.3 | 2,873 |
| 2011 Total | | | | 2527 | \$ | 187,107 | 594.9 | 3,322,613 |
| 2012 | □ CI HVAC | | BES | 20 | \$ | 15,235 | 52.2 | 122,248 |
| | □ Comm Refrigeration Audi | it | BES | 2 | \$ | - | 0.5 | 4,067 |
| | □ Compressed Air System | | BES | 3 | \$ | 5,313 | 24.7 | 231,744 |
| | □ Custom Electric Program | | BES | 2 | \$ | 2,410 | 8.2 | 23,511 |
| | ■ Energy Star Appliance | | BES | 45 | \$ | 1,580 | 1.1 | 9,471 |
| | ■ Lighting - New Const | | BES | 463 | \$ | 23,350 | 101.5 | 433,754 |
| | □ Lighting - Retrofit | | BES | 2541 | \$ | 80,249 | 225.9 | 1,130,135 |
| | ☐ Res HVAC | | BES | 194 | \$ | 14,010 | 28.8 | 128,295 |
| | □ Comm Refrigeration | | BES | 1 | \$ | 300 | 0.6 | 5,148 |
| 2012 Total | | | | | | 142,446 | 443.4 | 2,088,373 |
| 2013 | ☐ CI HVAC | | BES | 23 | - | 14,445 | 43.2 | 15,395 |
| | □ Compressed Air System | | BES | 5 | \$ | 6,734 | 35.3 | 216,675 |
| | □ Custom Electric Program | | BES | 7 | \$ | 86,678 | 294.7 | 1,732,780 |
| | □ Energy Star Appliance | | BES | 43 | \$ | 1,478 | 1.2 | 7,463 |
| | ■ Food Service | | BES | 5 | \$ | 700 | 0.8 | 7,240 |
| | □ Lighting - New Const | | BES | 308 | | 15,295 | 53.0 | 249,056 |
| | ☐ Lighting - Retrofit | | BES | 3333 | | 43,724 | 108.2 | 459,020 |
| | ■ Res HVAC | | BES | 103 | | 10,825 | 33.4 | 73,272 |
| | ■ VFDs and Pumps | | BES | 8 | \$ | 1,820 | 10.1 | 32,301 |
| | □ Comm Refrigeration | | BES | 17 | \$ | 1,097 | 2.5 | 35,955 |
| 2013 Total | | | | | _ | 182,796 | 582.5 | 2,829,157 |
| Grand Total | | | | 14801 | \$ | 786,822 | 2,399.2 | 11,657,995 |

D. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Watertown was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

E. Options Chosen – Development of Action Plan

DSMore software was run on each individual measure, and then grouped into programs that MRES is either currently offering (Phase I) or is planning to offer within the next five years (Phase II) as a part of Bright Energy Solutions.

i. Future Actions

It is assumed that Watertown will continue to participate in the Bright Energy Solutions program. All MRES members pay for the cost of the Bright Energy Solutions program through their rates. However, Watertown would have virtually no direct costs to implement these programs, as MRES will be paying the incentive costs for all of these activities. It is planned that Watertown will participate in the all of the Bright Energy Solutions programs to the extent possible, with the exception of the Appliance Turn-In measures, where Watertown Utility personnel has identified that participation levels might be reduced due to the lack of market potential. This assumption was made only to obtain more realistic expectations for the five-year plan, and is certainly not considered to be a cap on participation in the event that the program attracts more participants than anticipated.

Watertown recently completed a pilot study investigating the effectiveness of an automated meter reading system that would allow for direct load control of residential air conditioners and water heaters. The results of the study indicated a payback period that was longer than hoped. At this time, Watertown has no plans to install residential direct load control, but will continue to consider doing so in the future if the technology and/or economics improve.

Representatives from Watertown plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, it is unknown if Watertown will participate in the MRES Coordinated Demand Response (CDR) program in the future. That decision will be evaluated in years to come.

ii. Milestones

As part of the annual WAPA IRP updates, Watertown will evaluate the progress on these programs. The success will be measured against this 5-year plan, with adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Quality control, measurement of savings, verification tracking, and program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

F. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will, by definition, decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

G. Public Participation

A preliminary draft of this report was produced on April 30, 2014. The public hearing on the IRP was held at the June 30, 2014 Watertown Municipal Utilities

Board meeting. No comments or responses were made during the meeting. The Watertown Municipal Utilities Board approved the resolution on June 30, 2014. A copy of the approved resolution is included in Appendix 2.

| IRP Approval Process | | | | | |
|----------------------------------|-----------|--|--|--|--|
| Preliminary Draft Date | 4/30/2014 | | | | |
| Public Hearing Date | 6/30/2014 | | | | |
| Date Approved by Utilities Board | 6/30/2014 | | | | |

Appendix 1 – Detailed DSM Measures Installed

Utility Watertown

| | | | BES | | | | | |
|------|------------------------|-------------------------------|------|------|-----------------|-----------------------|---------------------|----------------------|
| | | | or | | | | | |
| Year | Program | Measure | City | Quan | | centive | kW | kWh |
| 2009 | CI HVAC | Air Cooled Chiller | BES | 1 | \$ | 5,142 | 13.5 | 11,178 |
| | | | | | \$ | 5,142 | 13.5 | 11,178 |
| | Cooling/Chiller | Chilled water reset 85.7 tons | BES | 1 | | | 0.7 | 2,700 |
| | | Program. Thermostat | BES | 24 | | | 40.7 | 227,232 |
| | | TO 41 21 | D=0 | | | 4 000 | 41.4 | 229,932 |
| | Custom Lighting | T8 4' 2L | BES | 1 | \$ | 1,980 | 6.6 | 28,060 |
| | | T8 4' 2L-reflec | BES | 1 | \$ | 2,530 | 9.0 | 35,580 |
| | | T8 HB 6L | BES | 1 | \$ \$ | 4,351 8,861 | 14.5 30.1 | 48,644 113,384 |
| | Energy Star Appliance | AJ0210EO | BES | 1 | , \$ | 10 | 0.1 | 112,284 92 |
| | Ellergy Star Appliance | Bosch SHE45C05UC | BES | 1 | ۶ \$ | 25 | 0.0 | 144 |
| | | Bosch SHE45M02UC | BES | 1 | \$ | 50 | 0.1 | 288 |
| | | Bosch SHV68M03UC | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Bosch WFMC5801UC | BES | 1 | \$ | 100 | 0.1 | 330 |
| | | Danby DDR5009FEE | BES | 1 | \$ | 10 | 0.1 | 92 |
| | | DM45EA | BES | 1 | \$ | 10 | 0.1 | 92 |
| | | Electrolux EIFLW551W | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Electrolux EIFLW55HIWO | BES | 1 | \$ | 100 | 0.1 | 330 |
| | | FAFW3577KWO | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | FDF50S1 | BES | 1 | \$ | 10 | 0.1 | 92 |
| | | Fisher & Paykel WL37T26DW7 | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire 6LTF2940FS | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire ATF7000FS1 | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire ATF8000FSI | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire FAFW3577K | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire FAFW3577KWO | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire GLTF2940 | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire GLTF2940FS | BES | 1 | \$ | 100 | 0.1 | 330 |
| | | Frigidaire GLTF2940FS2 | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Frigidaire GLTF2940K | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | FWFLW65H1W | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | GLTF2940FS | BES | 1 | \$ | 150 | 0.1 | 495 |
| | | Kenmore 13892 | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Kenmore 4751102 | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Kitchen Aid KUDK03IT | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Maytag MDB8601 | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Maytag MHWE300VW | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Maytag MVWB750WQ | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | MDB6701A | BES | 1 | \$ | 50 | 0.1 | 288 |
| | | SHX36L15UC | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | WFMC5801UC | BES | 1 | \$ | 50 | 0.0 | 165 |
| | | Whirlpool GU2275XTVY | BES | 1 | \$ | 25 | 0.0 | 144 |
| | | Whirlpool GU227SXTVB | BES | 1 | \$ | 25 | 0.0 | 144 |

| | Whirlpool GU2300XTV80 | BES | 1 | \$ | 50 | 0.1 | 288 |
|----------------------|-----------------------|-----|--------------|-----------------|-----------------------|-------------------|----------------------|
| | Whirlpool GU3600XTV | BES | 1 (blank) | \$ | 25 | 0.0 | 144 |
| | (blank) | BES | (Diank) | \$ \$ | 1,875 3,540 | 0.3 1.8 | 5,183 |
| Liabtina | LED ovit sign | DEC | c | | 3,340 72 | 0.2 | 11,836 996 |
| Lighting | LED exit sign | BES | 6 10 | \$ \$ | 240 | 0.2 | 4,980 |
| | | | 24 | ڔ | 240 | 0.5 | 3,984 |
| | LED ped signals | BES | 56 | | | 1.6 | 9,016 |
| | LED traffic signals | BES | 275 | \$ | 8,107 | 16.2 | 90,200 |
| | T8 4' 1L | BES | 25 | \$ | 719 | 0.3 | 1,175 |
| | T8 4' 2L | BES | 3 | Y | 713 | 0.0 | 165 |
| | 10 1 22 | 525 | 15 | \$ | 3,371 | 0.2 | 825 |
| | | | 16 | \$ | 3,359 | 0.2 | 880 |
| | | | 99 | Y | 3,333 | 1.5 | 5,445 |
| | | | 168 | \$ | 1,885 | 2.5 | 9,240 |
| | T8 4' 3L | BES | 10 | Ψ. | 2,000 | 0.3 | 1,190 |
| | | | 63 | \$ | 693 | 2.0 | 7,497 |
| | T8 4' 4L | BES | 2 | Ψ. | 050 | 0.1 | 252 |
| | | | 4 | \$ | 744 | 0.1 | 504 |
| | | | 42 | \$ | 3,096 | 1.4 | 5,292 |
| | | | 59 | • | , | 1.9 | 7,434 |
| | T8 HB 4L | BES | 4 | | | 0.5 | 2,012 |
| | | | 6 | \$ | 438 | 0.7 | 3,018 |
| | T8 HB 6L | BES | 4 | \$ | 340 | 0.6 | 2,572 |
| | | | 8 | | | 1.2 | 5,144 |
| | | | 15 | \$ | 1,275 | 2.2 | 9,645 |
| | | | 18 | \$ | 1,530 | 2.6 | 11,574 |
| | | | 21 | \$ | 1,905 | 3.1 | 13,503 |
| | | | 22 | \$ | 1,870 | 3.2 | 14,146 |
| | | | 23 | \$ | 1,955 | 3.4 | 14,789 |
| | | | 24 | \$ | 2,040 | 3.5 | 15,432 |
| | | | 30 | | | 4.4 | 19,290 |
| | | | 35 | \$ | - | 10.3 | 45,010 |
| | | | 37 | \$ | 3,145 | 5.4 | 23,791 |
| | | | 40 | \$ | 3,400 | 5.9 | 25,720 |
| | | | 56 | \$ | 3,360 | 8.2 | 36,008 |
| | | | 70 | \$ | 5,950 | 10.3 | 45,010 |
| | | | 74 | \$ | 6,290 | 10.9 | 47,582 |
| | | | 91 | \$ | 7,735 | 13.4 | 58,513 |
| | | | 134 | \$ | 11,390 | 19.7 | 86,162 |
| | | | | \$ | 74,909 | 139.7 | 627,996 |
| Lighting - New Const | Occup. Sensors | BES | 24 | | | 1.7 | 6,600 |
| | T5 4' 1L | BES | 2 | | | 0.0 | 118 |
| | T5 4' 2L | BES | 66 | | | 0.7 | 2,706 |
| | T5 HO 6L | BES | 15 | \$ | 1,340 | 2.2 | 9,645 |
| | | | 68 | \$ | 5,440 | 10.0 | 43,724 |
| | T5HO 6L | BES | 128 | _ | | 18.8 | 82,304 |
| | T8 HB 6L | BES | 20 | \$ | 1,272 | 2.9 | 12,860 |
| | -0.112 d.d. | | 27 | \$ | 1,620 | 4.0 | 17,361 |
| | T8 HP 4' 1L | BES | 42 | \$ | 12,224 | 0.2 | 714 |

| | | T8 HP 4' 2L | BES | 15 | | | 0.2 | 765 |
|----------------|---------------------------------------|---|--------------------------|--|---|--|---|---|
| | | T8 HP 4' 3L | BES | 106 | | | 2.0 | 7,526 |
| | | T8 HP 4' 4L | BES | 23 | | | 0.4 | 1,633 |
| | | T8HP 4' 3L | BES | 9 | | | 0.2 | 639 |
| | | CFL Fixtures and Lamps | BES | 42 | | | 5.1 | 19,404 |
| | | | | | \$ | 21,896 | 48.5 | 205,999 |
| | Motors | 15HP motor | BES | 2 | | | 0.2 | 796 |
| | | 20HP Motor | BES | 2 | | | 0.2 | 796 |
| | | 5HP Motor | BES | 2 | \$ | 4,650 | 0.1 | 174 |
| | | | | | \$ | 4,650 | 0.5 | 1,766 |
| | Res HVAC | 14.5 SEER AC | BES | 1 | \$ | 250 | 0.1 | 42 |
| | | 18 SEER AC | BES | 1 | | | 0.2 | 90 |
| | | ECM-gas furnace | BES | 1 | \$ | 1,000 | 1.1 | 5,677 |
| | | (blank) | BES | (blank) | \$ | 3,850 | 6.4 | 12,772 |
| | | | | | \$ | 5,100 | 7.7 | 18,581 |
| | Room air conditioner | Friedrich CP08E10 | BES | 1 | \$ | 15 | 0.0 | 59 |
| | | Frigidaire FAC126P1A | BES | 1 | \$ | 15 | 0.0 | 59 |
| | | Frigidaire FAH106S2T | BES | 1 | \$ | 15 | 0.0 | 59 |
| | | | | | \$ | 45 | 0.1 | 177 |
| | VFDs and Pumps | 100HP VFD | BES | 1 | \$ | 4,000 | 22.5 | 82,690 |
| | | 15HP Pump | BES | 2 | | | 1.6 | 4,774 |
| | | 15HP VFD | BES | 2 | | | 6.7 | 24,806 |
| | | 20HP VFD | BES | 2 | | | 9.0 | 33,076 |
| | | 5HP VFD | BES | 2 | | | 2.2 | 8,268 |
| | | | | | \$ | 4,000 | 42.0 | 153,614 |
| | | 4=0.0=1.1.11 | | | 4 | | | 7.050 |
| | Res Lighting | 153 CFL bulbs | BES | 153 | \$ | 230 | 0.6 | 7,650 |
| | Res Lighting | 153 CFL bulbs | BES | 153 | \$ | 230 | 0.6 | 7,650 7,650 |
| 2009 T | otal | 153 CFL bulbs | BES | 153 | \$ \$ | | 0.6 326.0 | 7,650 1,381,013 |
| 2009 T 2010 | | ECM in Res Style Furnace | BES | 153 | \$ \$ \$ | 230 128,372 150 | 0.6 326.0 0.2 | 7,650 1,381,013 400 |
| | otal | ECM in Res Style Furnace | | 1 2 | \$ \$ \$ | 230 128,372 150 300 | 0.6 326.0 0.2 0.5 | 7,650 1,381,013 400 800 |
| | otal | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) | BES BES | 1 2 64 | \$ \$ \$ \$ \$ | 230 128,372 150 300 960 | 0.6 326.0 0.2 0.5 7.8 | 7,650 1,381,013 400 800 10,356 |
| | otal | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats | BES BES BES | 1 2 64 60 | \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 | 0.6 326.0 0.2 0.5 7.8 19.8 | 7,650 1,381,013 400 800 10,356 49,320 |
| | otal | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) | BES BES | 1 2 64 | \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 | 7,650 1,381,013 400 800 10,356 49,320 1,063 |
| | otal CI HVAC | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats | BES BES BES | 1 2 64 60 | \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 | 0.6 326.0 0.2 0.5 7.8 19.8 | 7,650 1,381,013 400 800 10,356 49,320 |
| | otal CI HVAC Custom Electric | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film | BES BES BES BES | 1 2 64 60 1 | \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 |
| | otal CI HVAC | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats | BES BES BES | 1 2 64 60 | \$ \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom | BES BES BES BES | 1 2 64 60 1 | \$ \$ \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 12,780 |
| | otal CI HVAC Custom Electric | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film | BES BES BES BES | 1 2 64 60 1 | \$ \$ \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 12,780 450 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom | BES BES BES BES | 1 2 64 60 1 1 | \$ \$ \$ \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 100 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.0 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 12,780 450 450 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom | BES BES BES BES | 1 2 64 60 1 1 1 2 3 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 100 300 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.0 0.1 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 12,780 450 450 1,350 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom | BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 100 300 200 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.0 0.1 0.1 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 12,780 450 450 1,350 900 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom | BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 5 | \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 100 300 200 500 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.0 0.1 0.1 0.2 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 12,780 450 450 1,350 900 2,250 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom | BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 5 13 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 100 300 200 500 650 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.0 0.1 0.1 0.2 0.2 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 450 450 1,350 900 2,250 2,527 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom Energy Star Clothes Washer | BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 5 13 45 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 100 300 200 500 650 2,250 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.0 0.1 0.1 0.2 0.2 0.5 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 450 450 450 1,350 900 2,250 2,527 5,946 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom Energy Star Clothes Washer Energy Star Decorative Lights | BES BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 5 13 45 5 | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 100 300 200 500 650 2,250 18 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.0 0.1 0.1 0.2 0.2 0.5 0.0 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 450 450 450 1,350 900 2,250 2,527 5,946 42 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom Energy Star Clothes Washer | BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 5 13 45 5 | \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 100 300 200 500 650 2,250 18 30 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.1 0.1 0.2 0.2 0.5 0.0 0.1 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 450 450 450 1,350 900 2,250 2,527 5,946 42 264 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom Energy Star Clothes Washer Energy Star Decorative Lights | BES BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 5 13 45 5 1 | \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 100 100 300 200 500 650 2,250 18 30 40 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.1 0.1 0.2 0.2 0.5 0.0 0.1 0.1 0.1 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 450 450 450 1,350 900 2,250 2,527 5,946 42 264 352 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom Energy Star Clothes Washer Energy Star Decorative Lights Energy Star Dehumidifier | BES BES BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 5 13 45 5 1 1 4 6 | \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 100 100 300 200 500 650 2,250 18 30 40 60 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.0 0.1 0.1 0.2 0.2 0.5 0.0 0.1 0.1 0.1 0.1 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 450 450 1,350 900 2,250 2,527 5,946 42 264 352 528 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom Energy Star Clothes Washer Energy Star Decorative Lights | BES BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 5 13 45 5 1 1 4 6 6 1 | \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 1,358 100 100 300 200 500 650 2,250 18 30 40 60 75 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.1 0.1 0.2 0.2 0.5 0.0 0.1 0.1 0.1 0.1 0.1 0.1 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 450 450 1,350 900 2,250 2,527 5,946 42 264 352 528 411 |
| | otal CI HVAC Custom Electric Program | ECM in Res Style Furnace Pkgd Terminal AC (PTAC) Setback Thermostats Window Film Custom Energy Star Clothes Washer Energy Star Decorative Lights Energy Star Dehumidifier | BES BES BES BES BES BES | 1 2 64 60 1 1 1 2 3 4 5 13 45 5 1 1 4 6 | \$ | 230 128,372 150 300 960 3,000 897 5,307 1,358 100 100 300 200 500 650 2,250 18 30 40 60 | 0.6 326.0 0.2 0.5 7.8 19.8 0.6 28.9 4.5 4.5 0.0 0.0 0.1 0.1 0.2 0.2 0.5 0.0 0.1 0.1 0.1 0.1 | 7,650 1,381,013 400 800 10,356 49,320 1,063 61,939 12,780 450 450 1,350 900 2,250 2,527 5,946 42 264 352 528 |

| | | | | 4 6 | \$ \$ | 800 1,200 | 1.8 3.0 | 1,306 2,109 |
|---|---------------------|---|-----|----------|----------|--------------|-------------|----------------|
| | | | | 3 | \$ | 300 | 0.8 | 539 |
| | | | | 2 | \$ | 600 | 1.6 | 1,068 |
| | | HVAC Central AC unit | BES | 1 | \$ | 100 | 0.2 | 122 |
| | | HVAC Air_Source HP | BES | 1 | \$ | 500 | 0.8 | 3,962 |
| R | Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 300 | 0.5 | 800 |
| = | | | 555 | | \$ | 82,468 | 240.5 | 1,181,217 |
| | | | | 76 | \$ | 5,600 | 8.4 | 19,994 |
| | | | | 18 | \$ | 1,260 | 1.5 | 4,970 |
| | | Elec Bal | BES | 16 | \$ | 1,120 | 1.4 | 3,280 |
| | | Ltng Retrofit _ T5HO Hi Bay Fixtures w- | DEC | 4.0 | ۲. | 1 120 | 4.4 | 2 200 |
| | | Ltng Retrofit _ Othr Eff Ltg Tech/Ctld | BES | 1 | \$ | 270 | 1.1 | 8,349 |
| | | Ltng Retrofit _ Rducd Wtg T8 CEE Qual | BES | 149 | \$ | 2,052 | 3.6 | 9,825 |
| | | | | 610 | \$ | 51,850 | 152.4 | 795,285 |
| | | | | 103 | \$ | 8,755 | 22.8 | 140,688 |
| | | | | 93 | \$ | 7,905 | 22.5 | 98,597 |
| | | Bal | BES | 23 | \$ | 1,955 | 5.1 | 12,103 |
| | | Ltng Retrofit _ T8 Hi Bay Fixtures w-Elec | | | _ | | | |
| | | | | 82 | \$ | 555 | 0.9 | 3,922 |
| | | Bal | BES | 7 | \$ | 42 | 0.1 | 226 |
| | | Ltng Retrofit _FIrscnt T8 & T5 w/Elec | | 3 | Ţ | 100 | 0.2 | 1,430 |
| | | ting netront _ LED & induction rech | DLJ | 9 | \$ | 108 | 0.1 | 1,498 |
| | | Ltng Retrofit _ LED & Induction Tech | BES | 532 6 | \$ \$ | 798 72 | 15.8 0.1 | 69,180 999 |
| L | ighting - Retrofit | Ltng Retrofit _ CFL Fixtures & Lamps | BES | 84 | \$ | 126 | 4.5 | 12,301 |
| _ | | | | | \$ | 31,420 | 141.4 | 672,168 |
| | | | | 447 | \$ | 30,060 | 135.4 | 655,018 |
| L | ighting - New Const | Fixture | BES | 17 | \$ | 1,360 | 6.0 | 17,150 |
| _ | | Ltng New Const _ T5HO 4ft Hi Bay | | | _ | | | |
| | | | | | \$ | 4,700 | 6.5 | 38,515 |
| | | | | 2 | \$ | 3,000 | 4.2 | 25,050 |
| | | ES Convection Ovens _ Electric Only | BES | 1 | \$ | 1,500 | 2.1 | 12,525 |
| F | ood Service | ES Comm Solid Door Refrigerators | BES | 2 | \$ | 200 | 0.1 | 940 |
| | | | | | \$ | 5,298 | 1.9 | 19,932 |
| | | | | 2 | \$ | 30 | 0.2 | 100 |
| | | Energy Star Room AC | BES | 1 | \$ | 45 | 0.3 | 150 |
| | | | | 23 | \$ | 575 | 0.0 | 2,671 |
| | | | | | | | | |

| | ECM in Res Style Furnace | BES | 1 | \$ | 300 | 0.5 | 800 |
|-------------------------|-------------------------------------|------|-----|----|--------|------|---------|
| | | | 5 | \$ | 750 | 1.2 | 2,000 |
| | Setback Thermostats | BES | 11 | \$ | 550 | 3.6 | 9,042 |
| | Unitary Air Cooled Split System AC | BES | 1 | \$ | 175 | 0.6 | 632 |
| | | | 7 | \$ | 3,133 | 11.3 | 10,847 |
| | Unitary Single Pkgd AC | BES | 6 | \$ | 1,960 | 9.8 | 6,894 |
| | | | | \$ | 9,148 | 34.6 | 37,627 |
| Compressed Air | | 550 | 2 | | 4 405 | 40.0 | 422 200 |
| System | Compressed Air System Leak Survey | BES | 2 | \$ | 4,435 | 40.3 | 423,299 |
| Custom Floatuis | | | | \$ | 4,435 | 40.3 | 423,299 |
| Custom Electric Program | Custom | BES | 1 | \$ | 8,400 | 28.0 | 181,111 |
| riogram | 36 Energy Star ceiling fans | BES | 1 | \$ | 900 | 3.2 | 5,436 |
| | Installed enregy recovery unit | BES | 1 | \$ | 1,734 | 5.8 | 0,430 |
| | installed emegy recovery unit | DES | 1 | | | | |
| Fuerer Cter Analisass | France Star Clathas Washan | DEC | 4 | \$ | 11,034 | 37.0 | 186,547 |
| Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 150 | 0.1 | 675 |
| | | | 2 | \$ | 200 | 0.1 | 900 |
| | | | 3 | \$ | 150 | 0.1 | 675 |
| | | | 4 | \$ | 400 | 0.2 | 1,800 |
| | | | 17 | \$ | 850 | 0.4 | 3,825 |
| | Energy Star Decorative Lights | BES | 8 | \$ | 28 | 0.0 | 204 |
| | Energy Star Dehumidifier | BES | 1 | \$ | 30 | 0.1 | 264 |
| | | | 2 | \$ | 100 | 0.2 | 880 |
| | Energy Star Dishwasher | BES | 2 | \$ | 50 | 0.0 | 274 |
| | | | 3 | \$ | 150 | 0.0 | 822 |
| | | | 5 | \$ | 125 | 0.0 | 685 |
| | | | 13 | \$ | 325 | 0.0 | 1,781 |
| | Energy Star Refrigerators | BES | 1 | \$ | 200 | 0.2 | 1,620 |
| | | | 2 | \$ | 200 | 0.2 | 1,620 |
| | | | 3 | \$ | 150 | 0.1 | 1,215 |
| | | | 4 | \$ | 200 | 0.2 | 1,620 |
| | Energy Star Room AC | BES | 1 | \$ | 30 | 0.2 | 100 |
| | | | | \$ | 3,338 | 1.8 | 18,960 |
| Lighting - New Const | Ltng NC _ Hi Bay Occupancy Sensor | BES | 5 | \$ | 50 | 0.1 | 3,738 |
| | | | 8 | \$ | 80 | 0.2 | 5,981 |
| | Ltng NC _ T5HO 4ft Hi Bay Fixture | BES | 37 | \$ | 2,590 | 12.7 | 133,116 |
| | | | 130 | \$ | 9,100 | 31.1 | 178,205 |
| | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 2 | \$ | 100 | 0.7 | 3,851 |
| | | | 12 | \$ | 600 | 3.2 | 17,722 |
| | | | 16 | \$ | 960 | 5.8 | 30,807 |
| | | | 28 | \$ | 1,400 | 5.3 | 30,043 |
| | | | 32 | \$ | 1,920 | 6.1 | 34,335 |
| | | | 72 | \$ | 1,440 | 5.0 | 43,871 |
| | Ltng NC_Low Watt T8 Fixture | BES | 365 | \$ | 2,295 | 4.9 | 46,177 |
| | 3 3 3 | | | \$ | 20,535 | 75.2 | 527,846 |
| Lighting - Retrofit | Ltng Retro _ CFL Fixtures & Lamps | BES | 4 | \$ | 6 | 0.2 | 656 |
| J : U = | Ltng Retro _ Hi Perf T8 CEE Qual | BES | 19 | \$ | 245 | 1.1 | 2,860 |
| | Ltng Retro _ Hi Perf T8 Replacing | - == | | ~ | | | _,550 |
| | Specific Fixtures | BES | 110 | \$ | 1,760 | 3.7 | 10,114 |
| | Ltng Retro _ LED & Induction Tech | BES | 6 | \$ | 72 | 0.1 | 999 |
| | Ltng Retro _ Othr Eff Ltg Tech/Unit | BES | 10 | \$ | 400 | 0.9 | 9,970 |
| | | | | | | | |

| | Ltng Retro _ T5HO Hi Bay Fix w-Elec Bal | BES | 15 | \$ | 1,350 | 3.4 | 12,582 |
|----------------|--|-----|-----|----------|--------|-------|-----------|
| | | | 65 | \$ | 11,750 | 35.1 | 204,827 |
| | | | 72 | \$ | 5,040 | 6.2 | 38,316 |
| | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 6 | \$ | 510 | 1.3 | 3,157 |
| | | | 8 | \$ | 680 | 1.8 | 4,413 |
| | | | 10 | \$ | 850 | 2.2 | 5,262 |
| | | | 26 | \$ | 2,210 | 5.7 | 33,400 |
| | | | 81 | \$ | 6,885 | 23.0 | 121,006 |
| | | | 133 | \$ | 11,305 | 29.5 | 181,665 |
| | | | 154 | \$ | 12,850 | 31.2 | 110,575 |
| | | | 412 | \$ | 35,020 | 91.4 | 562,752 |
| | Ltng Retro _Flrscnt T8 & T5 w/Elec Bal | BES | 4 | \$ | 72 | 0.2 | 798 |
| | | | 9 | \$ | 162 | 0.4 | 1,824 |
| | | | 13 | \$ | 169 | 0.4 | 1,586 |
| | | | 28 | \$ | 364 | 0.9 | 3,416 |
| | | | 70 | \$ | 896 | 2.8 | 20,144 |
| | | | 185 | \$ | 1,669 | 4.4 | 18,553 |
| | Ltng Retro_Rducd Wtg T8 Fixture | BES | 10 | \$ | 180 | 0.6 | 2,173 |
| | | | | \$ | 94,445 | 246.7 | 1,351,048 |
| Res HVAC | Air Handler _ Fan Coil with ECM | BES | 1 | \$ | 300 | 0.5 | 800 |
| | Desuperheater | BES | 1 | \$ | 250 | 0.6 | 1,221 |
| | | | 2 | \$ | 500 | 1.1 | 2,442 |
| | HVAC Air_Source HP | BES | 1 | \$ | 500 | 0.8 | 3,962 |
| | HVAC Central AC unit | BES | 1 | \$ | 200 | 0.5 | 334 |
| | | | 2 | \$ | 600 | 1.4 | 1,025 |
| | | | 5 | \$ | 500 | 1.1 | 806 |
| | HVAC Closed Loop Water to Air GS HP | BES | 1 | \$ | 908 | 2.8 | 12,488 |
| | | | 3 | \$ | 2,634 | 5.0 | 41,043 |
| | HVAC HE Furnace with ECM | BES | 1 | \$ | 450 | 0.7 | 1,200 |
| | | | 2 | \$ | 600 | 0.9 | 1,600 |
| | | | 3 | \$ | 450 | 0.7 | 1,200 |
| | | | 4 | \$ | 600 | 0.9 | 1,600 |
| | | | 5 | \$ | 750 | 1.2 | 2,000 |
| | | | 6 | \$ | 900 | 1.4 | 2,400 |
| | | | 7 | \$ | 1,050 | 1.6 | 2,800 |
| | | | 9 | \$ | 1,350 | 2.1 | 3,600 |
| | Programmable Thermostat - Elec Heat w/AC | BES | 1 | ċ | 50 | 0.0 | 6 016 |
| | | BES | 1 | \$ \$ | 50 | 0.0 | 6,816 |
| | Programmable Thermostat - Heat Pump Programmable Thermostat - NON Elec- | DES | 1 | Ş | 30 | 0.0 | 2,228 |
| | Gas w/AC | BES | 1 | \$ | 100 | 0.0 | 748 |
| | · | | 2 | \$ | 50 | 0.0 | 374 |
| | | | 5 | \$ | 125 | 0.0 | 935 |
| | | | | \$ | 12,916 | 23.2 | 91,622 |
| VFDs and Pumps | Hi_Eff Pumps | BES | 2 | \$ | 800 | 0.0 | 9,440 |
| · | _ ' | | 5 | \$ | 1,800 | 0.0 | 21,240 |
| | Repl on Fail 3 Phase _ 1200 RPM | BES | 2 | \$ | 150 | 0.1 | 1,177 |
| | . - | | 3 | \$ | 1,125 | 0.9 | 10,548 |
| | Repl on Fail 3 Phase _ 1800 RPM | BES | 1 | \$ | 150 | 0.1 | 1,151 |
| | · - | | 5 | \$ | 850 | 1.1 | 5,580 |
| | | | 6 | \$ | 330 | 0.4 | 3,903 |
| | | | | | | | • |

| | | | | 22 | \$ | 4,000 | 4.3 | 47,310 |
|--------|------------------------------|--------------------------------------|-----|----|----|---------|-------|-----------|
| | | Repl on Fail 3 Phase _ 3600 RPM | BES | 1 | \$ | 275 | 0.2 | 1,958 |
| | | | | 2 | \$ | 300 | 0.1 | 575 |
| | | Variable Freq Drives | BES | 2 | \$ | 800 | 3.3 | 11,360 |
| | | | | 3 | \$ | 800 | 5.2 | 16,794 |
| | | | | 9 | \$ | 6,200 | 40.3 | 145,446 |
| | | | | 10 | \$ | 10,940 | 71.4 | 354,634 |
| | | VFD Air Compressor | BES | 1 | \$ | 2,625 | 8.3 | 51,675 |
| | | | | | \$ | 31,145 | 135.7 | 682,791 |
| | Res Lighting | CFL Fixtures and Lamps | BES | 74 | \$ | 111 | 0.3 | 2,873 |
| | | | | | \$ | 111 | 0.3 | 2,873 |
| 2011 T | otal | | | | \$ | 187,107 | 594.9 | 3,322,613 |
| 2012 | CI HVAC | Desuperheater | BES | 2 | \$ | 500 | 0.7 | 2,442 |
| | | GS HP_Closed Loop Water to Water | BES | 2 | \$ | 3,000 | 2.3 | 59,115 |
| | | Mini Split Ductless Air Source HP | BES | 1 | \$ | 200 | 0.4 | 6,470 |
| | | Setback/Programmable Thermostats | BES | 1 | \$ | 50 | 0.0 | 1,911 |
| | | | | 6 | \$ | 300 | 0.0 | 5,292 |
| | | Unitary Single Pkgd AC | BES | 2 | \$ | 6,500 | 25.9 | 24,968 |
| | | | | 6 | \$ | 4,685 | 22.9 | 22,050 |
| | | | | | \$ | 15,235 | 52.2 | 122,248 |
| | Comm Refrigeration | | | | | | | 0.000 |
| | Audit | Coil Cleaning kit | BES | 1 | \$ | - | 0.4 | 3,656 |
| | | LED Screw-in Replacement Lamp | BES | 1 | \$ | - | 0.0 | 411 |
| | Communicated Air | | | | \$ | - | 0.5 | 4,067 |
| | Compressed Air System | Compressed Air System Leak Survey | BES | 1 | \$ | 1,498 | 12.7 | 156,643 |
| | oyste | VFD Air Compressor | BES | 1 | \$ | 3,815 | 12.0 | 75,101 |
| | | VI B 7 III Compressor | 223 | - | \$ | 5,313 | 24.7 | 231,744 |
| | Custom Electric | | | | * | 0,010 | | |
| | Program | Custom | BES | 1 | \$ | 1,210 | 4.2 | 11,031 |
| | | Custom Lighting | BES | 1 | \$ | 1,200 | 4.0 | 12,480 |
| | | | | | \$ | 2,410 | 8.2 | 23,511 |
| | Energy Star Appliance | Energy Star Ceiling Fans | BES | 1 | \$ | 25 | 0.1 | 151 |
| | | Energy Star Clothes Washer | BES | 1 | \$ | 150 | 0.1 | 675 |
| | | | | 2 | \$ | 300 | 0.1 | 1,350 |
| | | | | 3 | \$ | 150 | 0.1 | 675 |
| | | | | 4 | \$ | 200 | 0.1 | 900 |
| | | Energy Star Decorative Lights | BES | 7 | \$ | 25 | 0.0 | 178 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 10 | 0.0 | 88 |
| | | | | 3 | \$ | 30 | 0.1 | 264 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 75 | 0.0 | 411 |
| | | | | 2 | \$ | 50 | 0.0 | 274 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 200 | 0.2 | 1,620 |
| | | | | 2 | \$ | 200 | 0.2 | 1,620 |
| | | | | 3 | \$ | 150 | 0.1 | 1,215 |
| | | Energy Star Room AC | BES | 1 | \$ | 15 | 0.1 | 50 |
| | | | | | \$ | 1,580 | 1.1 | 9,471 |
| | Lighting - New Const | Ltng NC _ Hi Bay Occupancy Sensor | BES | 34 | \$ | 340 | 1.0 | 7,372 |
| | | Ltng NC _ T5HO 4ft Hi Bay Fixture | BES | 34 | \$ | 2,380 | 5.7 | 22,215 |
| | | | | 44 | \$ | 3,080 | 11.1 | 26,461 |
| | | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 26 | \$ | 1,300 | 9.3 | 30,538 |
| | | | | | | | | |

| | | | 38 | \$ | 1,900 | 17.8 | 62,001 |
|---------------------|--|-----|-----|---------|---------------|--------------|-----------|
| | | | 287 | \$ | 14,350 | 56.5 | 285,167 |
| | | | 207 | ب \$ | 23,350 | 101.5 | 433,754 |
| Lighting Detuctit | Itas Batro CEL Fixtures 9 James | DEC | 200 | | | | |
| Lighting - Retrofit | Ltng Retro _ CFL Fixtures & Lamps | BES | 398 | \$ | 148 | 11.6 | 51,234 |
| | Ltng Retro _ Flrscnt T8 & T5 w/Elec Bal | BES | 39 | \$ | 388 | 1.2 | 3,208 |
| | | | 67 | \$ | 871 | 2.7 | 7,301 |
| | Itas Batra III Dorf TO Donlacina | | 72 | \$ | 936 | 2.4 | 8,785 |
| | Ltng Retro _ Hi Perf T8 Replacing Specific Fixtures | BES | 35 | \$ | 1,050 | 2.7 | 6,686 |
| | Ltng Retro _ LED & Induction Tech | BES | 65 | \$ | 975 | 3.6 | 9,784 |
| | Etilg Netro _ EED & madetion reen | DLJ | 92 | \$ | 1,380 | 5.1 | 13,848 |
| | | | 137 | \$ | 2,055 | 7.6 | 20,622 |
| | Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 30 | \$ | 540 | 1.8 | 6,520 |
| | Ling Netro _ Nucle Wig To CLL Quar | DES | 694 | ڊ \$ | 8,023 | 25.0 | 91,718 |
| | Itaa Batra TEHO Hi Bay Fiyyy Flac Bal | DEC | | | | | |
| | Ltng Retro _ T5HO Hi Bay Fix w-Elec Bal | BES | 17 | \$ | 1,190 | 1.5 | 3,485 |
| | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 8 | \$ | 680 | 1.8 | 4,210 |
| | | | 40 | \$ | 3,400 | 8.9 | 54,636 |
| | | | 45 | \$ | 3,825 | 10.2 | 27,615 |
| | | | 57 | \$ | 3,990 | 7.7 | 18,308 |
| | | | 580 | \$ | 49,300 | 128.6 | 792,224 |
| | Ltng Retro _FIrscnt T8 & T5 w/Elec Bal | BES | 165 | \$ | 1,498 | 3.7 | 9,951 |
| | | | | \$ | 80,249 | 225.9 | 1,130,135 |
| Res HVAC | Air Handler _ Fan Coil with ECM | BES | 2 | \$ | 600 | 0.9 | 1,600 |
| | | | 3 | \$ | 450 | 0.7 | 1,200 |
| | Desuperheater | BES | 1 | \$ | 250 | 0.4 | 1,221 |
| | HVAC Central AC unit | BES | 1 | \$ | 100 | 0.2 | 154 |
| | | | 3 | \$ | 900 | 4.3 | 2,424 |
| | | | 4 | \$ | 800 | 2.3 | 1,363 |
| | | | 5 | \$ | 500 | 1.1 | 814 |
| | HVAC Closed Loop Water to Air GS HP HVAC Closed Loop Water to Water GS | BES | 1 | \$ | 1,000 | 0.3 | 18,992 |
| | НР | BES | 1 | \$ | 1,860 | 0.5 | 35,033 |
| | HVAC HE Furnace with ECM | BES | 1 | \$ | 150 | 0.2 | 400 |
| | | | 2 | \$ | 900 | 1.4 | 2,400 |
| | | | 3 | \$ | 900 | 1.4 | 2,400 |
| | | | 4 | \$ | 600 | 0.9 | 1,600 |
| | | | 5 | \$ | 1,500 | 2.3 | 4,000 |
| | HVAC Mini-Split/Ductless AC | BES | 1 | \$ | 200 | 0.9 | 356 |
| | Programmable Thermostat - AC Only | BES | 2 | \$ | 50 | 0.0 | 374 |
| | , | | 106 | \$ | 2,650 | 10.3 | 19,822 |
| | Programmable Thermostat - Elec Heat | | | | | | |
| | w/AC | BES | 1 | \$ | 25 | 0.1 | 2,272 |
| | | | 12 | \$ | 300 | 0.0 | 27,264 |
| | Programmable Thermostat - | | | | | | |
| | Geothermal | BES | 1 | \$ | 25 | 0.1 | 882 |
| | Programmable Thermostat - Heat Pump Programmable Thermostat - NON Elec- | BES | 2 | \$ | 50 | 0.0 | 2,228 |
| | Gas w/AC Programmable Thermostat - Propane, | BES | 1 | \$ | 25 | 0.0 | 187 |
| | Fuel Oil, Boiler w/AC | BES | 1 | \$ | 125 | 0.3 | 935 |
| | | | 2 | \$ | 50 | 0.2 | 374 |
| | | | | \$ | 14,010 | 28.8 | 128,295 |
| | | | | | | | |

| | Comm Refrigeration | LED Reach-in Refrigerated Case Ltg | BES | 1 | \$ | 300 | 0.6 | 5,148 |
|--------|------------------------------|---|-----|-----------|----------|---------------|-------|----------------|
| | J | S S | | | \$ | 300 | 0.6 | 5,148 |
| 2012 T | otal | | | | \$ | 142,446 | 443.4 | 2,088,373 |
| 2013 | CI HVAC | ECM in Res Style Furnace | BES | 1 | \$ | 300 | 0.5 | 800 |
| | | | | 2 | \$ | 300 | 0.5 | 800 |
| | | Energy Recovery Ventilator (ERV) | BES | 4 | \$ | 10,620 | 35.4 | 5,664 |
| | | Mini Split Ductless AC | BES | 4 | \$ | 400 | 1.7 | 712 |
| | | Setback/Programmable Thermostats | BES | 1 | \$ | 50 | 0.0 | 882 |
| | | | | 5 | \$ | 250 | 0.0 | 4,110 |
| | | Unitary Air Cooled Split Sys AC <65k | | _ | _ | | | |
| | | Btuh (1ph) | BES | 1 | \$ | 125 | 0.2 | 207 |
| | | Unitary Single Pkgd AC 065k - 135k Btuh | BES | 1 | \$ | 600 | 1.3 | 434 |
| | | | | 3 | \$ | 1,800 | 3.8 | 1,786 |
| | Compressed Air | | | | \$ | 14,445 | 43.2 | 15,395 |
| | System | Compressed Air System Leak Survey | BES | 1 | \$ | 924 | 14.2 | 124,021 |
| | -, | Cycling Refrigerated Dryers | BES | 1 | \$ | 210 | 0.6 | 2,414 |
| | | VFD Air Compressor | BES | 1 | \$ | 1,890 | 6.9 | 30,456 |
| | | , p | | 2 | \$ | 3,710 | 13.6 | 59,784 |
| | | | | | \$ | 6,734 | 35.3 | 216,675 |
| | Custom Electric | | | | | | | |
| | Program | Custom | BES | 1 | \$ | 31,223 | 81.6 | 695,888 |
| | | Custom - 12-drop cold deck for | DEC | 4 | , | 7.026 | 40.6 | 445.260 |
| | | injection equipment Custom - 32-drop cold deck for | BES | 1 | \$ | 7,026 | 19.6 | 115,368 |
| | | injection equipment | BES | 1 | \$ | 5,336 | 15.0 | 82,333 |
| | | Custom Lighting | BES | 1 | \$ | 43,093 | 178.6 | 839,191 |
| | | 0 0 | | | \$ | 86,678 | 294.7 | 1,732,780 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 100 | 0.0 | 262 |
| | | | | 2 | \$ | 400 | 0.1 | 1,048 |
| | | | | 3 | \$ | 150 | 0.1 | 393 |
| | | Energy Star Decorative Lights | BES | 2 | \$ | 7 | 0.0 | 156 |
| | | | | 6 | \$ | 21 | 0.0 | 469 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 10 | 0.1 | 90 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 125 | 0.2 | 300 |
| | | | | 2 | \$ | 100 | 0.1 | 240 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 100 | 0.1 | 810 |
| | | | | 2 | \$ | 100 | 0.1 | 810 |
| | | | | 3 | \$ | 150 | 0.1 | 1,215 |
| | | | | 4 | \$ | 200 | 0.2 | 1,620 |
| | | Energy Star Room AC | BES | 1 | \$ | 15 | 0.1 | 50 |
| | | | | | \$ | 1,478 | 1.2 | 7,463 |
| | Food Service | ES Comm Glass Door Freezers | BES | 2 | \$ | 200 | 0.5 | 4,008 |
| | | ES Comm Solid Door Refrigerators | BES | 2 | \$ | 300 | 0.2 | 1,580 |
| | | ES Ice Machines | BES | 1 | \$ | 200 | 0.2 | 1,652 |
| | District N. C. | TELIO ASCILIS Deve First | DEC | 404 | \$ | 700 | 0.8 | 7,240 |
| | Lighting - New Const | T5HO 4ft Hi Bay Fixture | BES | 101 | \$ | 7,070 | 25.3 | 148,281 |
| | | T8 4ft Hi Bay Fixture | BES | 54 153 | \$ | 2,700 | 8.1 | 49,811 |
| | | | | 153 | \$ | 5,525 | 19.6 | 50,964 |
| | Lighting Batuafit | High Day Flourescent Oce Sensors | DEC | 1 | \$ ¢ | 15,295 | 53.0 | 249,056 |
| | Lighting - Retrofit | High Bay Flourescent Occ Sensors | BES | 1 | \$ \$ | 450 60 | 1.4 | 24,161 |
| | | LED & Induction Tech | BES | 5 | Ş | 60 | 0.1 | 832 |

| | | | 70 | \$ | 1,050 | 3.8 | 10,537 |
|----------------|-------------------------------------|-----|------------------|-----------------------------------|---|--|--|
| | | | 302 | \$ | 4,530 | 16.7 | 45,458 |
| | Othr Eff Ltg Tech - per Unit | BES | 25 | \$ | 1,000 | 3.2 | 27,666 |
| | Rducd Wtg T8 Lamps ONLY | BES | 484 | \$ | 484 | 1.9 | 5,604 |
| | | | 829 | \$ | 829 | 3.3 | 9,599 |
| | Reduced Wtg T8 4ft CEE Qual | BES | 40 | \$ | 720 | 2.8 | 7,764 |
| | | | 95 | \$ | 1,638 | 5.0 | 11,789 |
| | | | 266 | \$ | 4,644 | 10.8 | 30,637 |
| | T8 4ft w/ Bal Repl 8ft T12 HO | BES | 13 | \$ | 260 | 0.8 | 2,081 |
| | T8 4ft w/Elec Bal | BES | 16 | \$ | 208 | 0.6 | 1,744 |
| | | | 30 | \$ | 390 | 1.2 | 4,915 |
| | | | 50 | \$ | 650 | 2.0 | 5,449 |
| | | | 83 | \$ | 1,079 | 3.3 | 24,275 |
| | | | 350 | \$ | 3,990 | 9.4 | 57,711 |
| | | | 394 | \$ | 3,435 | 7.4 | 18,508 |
| | CFL Fixtures and Lamps | BES | 48 | \$ | 72 | 1.4 | 6,179 |
| | T5HO Hi Bay Fixtures w/ 4ft Lamps | BES | 99 | \$ | 6,930 | 8.5 | 52,685 |
| | T8 Hi Bay Fixtures w/ 4ft Lamps | BES | 6 | \$ | 510 | 1.3 | 8,195 |
| | | | 32 | \$ | 2,720 | 5.4 | 15,375 |
| | | | 35 | \$ | 2,975 | 7.8 | 18,418 |
| | | | 60 | \$ | 5,100 | 9.9 | 69,438 |
| | | | | \$ | 43,724 | 108.2 | 459,020 |
| Res HVAC | HVAC Air_Source HP - 14.5 SEER | BES | 1 | \$ | 250 | 0.2 | 1,581 |
| | HVAC Central AC unit | BES | 1 | \$ | 100 | 0.8 | 450 |
| | | | 2 | \$ | 400 | 2.8 | 1,527 |
| | | | 3 | \$ | 900 | 7.2 | 3,948 |
| | | | 4 | \$ | 400 | 3.0 | 1,614 |
| | 10/40/15 5 21 50/4 | 550 | 5 | \$ | 500 | 4.0 | 2,198 |
| | HVAC HE Furnace with ECM | BES | 2 | \$ | 600 | 0.9 | 1,600 |
| | | | 3 | \$ | 900 | 1.4 | 2,400 |
| | | | 5 | \$ \$ | 1,500 | 2.3 | 4,000 |
| | | | 6 | | 900 | 1.4 | 2,400 |
| | | | 9 | \$ \$ | 1,350 | 2.1 | 3,600 |
| | HVAC Mini Split_Ductless Air_Source | | 10 | Ş | 1,500 | 2.3 | 4,000 |
| | HP | BES | 1 | \$ | 200 | 0.4 | 6,470 |
| | | | 2 | \$ | 400 | 0.9 | 12,940 |
| | HVAC Mini-Split/Ductless AC | BES | 1 | \$ | 200 | 0.9 | 356 |
| | Programmable Thermostat - Elec Heat | | | | | | |
| | w/AC | BES | 4 | \$ | 100 | 0.4 | 9,088 |
| | | | 5 | \$ | 125 | 0.5 | 11,360 |
| | Programmable Thermostat - Propane, | | | | | | F.C.1 |
| | | DEC | 4 | 4 | 75 | 0.2 | |
| | Fuel Oil, Boiler w/AC | BES | 1 | \$ | 75 100 | 0.3 | 561 |
| | | BES | 2 | \$ | 100 | 0.4 | 748 |
| | | BES | 2 | \$ \$ | 100 75 | 0.4 0.3 | 748 561 |
| | | BES | 2 3 4 | \$ \$ \$ | 100 75 100 | 0.4 0.3 0.4 | 748 561 748 |
| | | BES | 2 | \$ \$ \$ \$ | 100 75 100 150 | 0.4 0.3 0.4 0.6 | 748 561 748 1,122 |
| VEDs and Pumps | Fuel Oil, Boiler w/AC | | 2 3 4 6 | \$ \$ \$ \$ | 100 75 100 150 10,825 | 0.4 0.3 0.4 0.6 33.4 | 748 561 748 1,122 73,272 |
| VFDs and Pumps | Fuel Oil, Boiler w/AC Hi_Eff Pumps | BES | 2 3 4 6 | \$ \$ \$ \$ \$ | 100 75 100 150 10,825 400 | 0.4 0.3 0.4 0.6 33.4 0.9 | 748 561 748 1,122 73,272 3,186 |
| VFDs and Pumps | Fuel Oil, Boiler w/AC | | 2 3 4 6 | \$ \$ \$ \$ | 100 75 100 150 10,825 | 0.4 0.3 0.4 0.6 33.4 | 748 561 748 1,122 73,272 |

| | | | | \$ 1,820 | 10.1 | 32,301 |
|--------------------|---|-----|----|---------------|---------|------------|
| Comm Refrigeration | Anti_sweat heater control | BES | 1 | \$ 47 | 0.2 | 9,156 |
| | ECM Fan Motor for Cooler-Freezer LED Vertical Reach-in Refrigerated Case | BES | 15 | \$ 900 | 2.0 | 24,225 |
| | Lighting | BES | 1 | \$ 150 | 0.3 | 2,574 |
| | | | | \$ 1,097 | 2.5 | 35,955 |
| 2013 Total | | | | \$ 182,796 | 582.5 | 2,829,157 |
| Grand Total | | | | \$ 786,822 | 2,399.2 | 11,657,995 |

Appendix 2 – Watertown Resolution

RESOLUTION NO. 6516

RESOLUTION PROVIDING FOR THE ADOPTION OF AN INTEGRATED RESOURCE PLAN (IRP) AS REQUIRED BY WESTERN AREA POWER ADMINISTRATION TO COMPLY WITH LONG-TERM POWER SUPPLY AGREEMENT

WHEREAS the Watertown Municipal Utilities Department purchases a significant portion of its power supply from the Western Area Power Administration (Western); and

WHEREAS Western has recently published its Energy Planning and Management Program Rules specifying the requirements for preparing and filing an Integrated Resource Plan (IRP); and

WHEREAS the Municipal Utility staff has prepared an IRP Summary Report describing the IRP process used and the information and assumption used to develop the IRP; and

WHEREAS our customers were informed of our IRP and resulting Action Plans through various means including a public meeting where public questions and comments were encouraged; and

WHEREAS any public comments received have been addressed in order to strengthen the Utility's Integrated Resource Plan; and

WHEREAS the IRP Summary Report included 5-year and 2-year action plans outlining actions to be taken by the Municipal Utilities Department during the next several years $\frac{1}{2}$

NOW THEREFORE BE IT RESOLVED by the Watertown Municipal Utilities Department as follows:

That the "Integrated Resource Plan Summary Report for the Watertown Municipal Utilities Department dated September 1, 2014 shall be approved for filing with Western under the Energy Planning and Management Program"

Dated at Watertown, South Dakota, this 30th Day of June 2014

MICHAEL V. Luken, President

Michael V. Luken, President Watertown Municipal Utilities

Lisa Pahl, Secretary

ATTEST /

Watertown Municipal Utilities

(SEAL)

IX. Winner, SD Resource Planning

A. City Information

Winner, located in Tripp County, is a community of more than 2,800 individuals located in south central South Dakota. The residential sector included 1,547 housing units, and the median age of the population is 45.6 years. About 24.6% of the population is 65 years of age or older and about 21.4% are under 18 years old. In 2012, the municipal utility had 1,436 residential customers and 486 commercial customers. The residential sector's yearly usage averaged 12,540 kWh per customer in 2012. Commercial customers averaged 44,093 kWh.

The rates for each type of customer are shown on the rate sheet in Exhibit 1. As of January 2014, the residential sector was charged 9.7 cents per kWh, and received a fixed customer charge of \$12.30. Small commercial customers were charged 10 cents per kWh, and received a fixed customer charge of \$17.50. Large commercial customers were charged 5.1 cents per kWh, and received a fixed customer charge of \$32.00. Large commercial customers also received a demand charge of \$11.25 per kW.

Exhibit 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4, which show the winter and summer peak demand and energy for 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Winner on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively. The total peak load, including distribution and transformation losses, was 9,421 kW in the winter and 8,646 kW in the summer. Exhibits 7 and 8 each show the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load remaining flat from midnight to 6 am then increasing till roughly 9 am. Then loads begin to decline until 4 pm with a quick upswing until 6 pm. Loads then fall again until 12 am the next day. The summer peak graph indicates the load increasing from 6 am until peaking at 5 pm. Then a steady decline occurs until 6 am the next day.

WINNER, SOUTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE

| Customer Class | Rate Component | Current Rate |
|-----------------------|------------------------------------|------------------------------|
| Residential | Customer Charge \$/kWh | \$12.30 \$.097 |
| Small Commercial | Customer Charge \$/kWh | \$17.50 \$.100 |
| Large Commercial | Customer Charge \$/kW \$/kWh | \$32.00 \$11.25 \$.051 |


MRES Seasonal Load Report Winner, SD Town Gate Load

BASE Forecast

1/31/14 2:14 PM Town Gate Load Monthly Splits Historic Through 12/2013

| BASE FOI | ecast | | | | | | | one i nrough i | 2/2013 | | |
|----------|--------------|-------------|-------------|--------------|--------|--------------|-------------|----------------|--------------|--|--|
| | | | and (kW) | | | | Energy (k | , | | | |
| Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | | |
| 2001 | 9,438 | 6,972 | 2,965 | 0 | 2001 | 20,294,324 | 16,390,957 | 3,903,367 | 0 | | |
| 2002 | 9,324 | 6,972 | 3,214 | 0 | 2002 | 20,845,382 | 16,544,000 | 4,301,382 | 0 | | |
| 2003 | 9,452 | 6,972 | 3,342 | 0 | 2003 | 20,034,778 | 16,439,514 | 3,595,264 | 0 | | |
| 2004 | 9,203 | 6,972 | 3,093 | 0 | 2004 | 19,467,820 | 16,399,251 | 3,068,569 | 0 | | |
| 2005 | 9,411 | 6,972 | 2,810 | 0 | 2005 | 21,065,357 | 16,484,442 | 4,580,915 | 0 | | |
| 2006 | 9,528 | 6,961 | 3,428 | 0 | 2006 | 20,845,901 | 16,517,000 | 4,328,901 | 0 | | |
| 2007 | 9,138 | 6,961 | 3,038 | 0 | 2007 | 20,168,698 | 16,411,293 | 3,757,405 | 0 | | |
| 2008 | 8,422 | 6,961 | 2,322 | 0 | 2008 | 19,409,759 | 16,490,262 | 2,919,497 | 0 | | |
| 2009 | 7,710 | 6,961 | 1,402 | 0 | 2009 | 18,933,350 | 16,517,000 | 2,416,350 | 0 | | |
| 2010 | 8,281 | 6,961 | 2,181 | 0 | 2010 | 19,539,707 | 16,219,452 | 3,320,255 | 0 | | |
| 2011 | 8,813 | 6,961 | 2,713 | 0 | 2011 | 18,988,819 | 16,216,686 | 2,772,133 | 0 | | |
| 2012 | 8,937 | 6,961 | 2,837 | 0 | 2012 | 20,027,693 | 16,365,674 | 3,662,019 | 0 | | |
| 2013 | 8,646 | 6,961 | 1,994 | 0 | 2013 | 19,485,763 | 16,466,339 | 3,019,424 | 0 | | |
| 2014 | 7,912 | 6,961 | 1,567 | 0 | 2014 | 18,568,869 | 16,338,194 | 2,230,675 | 0 | | |
| 2015 | 7,988 | 6,961 | 1,641 | 0 | 2015 | 18,747,920 | 16,367,316 | 2,380,604 | 0 | | |
| 2016 | 8,065 | 6,961 | 1,715 | 0 | 2016 | 18,927,003 | 16,396,444 | 2,530,559 | 0 | | |
| 2017 | 8,141 | 6,961 | 1,789 | 0 | 2017 | 19,106,119 | 16,425,576 | 2,680,543 | 0 | | |
| 2018 | 8,217 | 6,961 | 1,863 | 0 | 2018 | 19,285,269 | 16,454,715 | 2,830,554 | 0 | | |
| | | Dema | and (kW) | | | Energy (kWh) | | | | | |
| Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> | | |
| 2002 | 9,162 | 6,348 | 3,430 | 0 | 2002 | 22,776,078 | 16,058,000 | 6,718,078 | 0 | | |
| 2003 | 9,497 | 6,348 | 3,765 | 0 | 2003 | 23,647,853 | 16,058,000 | 7,589,853 | 0 | | |
| 2004 | 9,805 | 6,348 | 3,457 | 0 | 2004 | 23,938,502 | 16,160,000 | 7,778,502 | 0 | | |
| 2005 | 9,628 | 6,348 | 4,005 | 0 | 2005 | 23,823,417 | 16,058,000 | 7,765,417 | 0 | | |
| 2006 | 10,081 | 6,334 | 4,634 | 0 | 2006 | 24,055,488 | 16,035,000 | 8,020,488 | 0 | | |
| 2007 | 10,289 | 6,334 | 4,569 | 0 | 2007 | 24,856,588 | 16,024,000 | 8,832,588 | 0 | | |
| 2008 | 10,309 | 6,334 | 4,143 | 0 | 2008 | 25,882,157 | 16,126,000 | 9,756,157 | 0 | | |
| 2009 | 11,294 | 6,334 | 5,859 | 0 | 2009 | 26,361,332 | 16,024,000 | 10,337,332 | 0 | | |
| 2010 | 10,496 | 6,334 | 4,263 | 0 | 2010 | 25,280,812 | 16,024,000 | 9,256,812 | 0 | | |
| 2011 | 10,299 | 6,334 | 4,492 | 0 | 2011 | 25,834,637 | 16,024,000 | 9,810,637 | 0 | | |
| 2012 | 9,158 | 6,334 | 3,098 | 0 | 2012 | 21,999,859 | 16,126,000 | 5,873,859 | 0 | | |
| 2013 | 9,421 | 6,334 | 3,087 | 0 | 2013 | 24,298,839 | 16,024,000 | 8,274,839 | 0 | | |
| 2014 | 9,701 | 6,334 | 4,266 | 0 | 2014 | 24,379,976 | 16,024,000 | 8,355,976 | 0 | | |
| 2015 | 9,714 | 6,334 | 3,845 | 0 | 2015 | 24,164,868 | 16,024,000 | 8,140,868 | 0 | | |
| 2016 | 9,807 | 6,334 | 3,934 | 0 | 2016 | 24,396,456 | 16,126,142 | 8,270,314 | 0 | | |
| 2017 | 9,899 | 6,334 | 4,024 | 0 | 2017 | 24,628,084 | 16,024,000 | 8,604,084 | 0 | | |
| 2018 | 9,992 | 6,334 | 4,113 | 0 | 2018 | 24,859,755 | 16,024,000 | 8,835,755 | 0 | | |
| | | | | | | | | | | | |

Exhibit 3







Exhibit 4






Exhibit 5
Winner, SD Winter 2012-2013 Half-Hour Load Shape - Town Gate




Exhibit 6
Winner, SD Summer 2013 Half-Hour Load Shape - Town Gate






Exhibit 7
Winner, SD Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate



Winner, SD Peak Half-Hour Load Shape, Summer 2013, Town Gate



B. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Winner is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Winner to individually study supply-side resources as part of this IRP.

C. Historic DSM Efforts

Winner has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1 at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Year ▼ | Program | * | BES or City | ₩ | Quan | Incentive | | kW | kWh |
|--------------------|--------------------------------|---|-------------|---|------|-----------|--------|-------|---------|
| □ 2009 | ■ Lighting | | BES | | 832 | \$ | 1,311 | 3.5 | 42,296 |
| | | | City | | | \$ | - | 150.0 | 547,500 |
| | ■ Res Lighting | | BES | | 1 | \$ | 402 | 1.1 | 13,400 |
| 2009 Total | | | | | 833 | \$ | 1,713 | 154.6 | 603,196 |
| 2010 | □ CI HVAC | | BES | | 2 | \$ | 2,125 | 0.6 | 37,670 |
| | ■ Energy Star Appliance | | BES | | 39 | \$ | 1,177 | 0.4 | 5,424 |
| | ■ Lighting - Retrofit | | BES | | 140 | \$ | 1,245 | 2.5 | 6,674 |
| 2010 Total | | | | | 181 | \$ | 4,547 | 3.5 | 49,768 |
| □ 2011 | ■ Energy Star Appliance | | BES | | 8 | \$ | 350 | 0.1 | 1,624 |
| | ■ Res Lighting | | BES | | 582 | \$ | 873 | 2.3 | 22,597 |
| 2011 Total | | | | | 590 | \$ | 1,223 | 2.5 | 24,221 |
| 2012 | ■ Energy Star Appliance | | BES | | 2 | \$ | 100 | 0.0 | 450 |
| | ☐ Lighting - Retrofit | | BES | | 49 | \$ | 2,315 | 5.3 | 16,843 |
| 2012 Total | | | | | 51 | \$ | 2,415 | 5.3 | 17,293 |
| ■ 2013 | ■ Energy Star Appliance | | BES | | 32 | \$ | 1,335 | 1.1 | 6,252 |
| | ■ Lighting - Retrofit | | BES | | 131 | \$ | 3,077 | 5.2 | 24,072 |
| | ■ Res HVAC | | BES | | 2 | \$ | 1,125 | 1.1 | 23,156 |
| 2013 Total | | | | | 165 | \$ | 5,537 | 7.4 | 53,480 |
| Grand Total | | | | | 1820 | \$ | 15,435 | 173.2 | 747,958 |

• Load Management Program

Description: Load management control boxes are on all electric water heaters, central air conditioners, and electric space heaters. The load management program began in 2011, and has been ramping up since that time.

Energy Savings:

2011: 28 kW on peak2012: 244 kW on peak2013: 300 kW on peak

Cost:

2011: \$94,874 2012: \$64,258 2013: \$77,781

D. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Winner was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

E. Options Chosen – Development of Action Plan

DSMore software was run on each individual measure, and then grouped into programs that MRES is either currently offering (Phase I) or is planning to offer within the next five years (Phase II) as a part of Bright Energy Solutions.

i. Future Actions

It is assumed that Winner will continue to participate in the Bright Energy Solutions program. Winner would have virtually no out-of-pocket costs, as MRES will be paying the incentives for all of these programs. It is planned that Winner will participate in the all of the Bright Energy Solutions programs to the extent possible. This assumption was made only to obtain more realistic expectations for the five-year plan, and is certainly not considered to be a cap on participation in the event that the program attracts more participants than anticipated.

Representatives from Winner plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, Winner is successfully operating their own Load Management program, and it is unknown if they will participate in the MRES Coordinated Demand Response (CDR) program in the future. Winner will continue to evaluate that decision in the years to come.

ii. Milestones

As part of the annual WAPA IRP updates, Winner will evaluate the progress on these programs. The success will be measured against this 5-year plan, with

adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Quality control, measurement of savings, verification tracking, and program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

F. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will, by definition, decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

G. Public Participation

A preliminary draft of this report was produced on April 23, 2014. This draft was reviewed by Electrical Superintendent Myles McIntyre. A revised draft was completed on July 15, 2014. A notice of public hearing on IRP was published in the local newspaper on July 23 and July 30, 2014. The public hearing on the IRP was held at the August 4, 2014 City Council meeting. A summary of any comments and responses made during the meeting are included in the Appendix. The City Council approved the resolution on August 4, 2014. A copy of the approved resolution is included in Appendix 2.

| IRP Approval Process | | | | | | |
|--------------------------------|-----------|--|--|--|--|--|
| Preliminary Draft Date | 4/23/2014 | | | | | |
| Preliminary Draft Reviewed By | 5/21/2014 | | | | | |
| Draft Revision Completion Date | 7/15/2014 | | | | | |
| Date Published in Paper | 7/23/2014 | | | | | |
| Public Hearing Date | 8/4/2014 | | | | | |
| Date Approved by City Council | 8/4/2014 | | | | | |

Appendix 1 – Detailed DSM Measures Installed

Utility Winner

| | | | BES | | | | | |
|--------|------------------------------|---|------|----------|----------|---------------------|-------------------|----------------------|
| V | D | • | or | 0 | • | | 1347 | Land |
| Year | Program | Measure | City | Quan | | centive | kW | kWh |
| 2009 | Lighting | 15W CFL | BES | 826 | \$ | 1,311 | 3.3 | 41,300 |
| | | LED exit sign | BES | 6 | | | 0.2 | 996 |
| | | Street Lights | City | (blank) | \$ | - | 150.0 | 547,500 |
| | Dan Limbeina | 200 CEL hodba | DEC | 4 | \$ | 1,311 | 153.5 | 589,796 |
| | Res Lighting | 268 CFL bulbs | BES | 1 | \$ | 402 402 | 1.1 | 13,400 |
| 2009 T | otal | | | | \$ \$ | 1,713 | 1.1 154.6 | 13,400 603,196 |
| 2010 | CI HVAC | GS HD Closed Loop Water to Air | BES | 2 | \$ | | 0.6 | |
| 2010 | CITIVAC | GS HP_Closed Loop Water to Air | DES | 2 | | 2,125 | | 37,670 |
| | Fueray Ster Appliance | Francy Star Clathes Washer | BES | 1 | \$ | 2,125 150 | 0.6 0.1 | 37,670 675 |
| | Energy Star Appliance | Energy Star Clothes Washer | DES | 1 | \$ \$ | 100 | 0.0 | 450 |
| | | | | 2 3 | \$ \$ | 150 | 0.0 | 430 675 |
| | | | | | | | | 900 |
| | | | | 4 7 | \$ \$ | 200 | 0.1 | |
| | | Energy Star Decorative Lights | BES | 6 | \$ \$ | 350 42 | 0.2 0.0 | 1,575 102 |
| | | Energy Star Decorative Lights Energy Star Dehumidifier | BES | 1 | ۶ \$ | 10 | 0.0 | 88 |
| | | Energy Star Denumumer Energy Star Dishwasher | BES | | ۶ \$ | 100 | 0.0 | 548 |
| | | Ellergy Star Distiwasiler | DES | 1 3 | ۶ \$ | 75 | 0.0 | 411 |
| | | | | 3 | | | | |
| | | | | | \$ | 1,177 | 0.4 | 5,424 |
| | Lighting - Retrofit | Ltng Retrofit _FIrscnt T8 & T5 w/Elec Bal | BES | 140 | \$ | 1,245 | 2.5 | 6,674 |
| | | | | | \$ | 1,245 | 2.5 | 6,674 |
| 2010 T | | | | | \$ | 4,547 | 3.5 | 49,768 |
| 2011 | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 100 | 0.0 | 450 |
| | | | | 2 | \$ | 200 | 0.1 | 900 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 50 | 0.0 | 274 |
| | | | | | \$ | 350 | 0.1 | 1,624 |
| | Res Lighting | CFL Fixtures and Lamps | BES | 582 | \$ | 873 | 2.3 | 22,597 |
| | | | | | \$ | 873 | 2.3 | 22,597 |
| 2011 T | otal | | | | \$ | 1,223 | 2.5 | 24,221 |
| 2012 | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 100 | 0.0 | 450 |
| | | | | | \$ | 100 | 0.0 | 450 |
| | Lighting - Retrofit | Ltng Retro _ Firscnt T8 & T5 w/Elec Bal | BES | 23 | \$ | 405 | 1.3 | 3,939 |
| | | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 26 | \$ | 1,910 | 4.0 | 12,904 |
| | | | | | \$ | 2,315 | 5.3 | 16,843 |
| 2012 T | otal | | | | \$ | 2,415 | 5.3 | 17,293 |
| 2013 | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 250 | 0.1 | 655 |
| | | | | 2 | \$ | 200 | 0.1 | 524 |
| | | | | 3 | \$ | 150 | 0.1 | 393 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 10 | 0.1 | 90 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 100 | 0.1 | 240 |
| | | | | | | | | |
| | | | | 2 | \$ | 50 | 0.1 | 120 |

| | Energy Star Refrigerators | BES | 1 | \$ 350 | 0.3 | 2,835 |
|---------------------|--------------------------------------|-----|----|--------------|-------|---------|
| | | | 3 | \$ 150 | 0.1 | 1,215 |
| | | | | \$ 1,335 | 1.1 | 6,252 |
| Lighting - Retrofit | T8 4ft w/Elec Bal | BES | 68 | \$ 863 | 2.2 | 7,987 |
| | T8 8ft w/Elec Bal | BES | 36 | \$ 324 | 0.6 | 1,716 |
| | T5HO Hi Bay Fixtures w/ 4ft Lamps | BES | 27 | \$ 1,890 | 2.3 | 14,369 |
| | | | | \$ 3,077 | 5.2 | 24,072 |
| Res HVAC | HVAC Closed Loop Water to Air GS HP | BES | 1 | \$ 1,100 | 1.0 | 22,274 |
| | Programmable Thermostat - Geothermal | BES | 1 | \$ 25 | 0.1 | 882 |
| | | | | \$ 1,125 | 1.1 | 23,156 |
| 2013 Total | | | | \$ 5,537 | 7.4 | 53,480 |
| Grand Total | | | | \$ 15,435 | 173.2 | 747,958 |

Appendix 2 – Winner Resolution

RESOLUTION

WHEREAS, the City of Winner purchases a significant portion of its power supply from the Western Area Power Administration (Western); and
 WHEREAS, Western has recently published its Energy Planning and Management Program Rules specifying the requirements for preparing and filing of an Integrated Resource Plan (IRP); and
 WHEREAS, the municipal utility staff has prepared an IRP Summary Report describing the IRP process used and the information and assumptions used to develop the IRP; and
 WHEREAS, our customers were informed of our IRP and resulting Action Plans through various means including a public meeting where public questions and comments were encouraged; and
 WHEREAS, any public comments received have been addressed in order to strengthen the city's Integrated

WHEREAS, the IRP Summary Report included 5-year and 2-year action plans outlining actions to be taken by the Municipal utility during the next several years

NOW THEREFORE BE IT RESOLVED BY the City of Winner City Council as follows:

That the "Integrated Resource Plan Summary Report for the City of Winner dated September 2014 shall be approved for filing with Western under the Energy Planning and Management Program."

Passed and approved this 4th day of August, 2014.

Resource Plan; and

X. Valley City, ND Resource Planning

A. City Information

Valley City, located in Barnes County, is a community of more than 6,500 individuals located in southeastern North Dakota. The residential sector included 3,307 housing units, and the median age of the population is 42.1 years. About 22% of the population is 65 years of age or older and about 18.7% percent are under 18 years old. In 2012, the municipal utility had 3,299 residential customers, 783 commercial customers, and one industrial customer. The residential sector's yearly usage averaged 12,731 kWh per customer in 2012. Commercial customers averaged 66,842 kWh, and the single industrial customer consumed 6,706,000 kWh.

The rates for each type of customer are shown on the rate sheet in the appendix. Exhibit 2 contains the numerical values used to generate the seasonal graphs in Exhibits 3 and 4, which show the winter and summer peak demand and energy for 2001 through 2018 with forecasted values after 2013, respectively. Exhibits 5 and 6 show the total power purchases of Valley City on a half hour basis, for the 2012-2013 winter season and the 2013 summer season, respectively.

The total peak load, including distribution and transformation losses, was 22,473 kW in the winter and 18,525 kW in the summer. Exhibits 7 and 8 each show the peak day (along with the day before and the day after) for those two seasons. The winter peak graph shows the load remaining mostly flat throughout the three day period due to load control. The summer peak graph indicates the load increasing from 6 am until peaking at 5 pm. Then a steady decline occurs until 6 am the next day.

VALLEY CITY, NORTH DAKOTA CURRENT RETAIL ELECTRIC RATE SCHEDULE


| Customer Class | Rate Component | Current Rate |
|---------------------------|-------------------------------|---------------------|
| Residential | Customer Charge | \$15.57 |
| | \$/kWh - First 1000 kWh | \$.0650 |
| | \$/kWh - After First 1000 kWh | \$.0488 |
| Small Commercial - Single | Phase | |
| | Customer Charge | \$20.78 |
| | \$/kWh Jun-Aug | \$.0813 |
| | \$/kWh Sep-May | \$.0488 |
| Small Commercial - Three | Phase | |
| | Customer Charge | \$62.54 |
| | \$/kWh Jun-Aug | \$.0813 |
| | \$/kWh Sep-May | \$.0488 |
| Large Commercial | Customer Charge | \$62.54 |
| | \$/kW | \$12.60 |
| | \$/kWh | \$.0238 |

MRES Seasonal Load Report Valley City, ND Town Gate Load BASE Forecast 1/31/14 2:14 PM
Town Gate Load
Monthly Splits
Historic Through 12/2013

| BASE Forecast Historic Through 1 | | | | | | | 2/2013 | | |
|----------------------------------|--------------|-------------|-------------|--------------|--------|--------------|-------------|-------------|--------------|
| Demand (kW) | | | | | | | Energy (k | Wh) | |
| Summer | <u>Total</u> | <u>WAPA</u> | MRES | <u>Other</u> | Summer | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> |
| 2001 | 17,721 | 11,232 | 6,489 | 0 | 2001 | 41,535,000 | 27,113,789 | 14,421,211 | 0 |
| 2002 | 17,295 | 11,232 | 6,270 | 0 | 2002 | 43,538,400 | 27,873,935 | 15,664,465 | 0 |
| 2003 | 18,534 | 11,232 | 7,302 | 0 | 2003 | 42,039,060 | 26,357,790 | 15,681,270 | 0 |
| 2004 | 17,145 | 10,390 | 6,755 | 0 | 2004 | 41,533,800 | 25,874,670 | 15,659,130 | 0 |
| 2005 | 18,327 | 11,232 | 7,095 | 0 | 2005 | 44,343,600 | 27,617,444 | 16,726,156 | 0 |
| 2006 | 17,655 | 10,962 | 6,852 | 0 | 2006 | 45,544,800 | 28,221,033 | 17,323,767 | 0 |
| 2007 | 19,278 | 11,214 | 8,064 | 0 | 2007 | 45,030,600 | 26,923,503 | 18,107,097 | 0 |
| 2008 | 17,133 | 11,075 | 6,981 | 0 | 2008 | 44,908,800 | 27,530,287 | 17,378,513 | 0 |
| 2009 | 17,973 | 11,214 | 6,759 | 0 | 2009 | 45,001,200 | 28,741,842 | 16,259,358 | 0 |
| 2010 | 17,865 | 11,147 | 6,718 | 0 | 2010 | 44,836,200 | 28,029,071 | 16,807,129 | 0 |
| 2011 | 18,264 | 11,214 | 7,050 | 0 | 2011 | 44,987,400 | 27,818,395 | 17,169,005 | 0 |
| 2012 | 18,390 | 11,214 | 7,176 | 0 | 2012 | 46,325,400 | 28,308,321 | 18,017,079 | 0 |
| 2013 | 18,525 | 11,214 | 7,311 | 0 | 2013 | 46,260,000 | 28,104,232 | 18,155,768 | 0 |
| 2014 | 17,353 | 11,202 | 6,151 | 0 | 2014 | 44,575,090 | 28,785,809 | 15,789,281 | 0 |
| 2015 | 17,485 | 11,214 | 6,271 | 0 | 2015 | 44,914,472 | 28,913,583 | 16,000,889 | 0 |
| 2016 | 17,766 | 11,214 | 6,552 | 0 | 2016 | 45,637,310 | 29,034,087 | 16,603,223 | 0 |
| 2017 | 18,017 | 11,214 | 6,803 | 0 | 2017 | 46,281,223 | 29,006,032 | 17,275,191 | 0 |
| 2018 | 18,276 | 11,214 | 7,062 | 0 | 2018 | 46,947,066 | 29,009,866 | 17,937,200 | 0 |
| | | Dema | ind (kW) | | | | Energy (k | Wh) | |
| Winter | <u>Total</u> | <u>WAPA</u> | MRES | <u>Other</u> | Winter | <u>Total</u> | <u>WAPA</u> | <u>MRES</u> | <u>Other</u> |
| 2002 | 19,800 | 14,949 | 5,019 | 0 | 2002 | 58,077,600 | 43,540,778 | 14,536,822 | 0 |
| 2003 | 20,274 | 14,976 | 5,298 | 0 | 2003 | 61,949,400 | 46,114,990 | 15,834,410 | 0 |
| 2004 | 21,270 | 14,976 | 6,294 | 0 | 2004 | 62,541,000 | 44,764,309 | 17,776,691 | 0 |
| 2005 | 20,931 | 14,920 | 6,194 | 0 | 2005 | 62,140,800 | 44,072,393 | 18,068,407 | 0 |
| 2006 | 20,919 | 14,967 | 5,952 | 0 | 2006 | 61,062,600 | 43,640,839 | 17,421,761 | 0 |
| 2007 | 21,045 | 14,944 | 6,101 | 0 | 2007 | 65,375,400 | 46,528,375 | 18,847,025 | 0 |
| 2008 | 22,245 | 14,944 | 7,301 | 0 | 2008 | 69,264,000 | 47,412,399 | 21,851,601 | 0 |
| 2009 | 22,647 | 14,944 | 7,703 | 0 | 2009 | 71,761,200 | 47,559,079 | 24,202,121 | 0 |
| 2010 | 22,713 | 14,944 | 7,769 | 0 | 2010 | 66,678,000 | 43,888,502 | 22,789,498 | 0 |
| 2011 | 22,395 | 14,862 | 7,613 | 0 | 2011 | 69,666,600 | 46,104,696 | 23,561,904 | 0 |
| 2012 | 22,374 | 14,930 | 7,444 | 0 | 2012 | 60,874,200 | 40,638,188 | 20,236,012 | 0 |
| 2013 | 22,473 | 14,944 | 7,529 | 0 | 2013 | 69,369,600 | 46,196,344 | 23,173,256 | 0 |
| 2014 | 22,557 | 14,944 | 7,613 | 0 | 2014 | 69,217,006 | 46,141,410 | 23,075,596 | 0 |
| 2015 | 22,409 | 14,944 | 7,465 | 0 | 2015 | 67,557,797 | 45,170,667 | 22,387,130 | 0 |
| 2016 | 22,769 | 14,944 | 7,825 | 0 | 2016 | 68,448,669 | 45,171,026 | 23,277,643 | 0 |
| 2017 | 23,091 | 14,944 | 8,147 | 0 | 2017 | 69,460,736 | 45,170,527 | 24,290,209 | 0 |
| 2018 | 23,423 | 14,944 | 8,479 | 0 | 2018 | 70,453,481 | 45,170,261 | 25,283,220 | 0 |
| | | | | | | | | | |

Exhibit 3





Valley City, ND Winter Energy - Town Gate





Exhibit 4

Valley City, ND Summer Demand - Town Gate



Valley City, ND Summer Energy - Town Gate




Exhibit 5

Valley City, ND Winter 2012-2013 Half-Hour Load Shape - Town Gate




Exhibit 6

Valley City, ND Summer 2013 Half-Hour Load Shape - Town Gate






Exhibit 7

Valley City, ND Peak Half-Hour Load Shape, Winter 2012-2013, Town Gate



Valley City, ND Peak Half-Hour Load Shape, Summer 2013, Town Gate

Exhibit 8



B. Supply-side Efforts

As explained in the section detailing MRES Resource Planning activities, MRES conducts all supply-side resource planning for its members. MRES studied traditional, as well as renewable, energy sources in its resource plan.

All supplemental power for Valley City is supplied through its joint S-1 agreement with other MRES members. All MRES resources are used to supply all of its S-1 members as a group. Therefore, it is neither possible nor necessary for Valley City to individually study supply-side resources as part of this IRP.

C. Historic DSM Efforts

Valley City has been active in pursuing new DSM programs, and participates in the Bright Energy Solutions (BES) Program through MRES. The BES Program offerings (as seen in Schedule A on page 15), were developed after considering the major markets, the saturation of electric and gas appliances, and the characteristics of the customers. The information was analyzed to determine both the technical and cost-saving potential of energy management improvements, any barriers that might be encountered to implementing the improvements, the realistic expectation for program participation, and any net savings that would result from the programs.

The table shown in Exhibit 9 below is a summary of the DSM activities that were installed between 2009 and 2013. The first column indicates the year of installation. The second column indicates the program category. The third column indicates whether the measure was a part of the BES program that was incentivized by MRES, or a program that the city conducted without MRES assistance. The fourth column shows the number of measures installed. The fifth column shows the total incentives paid by MRES. The last two columns show the kW and kWh saved on an annual basis by the new installations. For more detailed information showing exact types of measures installed, please see the Appendix 1 at the end of this section.

Exhibit 9 - Summary of DSM Activities 2009-2013

| Program | • | BES or City | Quan | Ir | centive | kW | kWh |
|----------------------------------|---|-------------|------|----|---------|-------|-----------|
| ■ Custom Electric Program | | BES | 3 | \$ | 6,163 | 20.5 | 186,226 |
| ■ Energy Star Appliance | | BES | 19 | \$ | 545 | 0.3 | 2,876 |
| ■ Lighting - Retrofit | | BES | 391 | \$ | 6,870 | 18.0 | 47,246 |
| ■ Res HVAC | | BES | 2 | \$ | 400 | 0.9 | 12,940 |
| | | | 415 | \$ | 13,978 | 39.7 | 249,288 |
| □ CI HVAC | | BES | 9 | \$ | 5,050 | 4.1 | 78,518 |
| ■ Energy Star Appliance | | BES | 26 | \$ | 1,070 | 0.8 | 6,145 |
| ■ Food Service | | BES | 1 | \$ | 600 | 2.0 | 17,800 |
| ■ Lighting - New Const | | BES | 20 | \$ | 1,000 | 3.8 | 21,460 |
| ■ Lighting - Retrofit | | BES | 2496 | \$ | 13,887 | 55.6 | 228,765 |
| Res HVAC | | BES | 2 | \$ | 400 | 0.5 | 2,984 |
| | | | 2554 | \$ | 22,007 | 66.8 | 355,672 |
| ■ Comm Refrigeration Audi | t | BES | 4 | \$ | - | 0.9 | 8,117 |
| ■ Compressed Air System | | BES | 1 | \$ | 517 | 2.4 | 16,629 |
| ■ Custom Electric Program | | BES | 2 | \$ | 2,373 | 7.9 | 33,545 |
| ■ Energy Star Appliance | | BES | 17 | \$ | 775 | 0.5 | 5,361 |
| ■ Lighting - New Const | | BES | 80 | \$ | 4,760 | 30.5 | 128,394 |
| ■ Lighting - Retrofit | | BES | 1215 | \$ | 28,180 | 95.3 | 426,462 |
| ■ Res HVAC | | BES | 2 | \$ | 275 | 0.2 | 2,695 |
| | | | 1321 | \$ | 36,880 | 137.8 | 621,203 |
| □ CI HVAC | | BES | 3 | \$ | 8,448 | 17.9 | 51,243 |
| ■ Compressed Air System | | BES | 1 | \$ | 82 | 2.7 | 4,581 |
| ■ Custom Electric Program | | BES | 3 | \$ | 34,579 | 109.1 | 343,727 |
| ■ Energy Star Appliance | | BES | 26 | \$ | 978 | 0.9 | 6,521 |
| ■ Food Service | | BES | 4 | \$ | 515 | 1.0 | 5,520 |
| ■ Lighting - New Const | | BES | 155 | \$ | 7,750 | 30.2 | 60,476 |
| ☐ Lighting - Retrofit | | BES | 1693 | \$ | 23,994 | 93.8 | 482,861 |
| ■ Res HVAC | | BES | 2 | \$ | 225 | 0.5 | 7,584 |
| | | | 1887 | \$ | 76,569 | 256.0 | 962,513 |
| | | | 6177 | \$ | 149,435 | 500.3 | 2,188,676 |

Load Management System

Description: The load management system consists of a supervisory control and data acquisition system (SCADA) and a radio system. The SCADA system is composed of a master station and remote terminal unit at each monitoring site to monitor the total load and manage interruptible loads through radio control. The radio control system consists of a central transmitter and numerous receivers. Interruptible loads provide the opportunity to reduce total capacity needs, and push energy consumption to off-peak hours. The interruptible loads include 276 dual-fuel heating systems, 350 water heaters, and other miscellaneous loads. The utility will control any load that the customer is willing to have controlled. The load management system is marketed through the use of interruptible rates. Interruptible rates consist of billing adjustments or credits that may apply to one or more rate schedules. The type of billing adjustment varies with the type of interruptible load; such as water heater credit, energy credit, and demand credit. Interruptible rates promote the efficient use of electrical energy by shifting energy use to times with lower demand without increasing the need for more capacity.

Energy Savings: 7,000 kW on-peak during winter months

Cost: \$33,000 in 2010

\$40,000 in 2011 \$23,000 in 2012 \$44,645 in 2013

D. Evaluation of Alternatives

As explained in the section detailing MRES Resource Planning activities, PA Consulting performed a DSM Potential Study for MRES and its members. In this study, many different DSM measures were evaluated for technical, market and economic potential. The measures that were found to be feasible were further evaluated and developed by the DSM Task Force which was comprised of representatives from MRES member communities. The Task Force made recommendations on which programs would be included and the amount of incentives that MRES would pay to the members for each measure. Once this list of programs and incentives was made available by MRES, Valley City was free to choose from the list of Bright Energy Solutions programs and incentives, or to pursue other measures on their own and without any incentives from MRES.

E. Options Chosen – Development of Action Plan

DSMore software was run on each individual measure, and then grouped into programs that MRES is either currently offering (Phase I) or is planning to offer within the next five years (Phase II) as a part of Bright Energy Solutions.

i. Future Actions

It is assumed that Valley City will continue to participate in the Bright Energy Solutions program. Valley City would have virtually no out-of-pocket costs, as MRES will be paying the incentives for all of these programs. It is planned that Valley City will participate in all of the Bright Energy Solutions programs to the extent possible.

Representatives from Valley City plan to utilize the MRES marketing materials for all the programs made available in the Bright Energy Solutions program, and take advantage of MRES assistance when possible, and will be working closely with their assigned MRES field representative.

At this time, Valley City is successfully operating their own Load Management program, and they are in process of changing over to the MRES Coordinated Demand Response (CDR) program. The overall participation and load reduction amounts are anticipated to be approximately the same as before.

With the installation of the new AMI system Valley City intends to expand our winter load control program to the summer months. By expanding our control months Valley City hopes to reduce our overall summer peaking load by 1-2 MW.

In 2014 Valley City is working with MRES to "sign-up" new renewable distributive Generation sites with the city. These are solar plants that are attached to homes or commercial properties.

ii. Milestones

As part of the annual WAPA IRP updates, Valley City will evaluate the progress on these programs. The success will be measured against this 5-year plan, with adjustments made for actual customer participation, and any changes or additions to the Bright Energy Solutions programs.

Measurement and validation of the Bright Energy Solutions programs will be ongoing. Quality control, measurement of savings, verification tracking, and program evaluation are important components of a successful DSM program and they are critical to MRES if DSM is to be relied upon as a power resource. Approximately 5% of the annual MRES DSM budget has been set aside for evaluation, monitoring, and verification efforts. For verification purposes, all incentive applications receive a calculation review. An engineering review of savings calculations is conducted on all installations with \$10,000 or more in total incentives and on all custom projects, except for custom lighting. Field inspections are completed on a minimum of 5% of all installations and on 100% of installations over \$10,000 in total incentives and on 100% of custom projects.

For custom projects, MRES requires detailed estimates of kW and kWh savings that will be achieved as a result of the project, along with the sources and references for all values used. This may include certification of savings calculations by a qualified engineer. For projects with estimated savings larger than 1,000,000 kWh per year, or for projects involving new technology, MRES may require that energy savings be verified through metering or energy testing of kW and kWh before and after installation of the proposed equipment.

F. Environmental Effects

The environmental benefits of the DSM programs were not calculated specifically. However, any program that decreases energy consumption will, by definition, decrease the amount of energy generated. Given that a majority of generation is from non-renewable sources, DSM programs will serve to decrease emissions. Additionally, DSM programs that reduce electric demand will mean fewer new generation facilities will need to be constructed in the future.

G. Public Participation

A preliminary draft of this report was produced on April 15, 2014. A notice of public hearing on IRP was published in the local newspaper on August 6th & 13th, 2014. The public hearing on the IRP was held at the August 19, 2014 Board of City Commissioners meeting. A summary of any comments and responses made during the meeting are included in the Appendix. The Board of City Commissioners approved the resolution on August 19, 2014. A copy of the approved resolution is included in Appendix 2.

| IRP Approval Process | | | | | |
|-------------------------------|-----------|--|--|--|--|
| Preliminary Draft Date | 4/15/2014 | | | | |
| | 8/6/2014 | | | | |
| | & | | | | |
| Date Published in Paper | 8/13/2014 | | | | |
| Public Hearing Date | 8/19/2014 | | | | |
| Date Approved by City Council | 8/19/2014 | | | | |

Appendix 1 – Detailed DSM Measures Installed

Utility Valley City

| | | | BES | | | | | |
|--------|------------------------------|---|------|------|----|---------|------|-------------|
| | _ | | or | | | | | |
| Year | Program Custom Electric | Measure | City | Quan | Ir | centive | kW | kWh |
| 2010 | Program | replaced 32 300 watt with 16ea. 6 lamp T-8 | BES | 1 | \$ | 1,790 | 6.0 | 10,742 |
| | | replaced 41 300 watt w 16 4 lamp T-8 | BES | 1 | \$ | 2,148 | 7.2 | 154,660 |
| | | Replaced 116 8' 2 lamp T12 w 116 8' 2 | | | | , - | | , , , , , , |
| | | lamp | BES | 1 | \$ | 2,225 | 7.4 | 20,824 |
| | | | | | \$ | 6,163 | 20.5 | 186,226 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 50 | 0.0 | 225 |
| | | | | 6 | \$ | 300 | 0.1 | 1,350 |
| | | Energy Star Dehumidifier | BES | 7 | \$ | 70 | 0.1 | 616 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 25 | 0.0 | 137 |
| | | | | 4 | \$ | 100 | 0.0 | 548 |
| | | | | | \$ | 545 | 0.3 | 2,876 |
| | Lighting - Retrofit | Ltng Retrofit _ CFL Fixtures & Lamps | BES | 8 | \$ | 12 | 0.4 | 1,171 |
| | | | | 80 | \$ | 120 | 4.4 | 10,491 |
| | | Ltng Retrofit _FIrscnt T8 & T5 w/Elec Bal | BES | 20 | ۲ | 381 | 1.2 | 2 217 |
| | | Ltng Retrofit T8 Hi Bay Fixtures w-Elec | DES | 39 | \$ | 301 | 1.2 | 3,317 |
| | | Bal | BES | 24 | \$ | 2,040 | 5.4 | 12,800 |
| | | Ltng Retrofit Rducd Wtg T8 CEE Qual | BES | 151 | \$ | 2,266 | 4.0 | 12,975 |
| | | Ltng Retrofit _ Hi Perf T8 CEE Qual | BES | 10 | \$ | 105 | 0.3 | 715 |
| | | _ | | 64 | \$ | 896 | 1.1 | 2,660 |
| | | Ltng Retrofit _ T5HO Hi Bay Fixtures w- | | | | | | |
| | | Elec Bal | BES | 15 | \$ | 1,050 | 1.3 | 3,117 |
| | | | | | \$ | 6,870 | 18.0 | 47,246 |
| | | HVAC Mini Split_Ductless Air_Source | | | | | | |
| | Res HVAC | HP | BES | 2 | \$ | 400 | 0.9 | 12,940 |
| | | | | | \$ | 400 | 0.9 | 12,940 |
| 2010 T | | | | | \$ | 13,978 | 39.7 | 249,288 |
| 2011 | CI HVAC | Desuperheater | BES | 1 | \$ | 250 | 0.4 | 1,221 |
| | | GS HP_Closed Loop Water to Air | BES | 1 | \$ | 1,250 | 0.3 | 18,835 |
| | | GS HP_Closed Loop Water to Water | BES | 3 | \$ | 3,350 | 2.1 | 55,174 |
| | | Setback Thermostats | BES | 1 | \$ | 50 | 0.3 | 822 |
| | | | | 3 | \$ | 150 | 1.0 | 2,466 |
| | | | | | \$ | 5,050 | 4.1 | 78,518 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 4 | \$ | 200 | 0.1 | 900 |
| | | | | 7 | \$ | 350 | 0.2 | 1,575 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 25 | 0.0 | 137 |
| | | - 0 - 5 () | | 2 | \$ | 100 | 0.0 | 548 |
| | | Energy Star Refrigerators | BES | 3 | \$ | 150 | 0.1 | 1,215 |
| | | Faculty Char Bassa AC | DE? | 4 | \$ | 200 | 0.2 | 1,620 |
| | | Energy Star Room AC | BES | 1 | \$ | 15 | 0.1 | 50 |
| | | | | 2 | \$ | 30 | 0.2 | 100 |
| | Facility and | EC Comma Disharash | DE2 | | \$ | 1,070 | 0.8 | 6,145 |
| | Food Service | ES Comm Dishwasher _Electric | BES | 1 | \$ | 600 | 2.0 | 17,800 |
| | Linksing Nove Court | Lang NC TO 4ft His Day 5th town | DEC | 20 | \$ | 600 | 2.0 | 17,800 |
| | Lighting - New Const | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 20 | \$ | 1,000 | 3.8 | 21,460 |

| | | | | | \$ | 1,000 | 3.8 | 21,460 |
|--------|------------------------------|--|-----|------|----------|-----------------|------|---------|
| | Lighting - Retrofit | Ltng Retro _ CFL Fixtures & Lamps | BES | 8 | \$ | 12 | 0.4 | 1,587 |
| | | | | 120 | \$ | 180 | 5.8 | 25,957 |
| | | Ltng Retro _ Hi Perf T8 CEE Qual | BES | 29 | \$ | 364 | 1.6 | 5,757 |
| | | | | 86 | \$ | 694 | 2.6 | 11,621 |
| | | | | 90 | \$ | 1,162 | 5.0 | 15,017 |
| | | Ltng Retro _ Hi Perf T8 Replacing | | | | | | |
| | | Specific Fixtures | BES | 30 | \$ | 900 | 3.0 | 8,174 |
| | | Ltng Retro _ Rducd Wtg Flr T8 Lamps | BES | 1366 | \$ | 683 | 5.2 | 23,364 |
| | | Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 506 | \$ | 6,327 | 21.8 | 98,216 |
| | | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 8 | \$ | 680 | 1.8 | 4,413 |
| | | Ltng Retro _Firscnt T8 & T5 w/Elec Bal | BES | 14 | \$ | 70 | 0.0 | 476 |
| | | | | 25 | \$ | 125 | 0.3 | 1,509 |
| | | | | 45 | \$ | 512 | 1.7 | 6,256 |
| | | | | 169 | \$ | 2,178 | 6.4 | 26,418 |
| | | | | | \$ | 13,887 | 55.6 | 228,765 |
| | Res HVAC | HVAC Central AC unit | BES | 1 | \$ | 100 | 0.2 | 154 |
| | | HVAC HP Water Heater | BES | 1 | \$ | 300 | 0.3 | 2,830 |
| | | | | | \$ | 400 | 0.5 | 2,984 |
| 2011 T | | | | | \$ | 22,007 | 66.8 | 355,672 |
| 2042 | Comm Refrigeration | Call Classic and the | DEC | 2 | <u>,</u> | | 0.0 | 7 205 |
| 2012 | Audit | Coil Cleaning kit | BES | 2 | \$ | - | 0.8 | 7,295 |
| | | LED Screw-in Replacement Lamp | BES | 2 | \$ | - | 0.1 | 822 |
| | Communicated Air | | | | \$ | - | 0.9 | 8,117 |
| | Compressed Air System | Compressed Air System Leak Survey | BES | 1 | \$ | 517 | 2.4 | 16,629 |
| | System | compressed Air System Leak Survey | DLJ | _ | \$ | 517 517 | 2.4 | 16,629 |
| | Custom Electric | 35 300 W incandescent fixtures to 18 | | | Y | 317 | 2.7 | 10,023 |
| | Program | total 6 lamp F32-T8 High Bay | BES | 1 | \$ | 1,951 | 6.5 | 28,409 |
| | | Replace (11) T8 fixtures and (11) w (10) | | | | | | |
| | | 3-lamp T8 | BES | 1 | \$ | 422 | 1.4 | 5,136 |
| | | | | | \$ | 2,373 | 7.9 | 33,545 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 200 | 0.1 | 900 |
| | | Energy Star Dishwasher | BES | 1 | \$ | 75 | 0.0 | 411 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 150 | 0.1 | 1,215 |
| | | | | 3 | \$ | 150 | 0.1 | 1,215 |
| | | | | 4 | \$ | 200 | 0.2 | 1,620 |
| | | | | | \$ | 775 | 0.5 | 5,361 |
| | Lighting - New Const | Ltng NC _ T8 4ft Hi Bay Fixture | BES | 38 | \$ | 2,660 | 15.4 | 79,063 |
| | | | | 42 | \$ | 2,100 | 15.1 | 49,331 |
| | | | | | \$ | 4,760 | 30.5 | 128,394 |
| | Lighting - Retrofit | Ltng Retro _ CFL Fixtures & Lamps | BES | 4 | \$ | 6 | 0.2 | 656 |
| | | | | 5 | \$ | 24 | 0.3 | 934 |
| | | | | 12 | \$ | 18 | 0.6 | 1,757 |
| | | | | 64 | \$ | 96 | 3.3 | 20,726 |
| | | Ltng Retro _ CFL Reflector Flood | BES | 7 | \$ | 28 | 0.4 | 1,468 |
| | | Ltng Retro _ Firscnt T8 & T5 w/Elec Bal | BES | 1 | \$ | 13 | 0.0 | 73 |
| | | , · · · | | 46 | \$ | 889 | 3.7 | 27,227 |
| | | | | 62 | \$ | 1,142 | 3.2 | 11,474 |
| | | Ltng Retro Hi Perf T8 CEE Qual | BES | 57 | \$ | 448 | 1.9 | 5,170 |
| | | <u> </u> | - | 302 | \$ | 2,918 | 10.7 | 77,291 |
| | | Ltng Retro _ Hi Perf T8 Replacing | | | r | ,- - | | , |
| | | Specific Fixtures | BES | 20 | \$ | 600 | 2.0 | 10,501 |
| | | | | 61 | \$ | 1,480 | 3.5 | 10,908 |
| | | | | | | | | |

| | | | | 120 | \$ | 1,920 | 4.1 | 11,034 |
|--------|------------------------------|--|-----|-----|----|--------|-------|---------|
| | | Ltng Retro _ LED & Induction Tech | BES | 12 | \$ | 300 | 0.8 | 2,895 |
| | | | | 13 | \$ | 156 | 0.2 | 2,163 |
| | | Ltng Retro _ Rducd Wtg Flr T8 Lamps | BES | 44 | \$ | 22 | 0.2 | 509 |
| | | Ltng Retro _ Rducd Wtg T8 CEE Qual | BES | 170 | \$ | 3,024 | 9.9 | 36,489 |
| | | Ltng Retro _ T5HO Hi Bay Fix w-Elec Bal | BES | 42 | \$ | 2,940 | 3.7 | 8,727 |
| | | Ltng Retro _ T8 Hi Bay Fix w-Elec Bal | BES | 11 | \$ | 935 | 2.4 | 5,788 |
| | | | | 12 | \$ | 1,020 | 2.7 | 6,620 |
| | | | | 41 | \$ | 3,485 | 12.1 | 62,162 |
| | | | | 80 | \$ | 6,380 | 28.1 | 117,894 |
| | | Ltng Retro _Flrscnt T8 & T5 w/Elec Bal | BES | 16 | \$ | 138 | 0.4 | 1,131 |
| | | Ltng Retro_Rducd Wtg T8 Fixture | BES | 13 | \$ | 198 | 0.8 | 2,865 |
| | | | | | \$ | 28,180 | 95.3 | 426,462 |
| | Res HVAC | HVAC Air_Source HP - 14.5 SEER | BES | 1 | \$ | 250 | 0.2 | 1,581 |
| | | Programmable Thermostat - Heat Pump | BES | 1 | \$ | 25 | 0.0 | 1,114 |
| | | | | | \$ | 275 | 0.2 | 2,695 |
| 2012 T | otal | | | | \$ | 36,880 | 137.8 | 621,203 |
| 2013 | CI HVAC | Air Cooled Chillers w-Condenser | BES | 1 | \$ | 6,132 | 11.0 | 38,065 |
| | | CO2 Demand Controlled Ventilation | BES | 1 | \$ | 1,240 | 4.1 | 6,800 |
| | | Window Film | BES | 1 | \$ | 1,076 | 2.7 | 6,378 |
| | | | | | \$ | 8,448 | 17.9 | 51,243 |
| | Compressed Air | | 556 | | | 02 | 2 7 | 4 504 |
| | System | Compressed Air System Leak Survey | BES | 1 | \$ | 82 | 2.7 | 4,581 |
| | Custom Electric | Heat Pipe Recovery Unit rated at | | | \$ | 82 | 2.7 | 4,581 |
| | Program | 18,000 CFM | BES | 1 | \$ | 8,304 | 27.5 | 4,158 |
| | | Lighting project at college | BES | 1 | \$ | 9,319 | 31.1 | 159,485 |
| | | 11 fume hoods at 6 ft width each with | | _ | , | -, | | |
| | | vertical sash sensor | BES | 1 | \$ | 16,957 | 50.5 | 180,084 |
| | | | | | \$ | 34,579 | 109.1 | 343,727 |
| | Energy Star Appliance | Energy Star Clothes Washer | BES | 1 | \$ | 150 | 0.1 | 393 |
| | | | | 2 | \$ | 100 | 0.0 | 262 |
| | | Energy Star Decorative Lights | BES | 5 | \$ | 18 | 0.0 | 391 |
| | | Energy Star Dehumidifier | BES | 1 | \$ | 10 | 0.1 | 90 |
| | | Energy Star Dishwasher | BES | 2 | \$ | 50 | 0.1 | 120 |
| | | Energy Star Refrigerators | BES | 1 | \$ | 200 | 0.2 | 1,620 |
| | | | | 2 | \$ | 200 | 0.2 | 1,620 |
| | | | | 5 | \$ | 250 | 0.2 | 2,025 |
| | | | | | \$ | 978 | 0.9 | 6,521 |
| | Food Service | ES Comm Solid Door Refrigerators | BES | 1 | \$ | 100 | 0.1 | 470 |
| | | ES Holding Cabinets Hood Temp and Optical Sensor Ctlg | BES | 1 | \$ | 300 | 0.5 | 2,831 |
| | | Make Up Air Units Hood Temp Sensor Only Ctlg Make Up | BES | 1 | \$ | 90 | 0.3 | 1,752 |
| | | Air Units | BES | 1 | \$ | 25 | 0.1 | 467 |
| | | | | | \$ | 515 | 1.0 | 5,520 |
| | Lighting - New Const | T8 4ft Hi Bay Fixture | BES | 17 | \$ | 850 | 2.5 | 6,041 |
| | | | | 138 | \$ | 6,900 | 27.6 | 54,435 |
| | | | | | \$ | 7,750 | 30.2 | 60,476 |
| | Lighting - Retrofit | LED & Induction Tech | BES | 4 | \$ | 48 | 0.1 | 666 |
| | | | | 60 | \$ | 1,500 | 4.0 | 10,686 |
| | | | | 368 | \$ | 5,142 | 17.5 | 128,233 |
| | | Rducd Wtg T8 Lamps ONLY | BES | 8 | \$ | 8 | 0.0 | 104 |
| | | Reduced Wtg T8 4ft CEE Qual | BES | 346 | \$ | 5,358 | 17.4 | 64,075 |
| | | ÷ · | | | • | • | | • |

| | | | 558 | \$ 6,341 | 23.9 | 175,703 |
|-------------|-------------------------------------|-----|-----|---------------|-------|-----------|
| | T8 2ft w/Elec Bal | BES | 7 | \$ 42 | 0.1 | 254 |
| | T8 4ft w/ Bal Repl 8ft T12 HO | BES | 35 | \$ 1,050 | 3.6 | 7,080 |
| | T8 4ft w/Elec Bal | BES | 25 | \$ 325 | 1.0 | 2,064 |
| | CFL Fixtures and Lamps | BES | 237 | \$ 356 | 13.0 | 25,769 |
| | T8 Hi Bay Fixtures w/ 4ft Lamps | BES | 45 | \$ 3,825 | 13.3 | 68,227 |
| | | | | \$ 23,994 | 93.8 | 482,861 |
| | HVAC Mini Split_Ductless Air_Source | | | | | |
| Res HVAC | HP | BES | 1 | \$ 200 | 0.4 | 6,470 |
| | Programmable Thermostat - Heat Pump | BES | 1 | \$ 25 | 0.1 | 1,114 |
| | | | | \$ 225 | 0.5 | 7,584 |
| 2013 Total | | · | | \$ 76,569 | 256.0 | 962,513 |
| Grand Total | | | | \$ 149,435 | 500.3 | 2,188,676 |

Appendix 2 – Valley City Resolution

RESOLUTION No. 1983

RESOLUTION APPROVING

INTEGRATED RESOURCE PLAN SUMMARY REPORT

- WHEREAS, The City of Valley City through Valley City Public Works purchases a significant portion of its power supply from the Western Area Power Administration (Western); and
- WHEREAS, Western has recently published its Energy Planning and Management Program
 Rules specifying the requirements for preparing and filing of an Integrated
 Resource Plan (IRP); and
- WHEREAS, The Valley City Public Works staff has prepared an IRP Summary Report describing the IRP process used and the information and assumptions used to develop the IRP; and
- WHEREAS, Valley City Public Works customers were informed of our IRP and resulting
 Action Plans through various means including a public meeting where public
 questions and comments were encouraged; and
- WHEREAS, Any public comments received have been addressed in order to strengthen the city's Integrated Resource Plan; and
- WHEREAS, The IRP Summary Report includes 5-year and 2-year action plans outlining actions to be taken by Valley City Public Works during the next several years.

NOW THEREFORE BE IT RESOLVED BY THE BOARD OF CITY COMMISSIONERS OF THE CITY OF VALLEY CITY, BARNES COUNTY, NORTH DAKOTA, That the Integrated Resource Plan Summary Report for the City of Valley City dated August 2014 is hereby approved for filing with Western under the energy Planning and Management Program.

Passed and approved this 19th day of August, 2014.

Robert J. Werkhoven, President of the Board of City Commissioners of the City of Valley City, Barnes County, North Dakota

ATTEST:

Avis Richter, Auditor of the City of Valley City,

Barnes County, North Dakota